The UC 400

COMBUSTION RESEARCH BULLETIN

No. 116 March 2000

A News Bulletin of the Office of Basic Energy Sciences, Department of Energy, Combustion Research Programs. Produced by Keith Schofield, ChemData Research, P.O. Box 40481, Santa Barbara, CA 93140, (805) 966-7768, Fax (805) 893-8797, e-mail: combust@mrl.ucsb.edu, http://www.ca.sandia.gov/CRF/Publications/CRB/CRB.html

TECHNICAL ABSTRACTS

THERMAL ANALYSIS OF NTO: COMPETITIVE SUBLIMATION AND CONDENSED PHASE DECOMPOSITION OF A HIGH EXPLOSIVE

G.T. Long, B.A. Brems and C.A. Wight, Department of Chemistry, University of Utah, 315 S. 1400 E., Salt Lake City, UT 84112, Fax (801) 585-3207, long@chemistry.utah.edu (Presented at the 219th National Meeting of the American Chemical Society, Held in San Francisco CA, March 2000).

Thermogravimetric analysis (TGA) and differential scanning calorimetry (DSC) experiments have shown that the heating of 3-nitro-1,2,4-triazol-5-one (NTO) causes both sublimation and condensed phase exothermic decomposition. Using model-free isoconversional analysis, global activation energies have been determined as a function of the extent of conversion, α . Sublimation of NTO predominates in an open pan. Nonisothermal TGA and DSC traces strongly support competitive sublimation and condensed phase decomposition for pierced pan samples. Condensed phase decomposition promotes the formation of gaseous reaction products when confining NTO in a closed pan. Activation energies of closed pan samples remain relatively constant at about 310 kJ mol⁻¹ for 0.2< α <0.8.

THERMAL DECOMPOSITION OF A HIGH EXPLOSIVE: COMPETITIVE VAPORIZATION AND DECOMPOSITION OF LIQUID RDX

G.T. Long, S. Vyazovkin, B.A. Brems and C.A. Wight, Department of Chemistry, University of Utah, 315 S. 1400 E., Salt Lake City, UT 84112, Fax (801) 585-3207, long@chemistry.utah.edu (Presented at the *219th National Meeting of the American Chemical Society*, Held in San Francisco CA, March 2000).

Thermogravimetric analysis and differential scanning calorimetry have been applied to the thermal decomposition of hexahydro-1,3,5-trinitro-1,3,5-triazine (RDX). Model-free isoconversional kinetic analysis has been used to determine activation energies as a function of the extent of conversion. Evaporation is a prevalent process in an open pan with an activation energy of about 100 kJ mol⁻¹. Liquid phase decomposition of RDX is promoted by confining the system in either a pierced pan or a closed pan and occurs with an activation energy of about 200 kJ mol⁻¹, which is consistent with scission of an N-N bond as the primary decomposition step. Gas phase decomposition also competes in such a confined environment with an activation energy estimated to be about 140 kJ mol⁻¹. The integrated heat release from RDX is about 500 kJ mol⁻¹ in closed pan samples, independent of both the heating rate and the initial sample mass.

SPIN-ORBIT COUPLING AND CHEMI-IONIZATION OF Hg*+Hg*

J.S. Cohen, L.A. Collins and R.L. Martin, Los Alamos National Laboratory (Presented at the *Division of Atomic, Molecular and Optical Physics 2000 Meeting of the American Physical Society*, Held in Storrs CT, June 2000).

Chemi-ionization in binary collisions of mercury atoms is possible only when both atoms are excited. We have performed ab initio calculations of a complete set of 36 potential curves ($^{1,3,5}\Sigma,\Pi,\Delta_{g,u}$) for the interactions Hg(6s6p)+Hg(6s6p) as well as the molecular-ion potential curve dissociating to Hg(6s²)+Hg⁺. These calculations utilize relativistic core potentials and full configuration interaction involving the valence electrons. The spin-orbit coupled set of 90 potential curves is then obtained by diagonalizing the matrices containing these L-S potential curves and the atomic spin-orbit matrix elements. The attractive or repulsive nature of the curves and their R-dependent position relative to the molecular-ion curve show the possibilities for both associative ionization (yielding vibrationally excited Hg₂⁺)and Penning ionization (yielding Hg⁺ and ground state Hg). The calculated structure sheds light on some previous puzzling experimental observations.

TROPOSPHERIC OZONE FORMATION FROM BIOMASS BURNING AND URBAN RELEASES F.S. Rowland and D.R. Blake, Department of Chemistry, University of California, 571 Rowland Hall, Irvine, CA 92697, Fax (949) 824-2905, rowland@uci.edu (Presented at the 219th National Meeting of the American Chemical Society, Held in San Francisco CA, March 2000).

Atmospheric release of oxidizable carbon compounds, coupled with NO_x release and solar ultraviolet radiation, leads to formation of tropospheric ozone. Ground level ozone data indicate substantial increases over the past century, especially during summer. In urban areas, automotive traffic is a major contributor to ozone formation, although liquefied petroleum gas is also important in cities (for example Mexico City, Santiago). Elevated concentrations of hydrocarbons are also found in cities such as Karachi which depend heavily on traditional local energy sources. The burning of agricultural wastes or forests produces CO_x , and many hydrocarbons whose yields correlate more closely with CO_x than with CO_x . Carbonaceous molecular products containing oxygen, nitrogen, sulfur or halogens are present in very fresh plumes. In several aircraft-based Pacific programs, back-trajectories of ozone-rich plumes have been traced thousands of miles to source areas. Relative enhancements of products with different lifetimes are markers of plume ages.

THE KINETIC NATURE OF SULFUR'S CHEMISTRY IN FLAMES

K. Schofield, Materials Research Laboratory, University of California, Santa Barbara, CA 93106, Fax (805) 893-8797, e-mail: combust@mrl.ucsb.edu (to Appear in *Combustion and Flame*).

Radi et al. recently presented the first quantitative multiplexed measurements of S_2 and OH concentrations in flames using degenerate four wave mixing (DFWM). Although the absorption-calibrated OH measurements were in agreement with expectations, very severe discrepancies were reported for the indirectly-calibrated S_2 densities. Magnitudes ranged up to 236-fold larger than predicted. The researchers have questioned the adequacy of previous flame work and the current kinetic model of the mechanisms of sulfur's flame chemistry. The implications of their suggestion are extensive and severe, and their result unexpected. They have suggested that the kinetic modeling is either incomplete or that an additional species such as NS may be responsible. As a consequence, a re-examination of their work and all previous studies in H_2 , C_3H_8 and CH_3OH flames has been made. The resulting conclusions are that it will be very difficult to modify the kinetic model of sulfur in flames to encompass such results. Suggestions that other species such as NS may be playing a significant role are shown to have little merit. In addition, an analysis of potential roles for

OCS, CS, CS_2 and one recently suggested for HCS in fossil fueled flames also indicates these to be very minor.

A closer examination of the recent DFWM measurements implies various other disquieting aspects. One is that the reported S₂ densities are essentially close to or above expected flame equilibrium values. Numerous independent measurements all agree that S₂ concentrations are depressed by flame non-equilibrium and increase with downstream time as flame radical concentrations relax towards their equilibrium values. In the present case, however, measured OH concentrations still are in the range of 42- to 10-fold above their equilibrium values. A second aspect of concern is that the measurements imply an insensitivity to S₂, recording levels at several hundreds of ppm with some difficulty. Other DFWM measurements, for example with CH, C₂, CN, NO and OH, all report sensitivities down to a few ppm. Even CH₃ can be measured in flames at levels of 65-70 ppm. The fact that under saturation conditions, DFWM intensities fall off as the square of the concentration indicates the severity of these differences. On the other hand, the degree of theoretical understanding now is guite sound for DFWM, and the levels of approximation involved would not appear to conceivably introduce the magnitude of change that is required to bring this body of data together. The DFWM spectroscopy involved, per se, appears to be reasonable and valid. An indirect calibration method, however, is used to scale the S₂ intensities and has never been validated. One plausible explanation that is proposed herein relates to the very efficient collision free coupling that occurs between the $S_2(B^3\Sigma_1)$ and $S_2(B^{\prime\prime}\Pi_1)$ states. There is evidence in the literature that the latter long-lived state can act as a pseudo-metastable state. Instantaneous depletion of the pumped $S_2(X^3\Sigma_0^-,v=2)$ into this state would modify the data by lowering the resultant values. If correct, this appears to be the first such reported interference with DFWM monitoring.

A review of the current status of our understanding of the behavior of the major sulfur species in flames indicates that any possible need for modification should be only minor. Major remaining uncertainties, which cannot noticeably perturb the sulfur chemistry itself, center on the exact nature of the mechanisms by which sulfur modifies NO_x formation and, to a lesser extent, to reexamine the validity of the exact mechanisms involved in the catalytic flame radical recombination cycles. Definitive studies of these have yet to be done.

LASER INDUCED FLUORESCENCE SPECTROSCOPY OF tert-PENTOXY AND 3-PENTOXY RADICALS T.S. Dibble, C. Wang, W. Deng, L. Shemesh and D. Katz, Chemistry Department, SUNY-Environmental Science and Forestry, 1 Forestry Drive, Syracuse, NY 13210, Fax (315) 470-6856, tsdibble@mailbox.syr.edu (Presented at the 219th National Meeting of the American Chemical Society, Held in San Francisco CA, March 2000).

New fluorescence excitation spectra of *tert*-pentoxy ((CH₃)₂C(O)CH₂CH₃) and 3-pentoxy radicals were observed in the wavelength range 345-400 nm. The radicals were produced by laser photolysis of the corresponding pentyl nitrites at 355 nm. For *tert*-pentoxy, 12 vibronic bands were labeled in three progressions, with \mathbf{v}_{CO} =551 cm⁻¹. The transition origin was tentatively assigned at 25491 cm⁻¹ (392.3 nm). For 3-pentoxy, 9 vibronic bands were assigned to three progressions, including a with \mathbf{v}_{CO} of 573 cm⁻¹. The transition origin was assigned at 26439 cm⁻¹ (378.2 nm). Numerous peaks in both spectra remain unassigned. The fluorescence lifetime of 3-pentoxy was determined to be about 160 ns.

EXPERIMENTAL STUDIES OF THE NaK($3^{1}\mathbf{P}$ and $1^{3}\mathbf{D}$) States

I.D. Prodan, Rice University, A. Marks, L. Sibbach, E. Laub, I. Mazsa, S. Webb, J. La Civita, E. Galle, Z.J. Jabbour, R.K. Namiotka, T. Morgus and J. Huennekens, Lehigh University, and L. Li, Tsinghua University (Presented at the *Division of Atomic, Molecular and Optical Physics 2000 Meeting of the American Physical Society*, Held in Storrs CT, June 2000).

We report the results of optical-optical double resonance experiments designed to study the $3^1\Pi$ and $1^3\Delta$ states of NaK. In the first step, a narrow band cw dye laser (PUMP) was tuned to excite a particular $2(A)^1\Sigma^+(\nu_A,J')$ level [or $2(A)^1\Sigma^+(\nu_A,J')_{\sim}$ 1(b) $^3\Pi(\nu_b,J')$ mixed level], and its frequency was then fixed. A second narrow band tunable cw Ti:Sapphire laser (PROBE) was then scanned over transitions to various $3^1\Pi(\nu_\Pi,J)$ [or $1^3\Delta(\nu_\Delta,J)$] levels while $3^1\Pi\to 1(X)^1\Sigma^+$ violet fluorescence [or collision-induced $^3\Lambda\to 1(a)^3\Sigma^+$ green fluorescence] was monitored. The Doppler-free signals accurately map the $3^1\Pi$ and $1^3\Delta$ state rovibrational energy levels. These energy levels were then fit to Dunham expansions to provide experimental molecular constants, allowing the construction of RKR potential curves that have been compared to recent theoretical calculations. Comparison between observed and calculated Franck Condon factors was used to determine variation of the $3^1\Pi\to 1(X)^1\Sigma^+$ transition dipole moment with internuclear separation. A deperturbation analysis of the $1^3\Delta$ state was performed to determine the spin-orbit constant for that state. The $1^3\Delta$ state hyperfine structure, due to the Fermi contact interaction between the electron spin and the sodium atom nuclear spin, was also studied.

Observation of Na_2 Gerade Levels Dissociating to the (3P+3P) Atomic Limit by Two-Color Photoassociation Spectroscopy

F. Fatemi, K. Jones and P. Lett, National Institute of Standards and Technology, Gaithersburg MD (Presented at the *Division of Atomic, Molecular and Optical Physics 2000 Meeting of the American Physical Society*, Held in Storrs CT, June 2000).

We have performed photoassociation spectroscopy of ultracold (T<1 mK) sodium atoms confined to a magneto-optical trap. With this technique, we have probed with high resolution the weakly bound vibrational levels of the Na₂(A¹ Σ_{u}) state and previously unseen $^{3}\Sigma_{1g}$ and $^{3}\Sigma_{0g}$ states, which dissociate to the (3S+3P_{1/2}) atomic limit. Also, by starting in those long range states with outer turning points of 30-50 a_O, we have used a second laser to measure weakly bound levels near the (3P+3P) asymptotes which undergo associative ionization. In particular, starting from the A¹ Σ ⁺ state, we are able to access previously unrecorded gerade levels. The signals are especially strong for levels bound by less than 2 cm⁻¹ below the (3P_{3/2}+3P_{1/2}) asymptote.

OSCILLATOR STRENGTHS FOR (B-X, C-X AND E-X) TRANSITIONS IN CARBON MONOXIDE S. Cheng, S.R. Federman, M. Fritts and D.C. Knauth, Department of Physics and Astronomy, University of Toledo, and K.M. Menningen and K. Fulk, Department of Physics, University of Wisconsin-Whitewater (Presented at the *Division of Atomic, Molecular and Optical Physics 2000 Meeting of the American Physical Society*, Held in Storrs CT, June 2000).

Oscillator strengths for transitions in CO were obtained at the Synchrotron Radiation Center of the University of Wisconsin-Madison. Our focus was on transitions that will be observed in interstellar spectra with the Far Ultraviolet Spectroscopic Explorer; these transitions are also important in studies of selective isotope photodissociation where fractionation among isotopomers can occur. Absorption from the ground state $(X^1\Sigma^+ \mathbf{v''}=0)$ to $B^1\Sigma^+(\mathbf{v'}=0,1)$, $C^1\Sigma^+(\mathbf{v'}=0,1)$ and $E^1\Pi(\mathbf{v'}=0,1)$ was measured with the 4 m Normal Incidence Monochromator. The instrumental resolution was approximately 0.01 nm. As in our earlier experiment, fits to the (A-X)(5,0) band, whose oscillator strength is well known, yielded the necessary column density and excitation temperature. These parameters were used in the least-squares fit of the transitions of interest to extract their band oscillator strengths. The results will be compared with other recent determinations.

LINE OSCILLATOR STRENGTH MEASUREMENTS IN THE (0-0) BAND OF THE (c'_4 -X) TRANSITION OF N_2 G. Stark, Wellesley College, K. Huber, National Research Council, K. Yoshino and P.L. Smith, Harvard-Smithsonian Center for Astrophysics, M. Chan, The Chinese University of Hong Kong, T. Matsui, Hiroshima University and K. Ito, Photon Factory, Tsukuba, Japan (Presented at the

Division of Atomic, Molecular and Optical Physics 2000 Meeting of the American Physical Society, Held in Storrs CT, June 2000).

Oscillator strengths for 48 rotational lines in the 0-0 band of the (c'_4 -X) system of N₂, a prominent feature in planetary airglow emissions, were determined from vacuum ultraviolet photoabsorption spectra recorded with an instrumental resolution of 6.5×10^{-4} nm. Our results are compared with earlier measurements of band-integrated absorption cross sections and with a study of electron-impact-induced emission from $c'_4(0)$, as well as with electron scattering measurements and a nonadiabatic calculation of vibronic band strengths. Relative P- and R-branch absorption intensities deviate systematically from those of an unperturbed ($^1\Sigma$ - $^1\Sigma$) band, as expected from the interactions of the $c'_4(v=0)$ level with nearby Rydberg and valence states. In addition, band f-values derived from pairs of R- and P-branch transitions with a common lower-state rotational level, f(J"), are found to be J-dependent. This J-dependence is discussed in the context of the interference patterns which characterize the absorption strengths in the region of the widespread interactions between Rydberg and valence state levels.

THE STRUCTURE OF O_3 -CH₄ AND IMPLICATIONS FOR THE $O+CH_4$ PRECURSOR-LIMITED REACTION A.H. Walker, G. Fraser, R. Suenram and F. Lovas, Optical Technology Division, National Institute of Standards and Technology, 100 Bureau Drive, Gaithersburg, MD 20899 (Presented at the Division of Atomic, Molecular and Optical Physics 2000 Meeting of the American Physical Society, Held in Storrs CT, June 2000).

The rotational spectrum of the O₃-CH₄ complex has been measured in a molecular beam using a pulsed-nozzle Fourier-transform microwave spectrometer. An a-type pure-rotation and a c-type rotation-inversion electric-dipole spectrum is observed, complicated by the nearly free internal rotation of the CH₄ top and the inversion tunneling of the O₃. The nuclear-spin statistics of the equivalent oxygen nuclei leads to only one tunneling component existing for each rotation-internalrotation state, indicating that the transition state has a heavy-atom. C₂,-symmetry geometry. The tunneling splitting is determined to be 30 to 40 MHz, dependent on the CH₄ internal-rotor state. Only two of the three methane internal-rotor states have been assigned. These two states of A and F symmetry have asymmetric-rotor energy-level structures, weakly perturbed by the ozone-inversion tunneling. Transitions have been observed for the E internal-rotor state, verified by their linear frequency shifts with electric field, however no definitive rotational assignment of these lines could be made. The E internal-rotor-state energy-level structure is complicated by the unquenched internal-rotation angular momentum of the methane top, which leads to a strong Coriolis interaction between the rotation and internal-rotation angular momenta. The zero-point structure of the complex has a heavy-atom plane of symmetry with the two terminal O atoms equidistant above and below this plane. The angle between the line joining the center of masses of the two subunits and the O_3 , C_2 axis is 118.2(5)° (with the planar O directed away from the CH_4). The shortest O-C separation is 3.57. The geometry of the complex suggests two outcomes for the reaction of the O atom produced by 267 nm photolysis of O₃ in the complex, either nonreaction or reaction by stripping of a hydrogen atom at high impact parameters, leading to fast, highly rotationally excited OH product.

DIRECT, PRESSURE-DEPENDENT MEASUREMENTS OF OH AND H YIELDS FROM THE GAS PHASE REACTION OF OZONE WITH ALKENES

J.H. Kroll, N.M. Donahue, J.S. Clarke, K.L. Demerjian and J.G. Anderson, Department of Chemistry, Harvard University, 12 Oxford Street, Link Building, Cambridge, MA 02138, kroll@fas.harvard.edu (Presented at the *219th National Meeting of the American Chemical Society*, Held in San Francisco CA, March 2000).

The reaction of ozone with unsaturated hydrocarbons in the gas phase is believed to be an important source of HO_x radicals in the troposphere. However, since the reaction mechanism involves vibrationally excited intermediate species, and most yield measurements are indirect, the exact mechanism and product branching ratios remain uncertain. We present direct pressure-dependent measurements of radical yields for a number of ozone-alkene reactions. OH and H radicals are detected using laser induced fluorescence and resonance fluorescence, and are measured at steady state, formed from the ozone-alkene reaction and lost to reaction with the alkene. Short reaction times (usually 10 ms) ensure minimal interference from secondary reactions. Measurements from 1 torr to hundreds of torr cover a set of simple symmetric alkenes: ethene, trans-2-butene, 2,3-dimethyl-2-butene, 3-hexene, and 3,4-dimethyl-3-hexene. OH yields for the smaller alkenes are pressure independent and consistent with previous indirect measurements. However, yields for the larger alkenes decrease rapidly with pressure, resulting in 1 atm yields significantly lower than current recommendations. This pressure dependence is caused by the large number of nonreactive modes of the carbonyl oxide (Criegee) intermediate. Larger intermediates have longer lifetimes with respect to unimolecular reaction and therefore are more susceptible to collisional stabilization; we motivate this effect more quantitatively using statistical theory. Therefore, radicals are produced directly in the ozonealkene reaction, but yields measured in environmental chambers may be overestimates due to interference by secondary reactions.

COMPUTATIONAL STUDIES OF OH RADICAL GENERATION FROM ALKENE OZONOLYSIS K.T. Kuwata and K.N. Houk, Department of Chemistry and Biochemistry, University of California, 405 Hilgard Avenue, Los Angeles, CA 90095-1569, Fax (310) 206-1843, kuwata@chem.ucla.edu, and J.D. Fenske and S.E. Paulson, Department of Atmospheric Sciences, University of California (Presented at the 219th National Meeting of the American Chemical Society, Held in San Francisco CA, March 2000).

The gas phase ozonolysis of alkenes generates hydroxyl radical, and therefore can have a critical impact on tropospheric chemistry. We have explored the variation of OH yields with alkene structure using density functional theory (B3LYP/6-31G(d,p)) calculations. The ability of internal alkenes and cycloalkenes to generate OH radicals can be rationalized in terms of the Criegee mechanism. The yield of OH from these systems is controlled by the concerted cycloreversion of the primary ozonide. However, the yields of OH from ethylene and propene has been found experimentally to vary with total pressure. Our B3LYP calculations indicate that the gas phase ozonolysis of these species proceeds by diradical pathways.

KINETICS AND BRANCHING RATIO MEASUREMENTS FOR THE $C_2H_5O_2+NO$ REACTION M.J. Elrod, D.L. Ranschaert and N.J. Schneider, Department of Chemistry, Hope College, 35 E. 12th Street, Holland, MI 49423, Fax (616) 395-7118, elrod@hope.edu (Presented at the 219th National Meeting of the American Chemical Society, Held in San Francisco CA, March 2000).

The temperature dependence of the overall rate constant for the $C_2H_5O_2+NO$ reaction and the rate constant for the minor branching channel resulting in the production of $C_2H_5ONO_2$ has been measured using the turbulent flow technique with high pressure chemical ionization mass spectrometry for the detection of reactants and products. The temperature dependence of the overall rate constant for the $C_2H_5O_2+NO$ reaction was investigated between 299 and 213 K at 100 torr pressure, and was found to agree well with the current recommendation for atmospheric modeling. The minor reaction channel $C_2H_5O_2+NO\rightarrow C_2H_5ONO_2$ was directly observed for the first time, and the temperature dependence of the rate constant for this channel was investigated between 298 and 213 K at 100 torr pressure. The Arrhenius expressions for the overall rate and the $C_2H_5ONO_2$ producing channel indicate a branching ratio of about 0.005 at 298 K and 0.02 at 213 K at 100 torr.

RATES OF REACTION FOR CYCLOPROPANE AND $CHF_2OCHF_2(HFOC-134)$ WITH OH RADICALS E.W. Wilson Jr. and A.A. Sawyer, Department of Physical Science, Harding University, 10849 Harding University, 900 East Center Street, Searcy, AR 72149, Fax (501) 279-4706, wilson@harding.edu (Presented at the 219th National Meeting of the American Chemical Society, Held in San Francisco CA, March 2000).

Rates, temperature dependences and Arrhenius A-factors were determined for the rates of reaction of cyclopropane and $CHF_2OCHF_2(HFOC-134)$ with hydroxyl radicals. The rates were determined by a relative method to minimize errors from trace impurities and adsorption on the walls of the reaction vessel. $CF_3CHF_2(FC-125)$ was used as the reference for HFOC-134 rate determinations. Cyclopropane rate measurements used ethane and $CHF_2CH_3(FC-152a)$ as references. Both compounds were measured by a stopped-flow method employing GC/MS for the detection system. Photolysis of water by means of a low pressure mercury lamp produced the hydroxyl radicals.

AB INITIO STUDY OF THE KINETICS OF THE REACTIONS OF CIO RADICALS WITH $CH_xCI_{4-x}(x=1-4)$ OVER THE TEMPERATURE RANGE 200-2500 K

F. Louis, R.E. Huie and M.J. Kurylo, Experimental Kinetics and Thermodynamics Group, National Institute of Standards and Technology, 100 Bureau Drive, Gaithersburg, MD 20899, flouis@nist.gov, C.A. Gonzalez, Computational Chemistry Group, National Institute of Standards and Technology, and J.-P. Sawerysyn, Laboratoire de Cinetique et Chimie de la Combustion UMR-CNRS 8522, Universite des Sciences et Technologies de Lille, 59655 Villeneuve d'Ascq, Lille, France (Presented at the *219th National Meeting of the American Chemical Society*, Held in San Francisco CA, March 2000).

Combustion and thermal oxidation mechanisms can become complicated as the number of elements beyond C, H and O increases, especially if halogen atoms are also present. For many of the reactions involving these species, there is little or no information regarding the kinetics and/or mechanisms of the elementary steps at high temperatures.

Model development of thermal degradation processes of chlorinated compounds in methane flames requires the knowledge of the kinetics and thermodynamics characterizing the reactions between chlorine oxide (CIO) and halomethanes.

The goal of this study is the computation of the reaction enthalpies as well as the rate constants as a function of temperature in order to shed some light in the understanding of the reactivity trends experimentally observed in the following series of reactions: $CIO + CH_xCI_{4-}$ $_x=Products(x=1-4)$.

DEPLETION KINETICS OF CHROMIUM ATOMS BY SULFUR DIOXIDE

R.E. McClean, Chemistry Department, U.S. Naval Academy, Annapolis, MD 21402, mcclean@nadn.navy.mil (Presented at the *219th National Meeting of the American Chemical Society*, Held in San Francisco CA, March 2000).

The gas phase depletion kinetics of $Cr(a^7S_3, a^5S_2, a^5D_J)$ in the presence of SO_2 are reported. Chromium atoms were produced by the 248 nm photodissociation of chromium carbonyl and were detected by laser induced fluorescence. The ground state of Cr was found to react rapidly via a termolecular mechanism with sulfur dioxide. Over the temperature range 296-534 K, the limiting low pressure third-order rate constants are on the order of 10^{-28} cm⁶ molecule⁻² s⁻¹, and they decrease with increasing temperature. The limiting high pressure second-order rate constants are on the order of the collision rate. The excited states deplete at rates greater than or equal to the collision rate in the presence of sulfur dioxide. Results are interpreted in terms of an electron transfer mechanism and the orbital occupancies of the Cr atomic states.

Measurements of the Collision Energy Dependence of the $H+D_2$ @ $HD(\pmb{n}=0,j=7)+D$ Reaction

N. Shaferray and L.J. Asinghe, The University of Oklahoma (Presented at the *Division of Atomic, Molecular and Optical Physics 2000 Meeting of the American Physical Society*, Held in Storrs CT, June 2000).

The $H+H_2$ reaction and its isotopic analogs have long served as models for quantum theories of reactive scattering. Despite the importance of these reactions, surprisingly few systematic studies of their energy dependence have been carried out. Here we present measurements of the collision-energy dependence of the $H+D_2 \rightarrow HD(\mathbf{v}=0,j=7)+D$ reaction and compare our observations with predictions of Brian Kendrick of Los Alamos National Laboratory.

MECHANISTIC STUDY OF THE REACTION OF HYDROXYL RADICALS WITH NITRIC ACID: ISOTOPICALLY SUBSTITUTED REACTIONS, PRODUCT YIELDS AND COMPARISON TO THEORY
S.S. Brown, J.B. Burkholder, R.K. Talukdar and A.R. Ravishankara, Aeronomy Laboratory, National Oceanic and Atmospheric Administration, R/AI2, 325 Broadway, Boulder, CO 80303, Fax (303) 497-5822, sbrown@al.noaa.gov, R. Bianco, University of Colorado, and J.T. Hynes, Department of Chemistry and Biochemistry, University of Colorado (Presented at the 219th National Meeting of the American Chemical Society, Held in San Francisco CA, March 2000).

The reaction of hydroxyl radicals with nitric acid is one of the major pathways for generation of NO_x from HNO_3 in the atmosphere. The rate constant has an unusual pressure and temperature dependence that suggests the formation of a reactive complex. We investigate the rate constants for isotopically substituted reactants, $OD+DNO_3$, $OH+DNO_3$, $OD+HNO_3$ and $^{18}OH+HNO_3$. Deuterium substitution on nitric acid results in more than a tenfold reduction in the rate constant, while deuterium substitution on hydroxyl increases the rate constant slightly. There is no evidence for exchange in the isotopically mixed reactions. Product yield studies show that the title reaction produces nitrate radical with unit efficiency over all temperatures and pressures studied. Finally, ab initio calculations of possible reactive complex structures and their corresponding transition states corroborate the experimental observations.

HIGH RESOLUTION PHOTOFRAGMENT TRANSLATIONAL SPECTROSCOPY WITH VIBRATIONAL QUANTUM STATE RESOLUTION: PHOTODISSOCIATION OF CH_3I AT 266 nm G. Li, S.-U. Heo and H.J. Hwang, Department of Chemistry, Kyung Hee University, Seoul, 130-701, South Korea, Fax 82-2-969-3467, guosheng@cvs1.kyunghee.ac.kr (Presented at the 219th National Meeting of the American Chemical Society, Held in San Francisco CA, March 2000).

A high resolution photofragment translational spectroscopy technique that enables direct resolution of vibrational quantum states has been developed and used to study the well-known model system, the photodissociation of CH₃I at 266 nm. The high resolution translational spectrum of I(2 P_{1/2}) fragments reveals a sole progression of the \mathbf{v}_2 (a") umbrella bending vibration. Vibrational state distribution of CH₃ in the I*-channel was determined to be \mathbf{v}_2 =0:1:2=0.65(±0.02):0.29(±0.01):0.06(±0.01) with values of the recoil anisotropy being 1.92(±0.03), 1.87(±0.05), and 1.75(±0.09), respectively. The rotational temperature of the \mathbf{v}_2 =1 state (120±40 K) was observed to be similar to that of the \mathbf{v}_2 =0 state (120±30 K) reported previously. The bond dissociation energy was determined to be D₀°(CH₃-I)=55.9(±0.5) kcal/mol. Detailed aspects of the vibrational and rotational energy partitioning as well as the recoil anisotropy are compared with the recent theoretical predictions.

Ultraviolet Photodissociation of NCO: Wavelength Dependence of Branching Among Product Channels

S. Gomez, H.M. Lambert and P.L. Houston, Department of Chemistry and Chemical Biology, Cornell University, Baker Laboratory, Ithaca, NY 14853-1301, Fax (607) 255-8549, sg55@cornell.edu (Presented at the *219th National Meeting of the American Chemical Society*, Held in San Francisco CA, March 2000).

The photodissociation dynamics of the NCO radical have been studied using standard pump-probe techniques. NCO is generated from the reaction of $CN+O_2$, where the CN is produced by 193 nm photolysis of C_2N_2 at the exit of a pulsed nozzle. An ultraviolet laser is tuned to a rovibrational resonance in the $B(^2\Pi)\leftarrow X(^2\Pi)$ transition, which predissociates to products, N+CO. CO products from either the $CN+O_2$ reaction or the photodissociation of NCO can be detected by sub-Doppler VUV LIF on the $A(^1\Pi)\leftarrow X(^1\sigma^+)$ transition. The CO rotational distribution and Doppler profiles provide information about the branching between dissociation to coproducts: $N(^4S)$, $N(^2D)$ and $N(^2P)$. Recent results will be presented.

Unimolecular Reaction Dynamics of Vinyl Chloride on the Ground Electronic Potential Energy Surface: Excitation by Chemical Activation and Product State Distributions of HCI and CI Fragments

Y.S. Choi, S.K. Kim, S.H. Cho, W.-H. Park and S.-M. Lim, Department of Chemistry, Inha University, Nam-gu, Incheon, 402-751, South Korea, Fax (82) 32-867-5604, yschoi@inha.ac.kr (Presented at the *219th National Meeting of the American Chemical Society*, Held in San Francisco CA, March 2000).

The dynamics of unimolecular reactions of vinyl chloride on the ground electronic potential energy surface have been investigated. The vibrationally excited vinyl chloride in its ground electronic state was prepared by using the isomerization of methyl-chlorocarbene radical to vinyl chloride via H-atom migration and the carbene radicals were produced by photolysis of 3-methyl-3-chlorodiazirine at 353.6 nm. The vinyl chloride molecules formed in this excitation scheme were highly vibrationally excited in its ground electronic state due to the bond formation between two carbon atoms, and were found to undergo unimolecular reactions of HCI elimination and C-CI bond fission. The rotational and vibrational energy distribution of HCI fragments and the spin-orbit state branching ratio of CI atoms have been measured with resonantly enhanced multiphoton ionization (REMPI)/time-of-flight mass spectrometry. The overall state distribution of HCI and CI fragments are much colder than those of 193 nm photodissociation as expected from the smaller excitation energy. Interestingly, however, the rotational distribution of HCI(v=0) fragments fits to a Boltzmann distribution of a single rotational temperature in contrast to the result of 193 nm photodissociation, which showed a bi-exponential distribution. The dynamical differences between two excitation schemes will be discussed in terms of the potential energy surfaces involved.

NONADIABATIC TRAJECTORIES AT AN EXHIBITION

M.D. Hack and D.G. Truhlar, Department of Chemistry and Supercomputer Institute, University of Minnesota, Minneapolis, MN 55455 (to Appear in the *Journal of Physical Chemistry A.*).

The present article reviews two classes of semiclassical (mixed quantum mechanical/classical) methods for investigating multi-electronic-state dynamics: the trajectory surface hopping (TSH) method and the time-dependent self-consistent field (TDSCF) method. The recent availability of accurate quantum mechanical dynamics calculations for a variety of realistic three-body two-state potential energy matrices has allowed an assessment of the validity of semiclassical multi-surface dynamics methods that are applicable to larger systems. These studies indicate that Tully's fewest switches algorithm is the best available TSH method and that the Ehrenfest method is the best previously available TDSCF method. The fewest switches surface hopping

method has relatively small errors even when it is not the best method, while the Ehrenfest TDSCF method tends to have larger errors when it is not the best. However, the fewest switches algorithm involves unphysical discontinuities in momenta and the results may depend on the choice of representation. Furthermore, the surface hopping algorithm is frequently frustrated in its attempt to maintain ensemble-average self consistency. The Ehrenfest method removes all these troublesome aspects but at the cost of producing unphysical mixed states which are responsible for its larger errors in observables. A recently introduced TDSCF method, the continuous surface-switching method, removes the unphysical mixed states of the Ehrenfest method, and in initial tests it produces results that are systematically better than those calculated by the Ehrenfest method. The present article illustrates several of these aspects of nonadiabatic trajectory methods pictorially.

CONTINUOUS SURFACE SWITCHING: AN IMPROVED TIME-DEPENDENT SELF-CONSISTENT-FIELD METHOD FOR NONADIABATIC DYNAMICS

Y.L. Volobuev, M.D. Hack, M.S. Topaler and D.G. Truhlar, Department of Chemistry and Supercomputer Institute, University of Minnesota, Minneapolis, MN 55455 (to Appear in the *Journal of Chemical Physics*).

We present a new semiclassical method for electronically nonadiabatic collisions. The method is a variant of the time-dependent self-consistent field method and is called continuous surface switching. The algorithm involves a self-consistent-potential trajectory-surface-switching approach that is designed to combine the advantages of the trajectory-surface-hopping approach and the Ehrenfest classical-path self-consistent-potential approach without their relative disadvantages. Viewed from the self-consistent perspective, it corresponds to "on-the-fly histogramming" of the Ehrenfest method by a natural decay of mixing; viewed from the surface hopping perspective, it corresponds to replacing discontinuous surface hops by continuous surface switching. In this paper we present the method and illustrate it for three multidimensional cases. Accurate quantum mechanical scattering calculations are carried out for these three cases by a linear algebraic variational method, and the accurate values of reactive probabilities, quenching probabilities, and moments of final vibrational and rotational distributions are compared to the results of continuous surface switching, the trajectorysurface-hopping method in two representations, the time-dependent self-consistent-field method, and the Miller-Meyer classical electron method to place the results of the semiclassical methods in perspective.

USE OF AB INITIO QUANTUM MECHANICS TO ESTIMATE RATE CONSTANTS

D.M. Golden, Department of Mechanical Engineering, Stanford University & SRI International, Stanford, CA 94305, Fax (650) 859-6196, golden@sri.com, and J.P. Senosiain and C.B. Musgrave, Department of Chemical Engineering, Stanford University (Presented at the *219th National Meeting of the American Chemical Society*, Held in San Francisco CA, March 2000).

Understanding complex chemical systems, such as the chemistry of the polluted urban atmosphere, require a mathematical model describing the physics and chemistry of the assemblage. Despite many years of laboratory experiments that have improved our understanding immensely, it is not possible to measure every possible reaction that should be considered in the model. Thus, estimation techniques based on laboratory understanding have been used extensively. Often, however, insufficient experimental measurements exist with which to begin extrapolation of larger molecules. Recent advances in computational quantum mechanics have made it possible to compute potential energy surfaces for reactions that have not been measured. It would then seem possible to compute gas phase rate constants from judicious use of transition state theory (TST) and/or the microcanonical version applied to unimolecular reactions and their reverse known as RRKM theory. We have set out to test this posit by computing the structural properties of reactants

and transition states needed to apply the above theory. We have computed these properties for the reaction X+ethane=HX+ethyl for X=H, O, OH, NH₂, CH₃ and CI. The thermochemistry is well-known for these reactions and the rate constants have been measured as functions of temperature for all of them. We have employed the following quantum chemistry methods: B3LYP, MP2 and QCISD and used the gaussian basis sets: 6-311G(d,p) and 6-311++G(3df,2dp). We first examined the computed values for ΔH for the reaction. As has been noted by others, the structures and frequencies for the stable molecules and the transition states were similar for all levels of calculation. Thus we used the B3LYP structures and frequencies in conjunction with a TST code that compares experimental rate constants as functions of temperature with computed values, accepting the B3LYP structural information for reactants and transition states, while searching for the best value of the activation barrier (ΔH_0). (Tunneling is accounted for iteratively using Eckart corrections.) We have found that using the ab initio structures we cannot fit the Arrhenius curvature measured for either OH or NH₂ with ethane.

ADIABATIC CONNECTION FOR KINETICS

B.J. Lynch, P.L. Fast, M. Harris and D.G. Truhlar, Department of Chemistry and Supercomputer Institute, University of Minnesota, Minneapolis, MN 55455 (to Appear as a Letter in the *Journal of Physical Chemistry A.*).

A new hybrid Hartree-Fock-density functional (HF-DF) model called the modified Perdew-Wang 1-parameter model for kinetics (MPWIK) is optimized against a database of 20 forward barrier heights, 20 reverse barrier heights, and 20 energies of reaction. The results are compared to other hybrid HF-DF methods with the 6-31+G(d,p) basis. The new method reduces the mean unsigned error in reaction barrier heights by a factor of 2.4 over MPW1PW91 and by a factor of 3 over B3LYP.

ADDITION REACTION OF PROPARGYL AND ACETYLENE

N.W. Moriarty and M. Frenklach, Department of Mechanical Engineering, University of California, Berkeley, CA 94720, Fax (510) 642-1850, moriarty@me.berkeley.edu, X. Krokidis, French Institute of Petroleum, and W.A. Lester, Department of Chemistry, University of California (Presented at the 219th National Meeting of the American Chemical Society, Held in San Francisco CA, March 2000).

The addition of acetylene and propargyl has been investigated using several DFT methods including B3-LYP, B3-PW91 and B&H-H&LYP. The optimized geometries were calculated using the 6-31G(d,p) and the cc-pvTz basis sets. Quantum Monte Carlo calculations were performed at the B3-LYP/cc-pvTz optimized geometries. The RRKM rate constants were determined for the reactions leading to the formation of the c-C $_5$ H $_5$ radical. The heat of formation and rate of decomposition of the radical are determined and compared with experiment. A detailed analysis of the reaction pathways is performed using the Bonding Evolution Theory concepts applied to the Electron Localization Function.

QUANTUM DYNAMICS OF HOCI MOLECULE ON ACCURATE POTENTIAL ENERGY SURFACE
S. Skokov and J.M. Bowman, Department of Chemistry, Emory University, 1515 Pierce Drive, Atlanta, GA 30322, Fax (404) 727-6628, skokov@euch3g.chem.emory.edu, and K.A. Peterson, Department of Chemistry, Washington State University, Richland, WA 99352 (Presented at the 219th National Meeting of the American Chemical Society, Held in San Francisco CA, March 2000).

Accurate ab initio multireference CI calculations with large correlation-consistent basis sets have been performed for HOCI. After extrapolation to the complete basis set limit the ab initio data have been precisely fit to give a global three-dimensional potential energy surface. The surface was corrected by inverse perturbation method to reproduce exactly experimental vibrational energies and rotational constants. Variational calculations were performed for

rovibrational bound states of HOCl and HClO isomer. Rotation induced Fermi coupling is analyzed and compared to available experimental data. Complex L2 calculations are carried out for resonance rovibrational states of HOCl, within adiabatic rotation approximation, and compared to experimental data. The variation of state-selected dissociation rates is shown to be due to rotation induced coupling. The importance of isotope effect and coriolis coupling on the dissociation rate is discussed. We also report preliminary results on quantum reactive scattering for $O(^1D) + HCl$ reaction.

ATMOSPHERIC ABSORPTION OF Nd:YAG LASER RADIATION

W. Butler, S. Bentley, R. Boyd and A. Melissinos, University of Rochester (Abstract Presented at the *April Meeting 2000 of the American Physical Society*, Held in Long Beach CA, April 2000).

We have measured the absorption coefficient of infrared radiation at 1064 nm in air as a function of the partial pressure of the water vapor content. We used an NPRO laser locked to a Fabry-Perot cavity of high finesse F=12,000 filled with air. The incident power was $P_0{\cong}500$ mW and the build-up factor 1314 leading to a stored power $P_S{\cong}660$ W. We recorded the change in frequency $\Delta v/v$ (by using a second lower finesse F-P) and thus the local change in temperature ΔT , as a function of the stored power P_S . This allows us to determine α/κ where α is the absorption coefficient and κ the thermal conductivity of air for which we use $\kappa=0.24\times10^{-3}$ W/cm-K. We then find that at about 20 °C and relative humidity 24%, α/κ varies linearly with pressure and $\alpha=8(\pm2)\times10^{-9}$ (P/1 atm)cm $^{-1}$. This result is within the range of model calculations, but our measurements indicate that α is independent or the relative humidity.

DIABATIC AND ADIABATIC POTENTIAL CURVES FOR OH^+ , AND CHARGE EXCHANGE CROSS SECTIONS FOR $O+H^+$ $\ll O^+ + H$

A.P. Hickman, and J.A. Spirko, Lehigh University (Presented at the *Division of Atomic, Molecular and Optical Physics 2000 Meeting of the American Physical Society*, Held in Storrs CT, June 2000).

We have implemented large scale electronic structure calculations of diabatic and adiabatic potential curves for several ${}^3\Sigma^-$ states of OH $^+$. The methodology is an implementation of the CAS-SCF-CI method followed by block diagonalization, following Domcke and co-workers and Pacher et al. The potentials calculated are needed for coupled channel calculations for the charge exchange of H $^+$ with O (and the reverse process). This scattering process is of great importance in the upper atmosphere and in interstellar space. A key feature of the analysis is the near degeneracy (within 1 cm $^{-1}$) of the asymptotic fine structure levels O(3P_1)+H $^+$ and O $^+$ (4S)+H. The diabatic potential curves are well suited to such a situation, because the asymptotic limits of the diagonal elements can be adjusted to match spectroscopic values. Adiabatic and diabatic potential curves and the current state of the calculations will be presented at the meeting.

MC-QCISD: MULTI-COEFFICIENT CORRELATION METHOD BASED ON QUADRATIC CONFIGURATION INTERACTION WITH SINGLE AND DOUBLE EXCITATIONS

P.L. Fast and D.G. Truhlar, Department of Chemistry and Supercomputer Institute, University of Minnesota, Minneapolis, MN 55455 (to Appear in the *Journal of Physical Chemistry A.*).

This paper presents a multi-coefficient correlation method based on quadratic configuration interaction with single and double excitations (MC-QCISD) and basis sets using segmented contraction and having the same exponential parameters in the s and p spaces. The results are comparable to a previous multi-coefficient correlation method based on coupled cluster theory with less efficient correlation-consistent basis sets, and they are better than a previous multi-coefficient correlation method based on Moller-Plesset fourth order perturbation theory with single, double, and quadruple excitations with correlation-consistent basis functions. The mean

unsigned error per bond of the MC-QCISD method is 0.74 kcal/mol. The new method should be very efficient for computing geometries of open-shell transition states.

HEAT OF FORMATION OF OBrO: AN EXPERIMENTAL PHOTOIONIZATION STUDY R.B. Klemm, Department of Applied Science, Brookhaven National Laboratory, P.O. Box 5000, Upton, NY 11973, Fax (516) 344-7905, klemm@bnl.gov, R.P. Thorn and L.J. Stief, NASA/Goddard Space Flight Center, Greenbelt, MD 20771, and T.J. Buckley, Physical and Chemical Properties

Division, National Institute of Standards and Technology, Gaithersburg, MD 20899 (Presented at the 219th National Meeting of the American Chemical Society, Held in San Francisco CA, March

2000).

The potential importance of OBrO in atmospheric chemistry has been suggested recently. Although there appear to be no experimental measurements of $\Delta H(OBrO)$, estimated values range from 70 to 152 kJ/mol [Chase, J. Phys. Chem. Ref. Data 25, 1069, 1297 (1996)]. In the present investigation, the appearance energy (AE) or BrO+ from OBrO was measured by employing a discharge flow-photoionization mass spectrometer that is operated at beamline U-11 (National Synchrotron Light Source/Brookhaven National Lab). The heat of formation was derived from the AE result and the ionization energy of OBrO [IE=10.29 eV, Thorn et al., J. Phys. Chem. A. 103, 8384 (1999)]. The AE experiments yield a threshold at about 98.7 nm that gives, in turn, a value for $\Delta H(OBrO)$ of 180(±10) kJ/mol. The difference with the estimated values mentioned above and the concomitant implications for the atmospheric reactions of OBrO will be discussed.

TECHNICAL MEETINGS

(Current Additions to this List are Indicated by a Diamond Bullet Marking)

JULY 30-AUGUST 4, 2000

SPIE ANNUAL MEETING San Diego CA.

Information: Meetings Department, SPIE, P.O. Box 10, Bellingham, WA 98227, (360) 676-3290, Fax (360) 647-1445, e-mail: spie@spie.org, http://www.spie.org

JULY 30-AUGUST 4, 2000

28th International Symposium on Combustion Edinburgh, Scotland.

Information: S.S. Terpack, The Combustion Institute, 5001 Baum Boulevard, Suite 635, Pittsburgh, PA 15212, (412) 687-1366, Fax (412) 687-0340, e-mail: combust@telerama.lm.com

JULY 30-AUGUST 4, 2000

GORDON RESEARCH CONFERENCE ON MOLECULAR ELECTRONIC SPECTROSCOPY AND DYNAMICS New London NH.

Information: R.W. Field, Chair, Massachusetts Institute of Technology, rwfield@mit.edu; E. Bernstein, Vice-chair, Colorado State University, erb@lamar.colostate.edu; or J. Skinner, Chair, University of Wisconsin-Madison, skinner@chem.wisc.edu

AUGUST 6-11, 2000

15th International Conference on Nucleation and Atmospheric Aerosols Rolla MO.

Information: B. Hale, University of Missouri, 205 Physics, Rolla, MO 65409, (573) 341-4795, e-mail: bhale@umr.edu or marrku.kulmala@helsinki.fi, http://www.umr.edu/~icnaa

AUGUST 6-11, 2000

16th IUPAC CONFERENCE ON CHEMICAL THERMODYNAMICS Halifax, Nova Scotia, Canada.

Information: M.A. White, Department of Chemistry, Dalhousie University, Halifax, Nova Scotia B3H 4J3, Canada, (902) 494-3894, Fax (902) 494-1310, e-mail: mary.anne.white@dal.ca, http://IS.DAL.CA/ $_{\sim}$ ICCT

AUGUST 8-12, 2000

8th International Conference on Electronic Spectroscopy and Structure Berkeley CA.

Information: ICESS8, Advanced Light Source, Lawrence Berkeley National Laboratory, MS 6-2100, Berkeley, CA 94720, Fax (510) 486-4773, e-mail: icess@lbl.gov, http://www-als.lbl.gov/icess

AUGUST 13-16, 2000

5th International Conference on Greenhouse Gas Technologies Cairns, Queensland, Australia.

Information: GHGT-5 Secretariat, C. Paulson, CSIRO Energy Technology, PO Box 136, North Ryde, NSW 1670, Australia, (2) 9490-8790, Fax (2) 9490-8819, e-mail: c.paulson@det.csiro.au

AUGUST 13-18, 2000

Turbine 2000, International Symposium on Heat Transfer in Gas Turbine Systems Izmir, Turkey.

Information: R.J. Goldstein, Conference Chair, Department of Mechanical Engineering, University of Minnesota, Minneapolis, MN 55455, (612) 625-5552, Fax (612) 625-3434, e-mail: rjgumn@mailbox.mail.umn.edu, http://ichmt.me.metu.edu.tr Deadline: Abstracts Due by February 29, 2000.

AUGUST 14-17, 2000

18th AIAA APPLIED AERODYNAMICS CONFERENCE Denver CO.

Information: N.E. Suhs, Applied Aerodynamic Technical Program Chair, Naval Air Systems Command, Building 2187, Unit 5, Suite 1390A, 48110 Shaw Road, Patuxent River, MD 20670, (301) 342-0311, Fax (301) 342-8585, e-mail: suhsne@navair.navy.mil, or http://www.aiaa.org/calendar Deadline: Abstract by January 3, 2000

AUGUST 14-18, 2000

12th International Congress on Thermal Analysis and Calorimetry Copenhagen, Denmark.

Information: O.T. Sorensen, Materials Research Department, Riso National Laboratory, DK-4000 Roskilde, Denmark, 45-4677-5800, Fax 45-4677-5758, e-mail: o.toft.sorensen@risoe.dk, http://www.risoe.dk/ictac

JAHN TELLER SYMPOSIUM Boston MA.

Information: M. Kaplan, Simmons College and Boston University, (617) 521-2727, e-mail: kaplan@buphy.bu.edu, or G. Zimmerman, Boston University, (617) 353-2189, e-mail: goz@buphy.bu.edu

AUGUST 20-22, 2000

34th ASME NATIONAL HEAT TRANSFER CONFERENCE Pittsburgh PA.

Information: Meetings Department, American Society for Mechanical Engineers, 345 E. 47th Street, New York, NY 10017, (212) 591-7795, Fax (212) 705-7143, http://www.asme.org

AUGUST 20-24, 2000

220th National Meeting of the American Chemical Society Washington DC.

Division of Analytical Chemistry:

• Detection of Explosives, Pre- and Post-Blast R.Q. Thompson, Oberlin College, Department of Chemistry, 130 W. Lorain Street, Oberlin, OH 44074, (440)775-8305, Fax (440) 775-6682, e-mail: robert.g.thompson@oberlin.edu

Division of Fuel Chemistry:

- 1990 Clean Air Act Amendments: A 10-Year Assessment
 - J.J. Helble, University of Connecticut, Department of Chemical Engineering, U-222, Storrs, CT 06269, (860) 486-4602, Fax (860) 486-2959, e-mail: helble@eng2.uconn.edu
- Inorganics in Fossil Fuels, Waste Materials, and Biomass: Characterization, Combustion Behavior, and Environmental Issues
 - C.L. Senior, Physical Sciences, Inc., 20 New England Business Center, Andover, MA 01810, (978) 689-0003, Fax (978) 689-3232, e-mail: senior@psicorp.com
- Waste Material Recycling for Energy and Other Applications
 - S.V. Pisupati, Fuel Science Program, Pennsylvania State University, 404 Academic Projects Building, University Park, PA 16802, (814) 865-0874, Fax (814) 863-8892, e-mail: sxp17@psu.edu
- Fossil Fuels and Global Climate/CO₂ Abatement
 - R. Warzinski, USDOE/FETC, Box 10940, Building 83-324, Pittsburgh, PA 15236, (412) 892-5863, e-mail: warzinsk@fetc.doe.gov
- Production of Fuels and Chemicals from Synthesis Gas
 - D.B. Dadyburjor, Department of Chemical Engineering, P.O. Box 6102, West Virginia University, Morgantown, WV 26506, (304) 293-2111 ext 2411, Fax (304) 293-4139, e-mail: dadyburjor@cemr.wvu.edu
- Solid Fuel Chemistry
- Chemistry of Liquid and Gaseous Fuels F. Huggins, South Limestone St., Suite 111, University of Kentucky, Lexington, KY 40506, (606) 257-4045, Fax (606) 257-7215, e-mail: fhuggins@engr.uky.edu
- CO₂ Capture, Utilization and Sequestration
 R.P. Warzinski, Department of Energy, Federal Energy Technology Center, P.O. Box 10940,
 Building 83-324, Pittsburg, PA 15236, (412) 386-5863, Fax (412) 386-4806, e-mail: warzinsk@fetc.doe.gov; R.M. Enick, University of Pittsburgh, Department of Chemical

Engineering, 323 Benedum Engineering Hall, Pittsburgh, PA 15261, (412) 624-9649, e-mail: enick@engrng.pitt.edu

- Solid Fuel Chemistry and
- Chemistry of Liquid and Gaseous Fuels F.E. Huggins, University of Kentucky, Chemical and Materials Engineering, 533 S. Limestone Street, 111 Whalen Building, Lexington, KY 40506, (606) 257-4045, Fax (606) 257-7215, e-mail: fhuggins@engr.uky.edu

Division of Petroleum Chemistry:

- Emission Control in Petroleum Processing
 P. O'Connor, U.S. Ozkan, Department of Chemical Engineering, Ohio State University, 140
 W. 19th Avenue, Columbus, OH 43210, (614) 292-6623, Fax (614) 292-3769, e-mail: ozkan.1@osu.edu
- Structure of Jet Fuels VI W.E. Harrison, Department of the Air Force, WL/POSF, Building 490, Area B, 1790 Loop Road N., Wright-Patterson AFB, OH 45433, (937) 255-6601, Fax (937) 255-1125, e-mail: harriswe@wl.pafb.af.mil

Division of Physical Chemistry:

- Chemistry Under Extreme Conditions
 R. Morris, AFRL/VSBP, 29 Randolph Rd., Hanscom AFB, MA 01731, (781) 377-8758, Fax (781) 377-5088, e-mail: morris@plh.af.mil
- Very Low Temperature Spectroscopy and Dynamics
 W. Stwalley, Department of Physics, University of Connecticut, 2152 Hillside Road, Storrs, CT 06269, (860) 486-4924, Fax (860) 486-3346, e-mail: stwalley@uconnvm.uconn.edu
- Femtochemistry: Honoring Ahmed Zewail, the 1999 Chemistry Nobel Laureate M. Dantus, Department of Chemistry, Michigan State University, East Lansing, MI 48824-1322, (517) 355-9715, Fax (517) 353-1793, e-mail: dantus@msu.edu

Information: From the Individual Chairpersons or from the Meetings Department, American Chemical Society, 1155 - 16th Street, NW, Washington, DC 20036, (202) 872-4396, Fax (202) 872-6128, e-mail: natImtgs@acs.org

AUGUST 20-25, 2000

17th International Conference on Raman Spectroscopy Beijing, China.

Information: Shu-Lin Zhang, President of ICORS 2000, e-mail: icors@pku.edu.cn, http://icors.pku.edu.cn

AUGUST 22-25, 2000

9th International (Millennium) Symposium on Flow Visualization Edinburgh, Scotland.

Information: I. Grant, Heriot-Watt University, Edinburgh, Scotland, EH10 5PJ, UK, (44) 1314478800, Fax (44) 1314478660, e-mail: 9misfv@ode-web.demon.co.uk, Web Site: http://www.ode-web.demon.co.uk/9misfv

Deadline: Abstract Template should be Downloaded from the Web. 4 Pages or Less to be Submitted by December 12, 1999. Final Manuscripts Due May 15, 2000.

AUGUST 26-30, 2000

15th Europhysics Conference on Atomic and Molecular Physics of Ionized Gases Miskolc-Lillafured, Hungary.

Information: Z. Donko, c/o Eotvos Lorand Physical Society, H-1371 Budapest, P.O. Box 433, Hungary, e-mail: escampig@elft.mtesz.hu, http://elft.mtesz.hu/escampig2000

AUGUST 27-31, 2000

14th International Congress of Chemical and Process Engineering Prague, Czech Republic.

Information: CHISA 2000, Novotneho Lavka 5, 116 68 Praha 1, Czech Republic, (420) 2-2108-2333, Fax (420) 2-2108-2336, e-mail: chisa@csvts.cz, http://www.chisa.cz

AUGUST 27-SEPTEMBER 1, 2000

25th European Congress on Molecular Spectroscopy Coimbra, Portugal.

Information: R. Fausto, Department of Chemistry, University of Coimbra, Coimbra, Portugal P-3049, (351) 39-852080, Fax (351) 39-827703, e-mail: rfausto@gemini.ci.uc.pt, http://qui.uc.pt/_ rfausto/eucmos_xxv

AUGUST 27-SEPTEMBER 1, 2000

15th International Mass Spectrometry Conference Barcelona, Spain.

Information: Ana Costeja, Palau de Congressos, Departament de Convencions, Av. Reina M^a Cristina, s/n, 08004 Barcelona, Spain (34) 932-332-377, Fax (34) 934-262-845, e-mail: 15imsc@website.es, http://www.website.es/15imsc

SEPTEMBER 3-7, 2000

16th International Conference on High Resolution Molecular Spectroscopy Prague, Czech Republic.

Information: S. Urban, UFCH JH Academy of Sciences of the Czech Republic, Dolejskova 3, Prague, Czech Republic, CZ-18223, (420) 2-6605-3635, Fax (420) 2-858-2307, e-mail: praha2k@jh-inst.cas.cz, http://www.chem.uni-wuppertal.de/conference/

♦ SEPTEMBER 3-8, 2000

11th European Conference on Diamond, Diamond-Like Materials, Carbon Nanotubes, Nitrides and Silicon Carbide Porto, Portugal.

Information: L. Reed, Conference Secretariat, e-mail: e.reed@elsevier.co.uk, http://www.elsevier.nl/locate/diamondconf

SEPTEMBER 4-8, 2000

EUROPEAN AEROSOL CONFERENCE Trinity College, Dublin, Ireland.

Information: The Aerosol Society, P.O. Box 34, Portishead, Bristol, BS20 7FE, UK, http://www.aerosol-soc.org.uk

SEPTEMBER 10-13, 2000

3rd European Thermal Sciences Conference Heidelberg, Germany.

Information: E. Hahne, Institut fur Thermodynamik und Warmetechnik, Pfaffenwaldring 6, 70550 Stuttgart, Germany, 49 (0) 711-685-3536, Fax 49 (0) 711-685-3503, e-mail: pm@itw.uni-stuttgart.de

SEPTEMBER 10-15, 2000

CONFERENCE ON LASERS AND ELECTRO-OPTICS (CLEO) AND THE INTERNATIONAL QUANTUM ELECTRONICS CONFERENCE (IQEC)
Nice, France.

Information: Optical Society of America, Meetings Department, 2010 Massachusetts Ave NW, Washington, DC 20036, (202) 223-0920, e-mail: confserv@osa.org

SEPTEMBER 10-15, 2000

1st International Symposium on Microgravity Research and Application in Physical Sciences and Biotechnology Sorrento, Italy.

Information: ESTEC, Conference Bureau, P.O. Box 299, 2200 AG Noordwijk, The Netherlands, (71) 5655005, Fax (71) 5655658, e-mail: confburo@estec.esa.nl

SEPTEMBER 10-15, 2000

7th Durham Conference on Plasma Source Mass Spectrometry Durham UK.

Information: G. Holland, Department of Geological Sciences, Science Laboratories, South Road, Durham City DH1 3LE, UK, e-mail: tannersd@sciex.com, (44) 191-374-2526, Fax (44) 191-374-2510.

SEPTEMBER 12-14, 2000

3rd United Kingdom Meeting on Coal Research and Its Applications Birmingham, UK.

Information: H.J. Graham, Power Technology Centre, Radcliffe-on-Soar, Nottingham NG11 0EE, UK, 44(0)115-936-2460, Fax 44(0)115-936-2205, e-mail: helen.graham@powertech.co.uk

SEPTEMBER 13-16, 2000

2nd International Conference on Inorganic Materials Santa Barbara CA.

Information: Sarah Wilkinson, Conference Secretariat, Elsevier Science Ltd., The Boulevard, Langford Lane, Kidlington, Oxford, UK OX5 1GB, 44(0) 1865 843691, Fax 44(0) 1865 843658, e-mail: sm.wilkinson@elsevier.co.uk, http://www.elsevier.com/locate/im2000

SEPTEMBER 18-20, 2000

13th International Symposium on Gas Flow and Chemical Lasers and High Power Laser Conference Florence, Italy.

Information: C. Pescucci, Fax 39(0) 55-233-7755, e-mail: gcl-hpl@ino.it, www.ino.it/GCL-HPL or www.es.titech.ac.jp/_ kkasuya/gcl-web/index.html

SEPTEMBER 19-21, 2000

THE HYDROGEN ENERGY FORUM 2000 Munich, Germany.

Information: The Future Energies Forum, "Forum fur Zukunftsenergien", Godesberger Allee 90, D-53175 Bonn, Germany, Fax 49(0) 228-959 56-50, e-mail: energie.forum@t-online.de

SEPTEMBER 22-30, 2000

27th Annual Conference of the Federation of Analytical Chemistry and Spectroscopy Societies
Nashville TN.

Information: Division of Analytical Chemistry, FACSS, (505) 820-1648, Fax (505) 989-1073, Web Site: http://FACSS.org/info.html

SEPTEMBER 23-26, 2000

ASME FALL TECHNICAL CONFERENCE OF THE INTERNAL COMBUSTION ENGINE DIVISION Peoria IL.

Information: Meetings Department, American Society for Mechanical Engineers, 345 E. 47th Street, New York, NY 10017, (212) 591-7054, Fax (212) 705-7143, http://www.asme.org

SEPTEMBER 24-26, 2000

1st Romanian International Conference on Analytical Chemistry Brasov, Romania.

Information: G.L. Radu, University of Bucharest, Faculty of Chemistry, 4-12, Elisabeta Blvd., Bucharest, Romania 703461, 40(1) 220 77 80/220 79 09, Fax 40(1) 220 76 95, e-mail: lucian@ibd.dbio.ro

SEPTEMBER 29-30, 2000

FOUR CORNERS SECTION FALL MEETING OF THE AMERICAN PHYSICAL SOCIETY Fort Collins CO.

Information: American Physical Society, Meetings Department, One Physics Ellipse, College Park, MD 20740, (301) 209-3280, Fax (301) 209-0867, http://www.aps.org

OCTOBER 2-5, 2000

ICALEO 2000, International Conference on Applied Laser Applications and Electrooptics

Dearborn MI.

Information: E. Cohen, Laser Institute of America, (800) 345-2737 or (407) 380-1553, Fax (407) 380-5588, http://www.laserinstitute.org

OCTOBER 2-6, 2000

5th International Aerosol Symposium Budapest, Hungary.

Information: N.N. Belov, Hungary, 1046 Budapest, Deak F. u., 26/a Belov N., Tel/Fax (36) 1-3791251, e-mail: belov@inext.hu, http://www.ias.inext.hu/uk-ias5-spo.htm.

♦ OCTOBER 4-5, 2000

FLAMMABLE AND COMBUSTIBLE LIQUIDS SYMPOSIUM Baltimore MD.

Information: SFPE, 7314 Wisconsin Ave Suite, Bethesda, MD 20814, (301) 718-2910, Fax (301) 718-2242, http://www.sfpe.org/educational_programs.html

OCTOBER 8-11, 2000

GASIFICATION TECHNOLOGIES CONFERENCE San Francisco CA.

Information: M. Samoulides, (650) 855-2127, or Electric Power Research Institute, 1412 Hillview Avenue, Palo Alto, CA 94304, (650) 855-2599, http://www.epri.com

OCTOBER 13-14, 2000

OHIO SECTION FALL MEETING OF THE AMERICAN PHYSICAL SOCIETY Toledo, OH.

Information: American Physical Society, Meetings Department, One Physics Ellipse, College Park, MD 20740, (301) 209-3280, Fax (301) 209-0867, http://www.aps.org

OCTOBER 16-19, 2000

INTERNATIONAL FUEL AND LUBRICANTS FALL MEETING AND EXPOSITION OF THE SOCIETY OF AUTOMOTIVE ENGINEERS
Baltimore MD.

Information: Society of Automotive Engineers, Inc., 400 Commonwealth Drive, Warrendale, PA 15096, (724) 776-4841, Fax (724) 776-5760, e-mail: meetings@sae.org, Web Site: http://www.sae.org

OCTOBER 17-20, 2000

BEIJING INTERNATIONAL CONFERENCE ON APPLIED COMPUTATIONAL FLUID DYNAMICS Beijing, China.

Information: Z. Tianyuan, Institute of Applied Physics and Computational Mathematics, (86) 10-62374357, Fax (86) 10-62010108, e-mail: zty@mail.iapcm.ac.cn, http://www.ciccst.org.cn/acfd

OCTOBER 19-20, 2000

SAMPLING, ON-SITE ANALYSIS AND SAMPLE PREPARATION CONFERENCE Pittsburgh PA.

Information: B. Sherman, PACS, 409 Meade Dr., Coraopolis, PA 15108, (724) 457-6576 or (800) 367-2587, Fax (724) 457-1214, e-mail: hnpacs@aol.com, http://members.aol.com/hnpacs/pacs.htm

♦ OCTOBER 19-21, 2000

CONFERENCE ON PHOTOPHYSICS AND PHOTOCHEMISTRY Oeiras, Portugal.

Information: A. Macanita, ITQB, AP 127, Oeiras, Portugal, 2781-901, (351) 21-4411277, e-mail: pp2000@itqb.unl.pt, http://www.itqb.unl.pt/pp2000/

◆ OCTOBER 20-21, 2000

NEW YORK SECTION FALL MEETING OF THE AMERICAN PHYSICAL SOCIETY Buffalo NY.

Information: M. DeMarco, Department of Physics, SUNY-Buffalo State College, 1300 Elmwood Ave., Buffalo, NY 14222, (716) 878-5230, e-mail: DemarcMJ@buffalostate.edu

OCTOBER 20-28, 2000

Annual Meeting of the Optical Society of America and the Interdisciplinary Laser Science Conference
Providence RI.

Information: Optical Society of America, Meetings Department, 2010 Massachusetts Ave NW, Washington, DC 20036, (202) 223-0920, e-mail: confserv@osa.org,

http://www.osa.org/mtg_conf

Deadline: Abstracts Due by May 16, 2000

OCTOBER 22-27, 2000

198th NATIONAL MEETING OF THE ELECTROCHEMICAL SOCIETY Phoenix AZ.

Information: The Electrochemical Society, Inc., Meetings Department, 10 South Main Street, Pennington, NJ 08534, (609) 737-1902, Fax (609) 737-2743, e-mail: ecs@electrochem.org, http://www.electrochem.org/meetings/198/meet.html

OCTOBER 24-27, 2000

53rd Annual Gaseous Electronics Conference of the American Physical Society Houston TX.

Information: American Physical Society, Meetings Department, One Physics Ellipse, College Park, MD 20740, (301) 209-3280, Fax (301) 209-0867, http://www.aps.org

OCTOBER 25-28, 2000

35th Midwest Regional Meeting of the American Chemical Society St. Louis MO.

Information: C.D. Spilling, Department of Chemistry, University of Missouri, St. Louis, 80001 Natural Bridge Road, St. Louis, MO 63121 (314) 516-5313, Fax (314) 553-5342, e-mail: cspill@umsl.edu

OCTOBER 25-28, 2000

36th Western Regional Meeting of the American Chemical Society San Francisco CA.

Information: N.D. Byington, Customs Service Laboratory, 630 Sansome Street, Room 1429, San Francisco, CA 94111, (415) 705-4405 ext. 216, Fax (415) 705-4236, e-mail: byington@crl.com; or S. Rodriguez, Chemistry Department, University of the Pacific, Stockton, CA 95211, (209) 946-2598, Fax (209) 946-2607, e-mail: srodriguez@uop.edu

OCTOBER 28-29, 2000

JOINT FALL MEETING OF THE TEXAS SECTIONS OF THE APS, APPT AND ZONE 13 OF THE SPS Houston TX.

Information: American Physical Society, Meetings Department, One Physics Ellipse, College Park, MD 20740, (301) 209-3280, Fax (301) 209-0867, http://www.aps.org

OCTOBER 29-NOVEMBER 3, 2000

EASTERN ANALYTICAL SYMPOSIUM OF THE AMERICAN CHEMICAL SOCIETY Atlantic City NJ.

Information: S. Gold, Eastern Analytical Symposium, P.O. Box 633, Montchanin, DE 19710 (302) 738-6218, Fax (302) 738-5275, http://www.eas.org

NOVEMBER 1-2, 2000

COMPUTATIONAL AND EXPERIMENTAL METHODS IN RECIPROCATING ENGINES London UK.

Information: U. Otuonye, Conference and Events Department C587, Institution of Mechanical Engineers, 1 Birdcage Walk, London SW 1H 9JJ, UK, (0) 207-304-6864, Fax (0) 207-222-9881, e-mail: u_otuonye@imeche.org.uk

NOVEMBER 2-4, 2000

SOUTHEAST SECTION MEETING OF THE AMERICAN PHYSICAL SOCIETY Starkville MS.

Information: American Physical Society, Meetings Department, One Physics Ellipse, College Park, MD 20740, (301) 209-3280, Fax (301) 209-0867, http://www.aps.org

♦ NOVEMBER 3-4, 2000

9th Conference on Current Trends in Computational Chemistry Vicksburg MS.

Information: S.R. Allen, Jackson State University, Jackson, MS 39217, (601) 979-3723, e-mail: srallen@stallion.jsums.edu, http://www.ccl.net/cca/info/conferencelist/mess0665.shtml

♦ NOVEMBER 3-5, 2000

8th Conference on Molecular Nanotechnology Bethesda MD.

Information: Foresight Institute, Box 61058, Palo Alto, CA 94306, (650) 917-1122, Fax (650) 917-1123, http://www.foresight.org/conference

NOVEMBER 3-8, 2000

PHOTONICS EAST Boston MA.

Information: Meetings Department, SPIE, P.O. Box 10, Bellingham, WA 98227, (360) 676-3290, Fax (360) 647-1445, e-mail: spie@spie.org, http://www.spie.org

NOVEMBER 5-10, 2000

ASME INTERNATIONAL MECHANICAL ENGINEERING CONFERENCE AND EXHIBITION Orlando FL.

Symposia will Include:

- Symposium on Multiphase Flow in Biomedical Applications and Processes
- Dispersed Flows in Combustion, Incineration, and Propulsion Systems
- Application of Microfabrication to Fluid Mechanics

Information: Meetings Department, American Society for Mechanical Engineers, 345 E. 47th Street, New York, NY 10017, (212) 705-7037, Fax (212) 705-7143, http://www.asme.org

NOVEMBER 5-10, 2000

International Symposium on Multiphase Flow and Transport Phenomena Antalya, Turkey.

Topics will Include:

- Modeling of Multiphase Systems
- Transport Phenomena in Multiphase Systems
- Separation Phenomena, Processes and Equipment
- Measurement and Instrumentation
- Characteristic and Effective Properties of Multiphase Systems
- Bio-Aerosols and Bio-Systems
- Surface and Interfacial Phenomena
- Pollution Control Technology
- Clean Room Technology
- Multiphase Systems Applications
- Scaling Laws for Two-Phase Flow Phenomena
- Scaling Laws for Multiphase Flow

Information: D.M. Maron, Center for Technological Education Holon, POB 305, Holon 58102, Israel, (972) 3-502 6501, Fax (972) 3-502 6510, e-mail: barad_r@barley.cteh.ac.il, http://ichmt.me.metu.edu.tr/upcoming-meetings/MFTP-00/announce.html

NOVEMBER 5-10, 2000

United Engineering Foundation Conference on Lean Combustion Technology and Control Santa Fe NM.

Information: United Engineering Foundation, Meetings Department, Three Park Avenue, 27th Floor, New York, NY 10016, (212) 591-7836, Fax (212) 591-7441, e-mail: engfnd@aol.com http://www.engfnd.org/engfnd/conf.html, or from D. Dunn-Rankin, University of California at Irvine, CA, or R.K. Cheng, Lawrence Berkeley National Laboratory.

NOVEMBER 12-17, 2000

Annual Meeting of the American Institute of Chemical Engineers Los Angeles, CA.

Information: Meetings Department, American Institute of Chemical Engineers, United Engineering Center, 3 Park Avenue, New York, NY 10016, (212) 591-7325, Fax (212) 591-8894, e-mail: meetmail@aiche.org, http://www.aiche.org

NOVEMBER 13-18, 2000

EASTERN ANALYTICAL SYMPOSIUM OF THE AMERICAN CHEMICAL SOCIETY Somerset NJ.

Information: S. Gold, Eastern Analytical Symposium, P.O. Box 633, Montchanin, DE 19710, (302) 738-6218, Fax (302) 738-5275, Web Site: http://www.eas.org

NOVEMBER 19-21, 2000

DIVISION OF FLUID DYNAMICS MEETING OF THE AMERICAN PHYSICAL SOCIETY Washington DC.

Information: American Physical Society, Meetings Department, One Physics Ellipse, College Park, MD 20740, (301) 209-3280, Fax (301) 209-0867, http://www.aps.org

NOVEMBER 19-23, 2000

4th Euromech Fluid Mechanics Conference Eindhoven, The Netherlands.

Information: M.C.J. Tielemans, Fluid Dynamics Laboratory, Department of Physics, Eindhoven University of Technology, P.O. Box 513, 5600 MB Eindhoven, The Netherlands, e-mail: info@efmc2000.tue.nl, http://www.EFMC2000.TUE.NL

NOVEMBER 27-DECEMBER 1, 2000

FALL MEETING OF THE MATERIALS RESEARCH SOCIETY Boston MA.

Information: Materials Research Society, Meetings Department, 506 Keystone Drive, Warrendale, PA 15086, (724) 779-3003, Fax (724) 779-8313, http://www.mrs.org

DECEMBER 3-9, 2000

6th RIO SYMPOSIUM ON ATOMIC SPECTROMETRY Concepcion and Pucon, Chile.

Information: C.G. Bruhn, Departamento de Analisis Instrumental, Facultad de Farmacia, Universidad de Concepcion, P.O. Box 237, Concepcion, Chile, (56) 41-204252, Fax (56) 41-231903, e-mail: cbruhn@udec.cl, http://www.udec.cl/6riosymp/

DECEMBER 6-8, 2000

JOINT 52nd SOUTHEAST/56th SOUTHWEST REGIONAL MEETING OF THE AMERICAN CHEMICAL SOCIETY

New Orleans LA.

Information: A. Pepperman, SRRC, USDA-ARS, 1100 Robert E. Lee Boulevard, New Orleans, LA 70179, (208) 286-4510, Fax (208) 286-4367, e-mail: abpep@nola.srrc.usda.gov

DECEMBER 14-19, 2000

INTERNATIONAL CHEMICAL CONGRESS OF PACIFIC BASIN SOCIETIES Honolulu H1.

Information: Meetings Department, American Chemical Society, 1155 - 16th Street, NW, Washington, DC 20036, (202) 872-4396, Fax (202) 872-6128, e-mail: natImtgs@acs.org

♦ JANUARY 8-11, 2001

39th AIAA AEROSPACE SCIENCES MEETING AND EXHIBIT Reno NV.

Information: S.X. Ying, MC 078-0421, The Boeing Company, 2401 E. Wardlow Rd., Long Beach, CA 90807, (562) 982-2113, Fax (562) 496-6647, e-mail: susan.x.ying@boeing.com, http://www.aiaa.org

♦ JANUARY 14-19, 2001

GORDON RESEARCH CONFERENCE ON MOLECULAR ENERGY TRANSFER Harbortown Resort, Ventura CA.

Information: J. Bowman, Department of Chemistry, Emory University, 1515 Pierce Drive, Atlanta, GA 30322, e-mail: bowman@euch3g.chem.emory.edu, http://www.grc.uri.edu

♦ FEBRUARY 4-8, 2001

EUROPEAN WINTER CONFERENCE ON PLASMA SPECTROCHEMISTRY Lillehammer, Norway.

Information: Y. Thomassen, NIOH, P.O. Box 8149 DEP, Oslo, Norway, N-0033, (47) 23-19 53 20, Fax (47) 23-19 52 06.

♦ FEBRUARY 18-23, 2001

GORDON RESEARCH CONFERENCE ON CHEMICAL REACTIONS AT SURFACES Harbortown Resort, Ventura CA.

Information: J.C. Hemminger, Department of Chemistry, University of California, Irvine, CA 92697, e-mail: jchemmin@uci.edu, http://www.grc.uri.edu

♦ FEBRUARY 25 - MARCH 2, 2001

GORDON RESEARCH CONFERENCE ON GASEOUS IONS Ventura Beach Hotel, Ventura CA.

Information: P. Armentrout, Chemistry Department, 315 S. 1400 E. Rm 2020, University of Utah, Salt Lake City, UT 84112, (801) 581-7885, Fax (801) 581-8433, e-mail: armentrout@chemistry.utah.edu, http://www.grc.uri.edu/programs/2001/gaseous htm

MARCH 4-8, 2001

THE PITTSBURGH CONFERENCE, PITTCON 2001 New Orleans LA.

Information: The Pittsburgh Conference, 300 Penn Center Boulevard, Suite 332, Pittsburgh, PA 15235, (412) 825-3220, Fax (412) 825-3224, e-mail: pittconinfo@pittcon.org, http://www.pittcon.org/

♦ MARCH 5-8, 2001

SOCIETY OF AUTOMOTIVE ENGINEERS WORLD CONGRESS Detroit MI.

Information: Society of Automotive Engineers, Inc., 400 Commonwealth Drive, Warrendale, PA 15096, (724) 776-1830, Fax (724) 776-5760, e-mail: meetings@sae.org, http://www.sae.org

◆ MARCH 11-16, 2001

GORDON RESEARCH CONFERENCE ON MODERN DEVELOPMENTS IN THERMODYNAMICS Ventura CA.

Information: R.S. Berry, Department of Chemistry, University of Chicago, 5735 South Ellis Avenue, Chicago, IL 60637, e-mail: berry@rainbow.uchicago.edu, http://www.grc.uri.edu

MARCH 12-16, 2001

Annual March Meeting of the American Physical Society Seattle WA.

Information: American Physical Society, Meetings Department, One Physics Ellipse, College Park, MD 20740, (301) 209-3280, Fax (301) 209-0867, http://www.aps.org

MARCH 25-30, 2001

199th NATIONAL MEETING OF THE ELECTROCHEMICAL SOCIETY Washington DC.

Information: The Electrochemical Society, Inc., Meetings Department, 10 South Main Street, Pennington, NJ 08534, (609) 737-1902, Fax (609) 737-2743, e-mail: ecs@electrochem.org, http://www.electrochem.org/meetings/199/meet.html

◆ MARCH 25-30, 2001

CONFERENCE ON STATIONARY SOURCE SAMPLING AND ANALYSIS FOR AIR POLLUTANTS XXV Destin FL.

Information: B.K. Hickernell, United Engineering Foundation, Three Park Ave., 27th Floor, New York, NY 10016, (212) 591-7836, Fax (212) 591-7441, e-mail: engfnd@aol.com, http://www.engfnd/engfnd/1aw.html

APRIL 1-5, 2001

221st National Meeting of the American Chemical Society San Diego CA.

Division of Fuel Chemistry:

- CO₂ Capture and/or Utilization Reaction Mechanisms in Fuel Processing P.F Britt, Chemistry Division, Oak Ridge National Laboratory, P.O. Box 2008, Oak Ridge, TN 37831, (423) 574-5029, Fax (423) 576-5235, e-mail: brittpf@ornl.gov
- Coal Bed Methane
 P.C. Thakur, Consol Inc., R&D, 1027 Little Indian Creek Road, Morgantown, WV 26501, (304) 983-3207, Fax (304) 983-3209, e-mail: promodthakur@consolcoal.com
- Nitrogen Chemistry in Coal Utilization
 M.A. Wojtowicz, Advanced Fuel Research Inc., 87 Church Street, East Hartford, CT 06108, (860) 528-9806 ext 142, Fax (860) 528-0648, e-mail: marek@afrinc.com
- Hydrogen Energy R. Khan, Texaco Inc., P.O. Box 509, Beacon, NY 12508, (914) 838-7639, Fax (914) 838-7102
- Argonne National Lab Premium Coal Sample Database
 K. Vorres, 27 Windward Circle, Willowbrook, IL 60514, (630) 325-0931 [between Nov. 11 and April 15: 3432 North Applewood, Tucson, AZ 85712-5478, (520) 322-5256], e-mail: ksvorres@flash.net
- Carbon Products for Environmental Applications
 A. Lizzio, Illinois State Geological Survey, 615 East Peabody Drive, Champaign, IL 61801, (217) 244-4985, Fax (217) 333-8566, e-mail: lizzio@geoserv.isgs.uiuc.edu
- Fuels of the Future: Heavy Oil & Hydrogen for Fuel Cells R. Khan, Texaco Upstream Technology, 3901 Briar Park, Houston, TX 77042, (713) 954-6238, Fax (713) 954-6113, e-mail: khanmr@texaco.com
- Environmental Challenges for Fossil Fuel Combustion M.M. Maroto-Valer, Pennsylvania State University, Energy Institute, 405 Academic Activities Building, University Park, PA 16802, (814) 863-8265, Fax (814) 863-8892, e-mail: mmm23@psu.edu

APRIL 16-20, 2001

SPRING MEETING OF THE MATERIALS RESEARCH SOCIETY San Francisco CA.

Information: Materials Research Society, Meetings Department, 506 Keystone Drive, Warrendale, PA 15086, (724) 779-3003, Fax (724) 779-8313, http://www.mrs.org

♦ APRIL 16-20, 2001

XIII CARIBBEAN CONFERENCE ON CHEMISTRY AND CHEMICAL ENGINEERING Havana, Cuba.

Information: A.J. Nunez Selles, Sociedad Cubana de Quimica, Ave 21&200, Atabey, Apdo. 16042, Havana, Cuba, CP 11600, (537) 218-178, Fax (537) 336-471, cqf@infomed.sld.cu

APRIL 23-27, 2001

APRIL NATIONAL MEETING OF THE AMERICAN PHYSICAL SOCIETY Washington DC.

Information: American Physical Society, Meetings Department, One Physics Ellipse, College Park, MD 20740, (301) 209-3280, Fax (301) 209-0867, http://www.aps.org

♦ APRIL 28 - MAY 1, 2001

2001 APRIL MEETING OF THE AMERICAN PHYSICAL SOCIETY Washington DC.

Information: American Physical Society, Meetings Department, One Physics Ellipse, College Park, MD 20740, (301) 209-3280, Fax (301) 209-0867, http://www.aps.org

APRIL 29-MAY 2, 2001

Internal Combustion Engine Division Spring Technical Conference of the American Society of Mechanical Engineers
Philadelphia PA.

Information: Meetings Department, American Society for Mechanical Engineers, 345 E. 47th Street, New York, NY 10017, (212) 591-7054, Fax (212) 705-7143, http://www.asme.org

MAY 6-11, 2001

CLEO/QELS 2001 Baltimore MD.

Information: Optical Society of America, Meetings Department, 2010 Massachusetts Ave NW, Washington, DC 20036, (202) 223-0920, e-mail: confserv@osa.org, http://www.osa.org/mtg_conf

♦ MAY 7-9, 2001

CEC/SAE SPRING FUELS AND LUBRICANTS MEETING AND EXPOSITION Orlando FL.

Information: Society of Automotive Engineers, Inc., 400 Commonwealth Drive, Warrendale, PA 15096, (724) 776-4841, Fax (724) 776-5760, e-mail: meetings@sae.org, http://www.sae.org

◆ MAY 13-16, 2001

16th International Conference on Fluidized Bed Combustion Reno NV.

Information: Meetings Department, American Society for Mechanical Engineers, 345 E. 47th Street, New York, NY 10017, (212) 705-7037, Fax (212) 705-7143, http://www.asme.org

MAY 20-25, 2001

FLUIDIZATION X Beijing, China.

Information: United Engineering Foundation, Meetings Department, Three Park Avenue, 27th Floor, New York, NY 10016, (212) 591-7836, Fax (212) 591-7441, http://www.engfnd.org/engfnd/conf.html

MAY 20-25, 2001

2nd International Symposium on Advances in Computational Heat Transfer Cairns, Australia.

Information: F. Arinc, Secretary-General, ICHMT, Mechanical Engineering Department, Middle East Technical University, 06531 Ankara, Turkey, (90) 312-210-1429, Fax (90) 312-210-1331, arinc@metu.edu.tr, http://ichmt.me.metu.edu.tr

♦ MAY 20-25, 2001

10th International Conference on Fluidization: Fluidization for Sustainable Development Beijing, China.

Information: United Engineering Foundation, Meetings Department, Three Park Avenue, 27th Floor, New York, NY 10016, (212) 591-7836, Fax (212) 591-7441, http://www.engfnd.org/engfnd/conf.html

MAY 27-JUNE 1, 2001

4th International Conference on Multiphase Flow New Orleans I A.

Information: E.E. Michaelides, School of Engineering, Tulane University, New Orleans, LA 70118, e-mail: icmf@mailhost.tcs.tulane.edu, http://mail.eng.lsu.edu/icmf.2001/ Deadline: Abstracts Due by July 1, 2000

MAY 30-JUNE 1, 2001

35th MIDDLE ATLANTIC REGIONAL MEETING OF THE AMERICAN CHEMICAL SOCIETY Baltimore MD.

Information: L.J. Boucher, Towson University, Department of Chemistry, 8000 York Road, Towson, MD 21252-0001, (410) 830-3057, Fax (410) 830-4265, e-mail: lboucher@towson.edu

♦ JUNE 4-7, 2001

46th ASME INTERNATIONAL GAS TURBINE AND AEROENGINE TECHNICAL CONGRESS, EXPOSITION AND USERS SYMPOSIUM

New Orleans I A.

Information: A. Layne, National Energy Technology Center, DOE, 3610 Collins Ferry Road, MS CO2, Morgantown, WV 26505, (304) 285-4603, Fax (304) 285-4469, e-mail: abbie.layne@netl.doe.gov, http://www.asme.org

♦ JUNE 10-12, 2001

35th ASME NATIONAL HEAT TRANSFER CONFERENCE Anaheim CA.

Information: C.B. Panchal, Energy Concept Co., Annapolis, MD 21401, (410) 266-6521, Fax (410) 266-6539, e-mail: cpanchal@aol.com, http://www.asme.org

JUNE 10-15, 2001

3rd International Symposium on Radiative Transfer Antalya, Turkey.

Information: F. Arinc, Secretary-General, ICHMT, Mechanical Engineering Department, Middle East Technical University, 06531 Anakara, Turkey, (90) 312-210-5214, Fax (90) 312-210-1331, http://ichmt.me.metu.edu.tr Deadline: 4 Copies of Manuscript Due by December 15, 2000.

JUNE 11-13, 2001

JOINT CENTRAL/GREAT LAKES REGIONAL MEETING OF THE AMERICAN CHEMICAL SOCIETY Grand Rapids MI.

Information: R.J. McCabe, Parke-Davis Pharmaceuticals, 188 Howard Ave., Holland, MI 49424, (616) 392-2375 ext. 2386, Fax (616) 392-8916, e-mail: Richard.McCabe@wl.com

♦ JUNE 11-14, 2001

19th AIAA APPLIED AERODYNAMICS CONFERENCE
15th AIAA COMPUTATIONAL FLUID DYNAMICS CONFERENCE
31st AIAA FLUID DYNAMICS CONFERENCE
32nd AIAA PLASMADYNAMICS AND LASERS CONFERENCE
35th AIAA THERMOPHYSICS CONFERENCE
Anaheim CA.

Information: Meetings Department, American Institute of Aeronautics and Astronautics, 1801 Alexander Bell Drive, Suite 500, Reston, VA 20191, (703) 264-7500 or (800) 639-2422, e-mail: custserv@aiaa.org, http://www.aiaa.org

JUNE 13-15, 2001

JOINT 33rd CENTRAL/33rd GREAT LAKES REGIONAL MEETING OF THE AMERICAN CHEMICAL SOCIETY
Grand Rapids MI.

Information: R.J. McCabe, Parke-Davis, 188 Howard Avenue, Holland, MI 49423, (616) 392-2375 ext 2386, Fax (616) 392-8916, e-mail: Richard.McCabe@wl.com

JUNE 13-16, 2001

56th Northwest Regional Meeting of the American Chemical Society Seattle WA.

Information: S. Jackels, Department of Chemistry, Seattle University, 900 Broadway, Seattle, WA 98122, (206) 296-5946, Fax (206) 296-5786, e-mail: sjackels@seattleu.edu

◆ JUNE 17-22, 2001

GORDON RESEARCH CONFERENCE ON ATMOSPHERIC CHEMISTRY Salve Regina University, Newport RI.

Information: S.P. Sander, Jet Propulsion Laboratory, Mail Stop 183-901, 4800 Oak Grove Drive, Pasadena, CA 91109, e-mail: stanley.sander@jpl.nasa.gov, http://www.grc.uri.edu

◆ JUNE 23-28, 2001

GORDON RESEARCH CONFERENCE ON ANALYTICAL CHEMISTRY Connecticut College, New London CT.

Information: P.W. Bohn, Department of Chemistry, University of Illinois, 600 South Mathews, Urbana, IL 61801, e-mail: bohn@aries.scs.uiuc.edu, http://www.grc.uri.edu

JUNE 24-27, 2001

30th Northeast Regional Meeting of the American Chemical Society Durham NH.

Information: H. Mayne, Chemistry Department, University of New Hampshire, (603) 862-1550, e-mail: howard.mayne@unh.edu

JUNE 24-28, 2001

Annual Meeting of the Air and Waste Management Association Orlando FL.

Information: Air and Waste Management Association, Member Services, One Gateway Center, Third Floor, Pittsburgh, PA 15222, (800) 270-3444 or (412) 232-3444, Fax (412) 232-3450, http://www.awma.org

GORDON RESEARCH CONFERENCE ON LASER DIAGNOSTICS IN COMBUSTION Mount Holyoke College, South Hadley MA.

Information: J.B. Jeffries, Molecular Physics Laboratory, SRI International, 333 Ravenswood Ave., Menlo Park, CA 94025, (650) 859-6341, Fax (650) 859-6196, e-mail: jay.jeffries@sri.com

♦ JULY 8-11, 2001

37th AIAA/ASME/SAE/ASEE JOINT PROPULSION CONFERENCE Salt Lake City UT.

Information: Meetings Department, American Institute of Aeronautics and Astronautics, 1801 Alexander Bell Drive, Suite 500, Reston, VA 20191, (703) 264-7500 or (800) 639-2422, e-mail: custserv@aiaa.org, http://www.aiaa.org

♦ JULY 8-13, 2001

GORDON RESEARCH CONFERENCE ON GRAVITATIONAL EFFECTS IN PHYSICO-CHEMICAL SYSTEMS Colby-Sawyer College, New London NH.

Information: P.H. Steen, Department of Chemical Engineering, Cornell University, 346 Olin Hall, Ithaca, NY 14853, e-mail: phs7@cornell.edu, http://www.grc.uri.edu

♦ JULY 8-13, 2001

GORDON RESEARCH CONFERENCE ON PHOTOIONS, PHOTOIONIZATION AND PHOTODETACHMENT Williams College, Williamstown MA.

Information: M. Johnson, Department of Chemistry, Yale University, P.O. Box 208107, New Haven, CT 06520, e-mail: Mark.johnson@yale.edu, http://www.grc.uri.edu

JULY 9-11, 2001

COMBUSTION CHEMISTRY: ELEMENTARY REACTIONS TO MACROSCOPIC PROCESSES: FARADAY DISCUSSION NUMBER 119
Leeds, UK.

Joint Meeting with the British Section of the Combustion Institute.
Information: M. Pilling, School of Chemistry, University of Leeds, Leeds UK, e-mail: m.j.pilling@chem.leeds.ac.uk, http://www.chem.leeds.ac.uk

♦ JULY 22-27, 2001

GORDON RESEARCH CONFERENCE ON HIGH TEMPERATURE CORROSION Colby-Sawyer College, New London NH.

Information: P.Y. Hou, Lawrence Berkeley National Laboratory, Materials Science Division, 1 Cyclotron Road, MS 62-203, Berkeley, CA 94720, e-mail: pyhou@lbl.gov, http://www.grc.uri.edu

JULY 29-AUGUST 2, 2001

36th Intersociety Energy Conversion Engineering Conference Savannah GA.

Information: Meetings Department, American Society for Mechanical Engineers, 345 E. 47th Street, New York, NY 10017, (212) 591-7057, Fax (212) 705-7143, http://www.asme.org

♦ AUGUST 6-10, 2001

INTERNATIONAL CONGRESS ON ANALYTICAL SCIENCES 2001 Yokohama, Japan.

Information: T. Sawada, Chairman, Department of Applied Chemistry, The University of Tokyo, 7-3-1 Hongo, Bunkyo-ku, Tokyo, Japan 113-8656, (81) 3-5841-7236, ext. 7237, Fax (81) 3-5841-6037, e-mail: icas2001@laser.t.u-tokyo.ac.jp, http://wwwsoc.nacsis.ac.jp/jsac/icas2001/

AUGUST 19-24, 2001

1st International Conference on Advanced Vibrational Spectroscopy Turku, Finland.

Information: M. Hotokka, Department of Physical Chemistry, Abo Akademi University, FIN-20500 Turku, Finland, 358-2-215-4295, Fax 358-2-215-4706, e-mail: icavs@abo.fi, http://www.abo.fi/icavs

◆ AUGUST 19-24, 2001

GORDON RESEARCH CONFERENCE ON PHOTOACOUSTIC AND PHOTOTHERMAL PHENOMENA Queen's College, Oxford UK.

Information: D. Fournier, UPMC/CNRS, Laboratoire d'Instrumentation, 10 Rue Vaugelin, Paris 75005, France, e-mail: fournier@optique.espci.fr, http://www.grc.uri.edu

AUGUST 20-24, 2001

13th International Conference on Fourier Transform Spectroscopy Turku, Finland.

Information: M. Hotokka, Department of Physical Chemistry, Abo Akademi University, FIN-20500 Turku, Finland, (358) 2-265-4295, Fax (358) 2-265-4706, e-mail: icofts@abo.fi, http://www.abo.fi/icofts

222nd National Meeting of the American Chemical Society Chicago IL.

Division of Fuel Science:

- Cofiring or Coprocessing Coal & Biomass
 - J.T. Cobb, Jr., University of Pittsburgh, Chemical Engineering Department, 1137 Benedum Hall, Pittsburgh, PA 15261, (412) 624-7443, Fax (412) 624-9639, e-mail: cobb@engrng.pitt.edu
- Computer Modeling in Fuel Chemistry
 - J. Mathews, Pennsylvania State University, Energy & Geo-Environmental Engineering Department, 151 Hosler Building, University Park, PA 16802, (814) 863-6213, Fax (814) 865-3248, e-mail: jpm10@psu.edu; M.T. Klein, Rutgers, State University of New Jersey, School of Engineering, Office of the Dean, B204, 98 Bret Road, Piscataway, NJ 08854-8058, (732) 445-4453, Fax (732) 445-7067, e-mail: mtklein@jove.rutgers.edu
- Fine Particulate (PM2.5) Formation & Emissons from Fuel Combustion C.M. White, Department of Energy, Federal Energy Technology Center, Mail Stop 94-212, P.O. Box 10940, Pittsburgh, PA 15236, (412) 386-5808, Fax (412) 386-4158, e-mail: cwhite@fetc.doe.gov
- Catalysis in Fuel Processing for Fuel Cell Application
 S.P. Katikaneni, Fuel Cell Energy, Advanced Technology Group, 3 Great Pasture Road, Danbury, CT 06813, (203) 825-6067, Fax (203) 825-6150, e-mail: skatikaneni@fce.com; A.M. Gaffney, DuPont Central R&D, Experimental Station, P.O. Box 80262, Wilmington, DE 19880, (302) 695-1800, Fax (302) 695-8347, e-mail: anne.m.gaffney@usa.dupont.com; C. Song, Pennsylvania State University, Energy & Geo-Environmental Engineering, 206 Hosler Building University Park, PA 16802, (814) 863-4466, Fax (814) 865-3248, e-mail: csong@psu.edu
- Value-Added Carbon Products from Fossil Fuels
 F. Rusinko, Pennsylvania State University, Energy Institute 407 Academic Activities Building, University Park, PA 16802, (814) 863-8085, Fax (814) 865-8892, e-mail: fjr4@psu.edu; J.W. Zondlo, College of Engineering & Mineral Resources, Department of Chemical Engineering, P.O. Box 6102, Morgantown, WV 26506; B. Tomer, Department of Energy, Federal Energy Technology Center, 3610 Collins Ferry Road, P.O. Box 88, Morgantown, WV 26507.
- Mercury Emissions from Coal
 K. Katrinak, Microbeam Technologies, 1521-24th Avenue S., Suite B-2, Grand Forks, ND 58201, (701) 772-4482, Fax (701) 772-4099, e-mail: katrinak@badlands.nodak.edu; K. Galbreath, University of North Dakota, Energy & Environmental Research Center, P.O. Box 9018, Grand Forks, ND 58202, (701) 777-5127, Fax (701) 777-5181, e-mail: kgalbreath@eerc.und.nodak.edu
- General Fuel Chemistry
 S.V. Pisupati, Pennsylvania State University, Energy & Geo-Environmental Engineering, 124
 Hosler Building, University Park, PA 16802, (814) 865-0874, Fax (814) 865-3248, e-mail: sxp17@psu.edu

Information: Meetings Department, American Chemical Society, 1155 - 16th Street, NW, Washington, DC 20036, (202) 872-4396, Fax (202) 872-6128, e-mail: natImtgs@acs.org Deadline: Electronic Abstract Submissions (preferred) or 4 Hard Copies of 150-word Abstract (original on ACS Abstract Form) Due to Symposium Organizers by April 15, 2001. Preprints Due to Symposium Chairs by May 15, 2001.

SEPTEMBER 2-7, 2001

200th National Meeting of the Electrochemical Society and the 52nd Meeting of the International Society of Electrochemistry
San Francisco CA

Information: The Electrochemical Society, Inc., Meetings Department, 10 South Main Street, Pennington, NJ 08534, (609) 737-1902, Fax (609) 737-2743, e-mail: ecs@electrochem.org, http://www.electrochem.org/meetings/198/meet.html

SEPTEMBER 23-27, 2001

52nd Southeast Regional Meeting of the American Chemical Society Savannah GA.

Information: G. Novotnak, Kemira Pigments, 104 Carlton Road, Savannah, GA 31410, (912) 652-1290, Fax (912) 897-1163, e-mail: george.novotnak@kemira.com

SEPTEMBER 23-27, 2001

6th World Congress of Chemical Engineering: A New Century of Chemical Engineering Melbourne, Australia.

Information: Meetings Department, American Institute of Chemical Engineers, United Engineering Center, 3 Park Avenue, New York, NY 10016, (212) 591-7325 or (800) 242-4363, Fax (212) 591-8894, e-mail: meetmail@aiche.org, http://www.aiche.org

SEPTEMBER 24-26, 2001

Internal Combustion Engine Division Fall Technical Meeting of the American Society of Mechanical Engineers
Argonne IL.

Information: Meetings Department, American Society for Mechanical Engineers, 345 E. 47th Street, New York, NY 10017, (212) 591-7054, Fax (212) 705-7143, http://www.asme.org

♦ SEPTEMBER 24-27, 2001

INTERNATIONAL SAE FALL FUELS AND LUBRICANTS MEETING AND EXPOSITION San Antonio TX.

Information: Society of Automotive Engineers, Inc., 400 Commonwealth Drive, Warrendale, PA 15096, (724) 776-4841, Fax (724) 776-5760, e-mail: meetings@sae.org, http://www.sae.org

SEPTEMBER 24-28, 2001

5th World Conference on Experimental Heat Transfer, Fluid Mechanics and Thermodynamics
Thessaloniki, Greece.

Information: G.P. Celata, Conference Chairman, ENEA Casaccia, Via Anguillarese 301, I-00060 S.M. Galeria, Rome, Italy, (39) 06-30483905, Fax (39) 06-30483026, e-mail: celata@casaccia.enea.it, http://www.ing.unipi.it/exhft5 Deadline: Abstract Due by July 28, 2000

OCTOBER 5-12, 2001

28th Annual Meeting of the Federation of Analytical Chemistry and Spectroscopy Societies
Detroit MI.

Information: C. Lilly, Federation of Analytical Chemistry and Spectroscopy Societies, 1201 Don Diego Ave., Santa Fe, NM 87505, (505) 820-1648, Fax (505) 989-1073, e-mail: jsjoberg@trail.com, http://facss.org/info.html

OCTOBER 10-13, 2001

36th MIDWEST REGIONAL MEETING OF THE AMERICAN CHEMICAL SOCIETY Lincoln NE.

Information: D. Berkowitz, Department of Chemistry, University of Nebraska, Lincoln, NE 68588-0304, (402) 472-2738, Fax (402) 472-9402, e-mail: dbb@unlinfo.edu

◆ OCTOBER 14-18, 2001

6th International Symposium on Self Propagating High Temperature Synthesis Haifa, Israel.

Information: I. Gotman, Technion-Israel Institute of Technology, Department of Materials Engineering, Technion, Haifa, Israel 32000, (972) 4-829-2112, Fax (972) 4-832-1978, e-mail: gotman@techunix.technion.ac.il, http://www.technion.ac.il/technion/materials/conferences.html

OCTOBER 14-19, 2001

International Symposium on Visualization and Imaging in Transport Antalya, Turkey.

Information: F. Arinc, Secretary-General, ICHMT, Mechanical Engineering Department, Middle East Technical University, 06531 Ankara, Turkey, (90) 312-210-1429, Fax (90) 312-210-1331, arinc@metu.edu.tr, http://ichmt.me.metu.edu.tr

OCTOBER 16-19, 2001

57th Southwest Regional Meeting of the American Chemical Society San Antonio TX.

Information: S.T. Weintraub, Department of Biochemistry, University of Texas Health Science Center, 7703 Floyd Curl Drive, San Antonio, TX 78284, (210) 567-4043, Fax (210) 567-5524, e-mail: weintraub@uthscsa.edu

OCTOBER 23-26, 2001

36th Western Regional Meeting of the American Chemical Society Ventura CA.

Information: R.W. Hurst, 9 Faculty Court, Thousand Oaks, CA 91360, (805) 492-7764, Fax (805) 241-7149, e-mail: Alarwh@aol.com

NOVEMBER 26-30, 2001

FALL MEETING OF THE MATERIALS RESEARCH SOCIETY Boston MA.

Materials Research Society, Meetings Department, 506 Keystone Drive, Warrendale, PA 15086, (724) 779-3003, Fax (724) 779-8313, e-mail: info@mrs.org

♦ NOVEMBER 28-30, 2001

2001 SAE SMALL ENGINE TECHNOLOGY CONFERENCE AND EXPOSITION Pisa, Italy.

Information: Society of Automotive Engineers, Inc., 400 Commonwealth Drive, Warrendale, PA 15096, (724) 776-4841, Fax (724) 776-5760, e-mail: meetings@sae.org, http://www.sae.org Submit your abstract of up to 500 words by November 2, 2000 to Karin Bolcshazy, SAE International, 400 Commonwealth Drive, Warrendale, PA 15096, (724) 772-7179, Fax (724) 776-1830, e-mail: karinb@sae.org

The abstract should include a tentative paper title, authors and co-authors (full names, position, company address, email, telephone and fax numbers).

MARCH 18-22, 2002

MARCH MEETING OF THE AMERICAN PHYSICAL SOCIETY Indianapolis IN.

Information: American Physical Society, Meetings Department, One Physics Ellipse, College Park, MD 20740, (301) 209-3280, Fax (301) 209-0867, http://www.aps.org

♦ MARCH 18-22, 2002

PITTCON 2000: THE PITTSBURGH CONFERENCE New Orleans LA.

Information: The Pittsburgh Conference, 300 Penn Center Blvd., Suite 332, Pittsburgh, PA 15235, (412) 825-3220, Fax (412) 825-3224, e-mail: pittconinfo@pittcon.org, http://www.pitcon.org/

♦ APRIL 7-12, 2002

223rd National Meeting of the American Chemical Society Orlando FL.

Information: Meetings Department, American Chemical Society, 1155 - 16th Street, NW, Washington, DC 20036, (202) 872-4396, Fax (202) 872-6128, e-mail: natImtgs@acs.org

CURRENT BIBLIOGRAPHY RELEVANT TO FUNDAMENTAL COMBUSTION

February 2000

Keith Schofield, ChemData Research, P.O. Box 40481
Santa Barbara, CA 93140, (805) 966-7768, Fax (805) 893-8797
e-mail: combust@mrl.ucsb.edu
http://www.ca.sandia.gov/CRF/Publications/CRB/CRB.html

1. FUELS/SYNFUELS - GENERAL

| 84203. | Touryan, K.J., "Renewable Energy: Rapidly Maturing Technology for the 21st Century," <i>J. Propulsion Power</i> 15 , 163-174 (1999). | Renewable Energy Sources Trends Technology Feasibility |
|--------|---|--|
| 84204. | Gupta, A.K., and D.G. Lilley, "Energy Recovery Opportunities from Wastes," <i>J. Propulsion Power</i> 15 , 175-180 (1999). | Waste Fuels Energy Recovery Technologies |
| 84205. | Miller, C.A., and R.K. Srivastava, "The Combustion of Orimulsion and Its Generation of Air Pollutants," <i>Prog. Energy Combust. Sci.</i> 26 , 131-160 (2000). | Bitumen/Oil Emulsified Fuel Combustion Emissions |
| 84206. | Wang, M., C. Saricks and M. Wu, "Fuel Ethanol Produced from Midwest U.S. Corn: Help or Hindrance to the Vision of Kyoto?," <i>J. Air Waste Manage. Assoc.</i> 49, 756-772 (1999). | Ethanol Fuel Greenhouse Gas Mitigation Analysis |
| 84207. | Katikaneni, S.P.R., R.O. Idem and N.N. Bakhshi, "Potential of Producing High Octane Additives and Hydrogen from Biomass-Derived Oils," pp. 1773-1778 in <i>IECEC-97: Proceedings of the 32nd Intersociety Energy Conversion Engineering Conference. Volume 3</i> , pp. 1543-2358, 120 Papers Presented in Honolulu HI, August 1997, American Institute of Chemical Engineers, New York NY (1997). | Upgraded Biomass Derived Fuels Methods Yields |
| 84208. | Werther, J., M. Saenger, EU. Hartge, T. Ogada and Z. Siagi, "Combustion of Agricultural Residues," <i>Prog. Energy Combust. Sci.</i> 26, 1-27 (2000). | Agricultural Wastes Combustion Problems Co-firing Emissions |

84209. Chenevert, B.C., J.C. Kramlich and K.M. Nichols, "Ash Characteristics of Biomass Fuels

Combust. Proc. 27, 1719-1725 (1998).

High Alkali Sawdust and Sanderdust Biomass Fuels," Symp. (Int.) Sawdust Combustion

Ash Analysis High Na,K Emissions (84460) Diesel Engine Performance, Emissions

Biofuel/Diesel Fuels

84210. Maclean, H.L., and L.B. Lave, "Environmental Implications of Alternative-Fueled Automobiles: Air Quality and Greenhouse Gas Tradeoffs," *Environ. Sci. Technol.* 34, 225-231 (2000).

Alternate Fuels Auto Engines Greenhouse Gases Reductions

84211. Gouli, S., A. Serdari, S. Stournas and E. Lois, "The Impact of Adding Nitrogen Substitutes to Conventional Automotive Fuels," *J. Energy Resources Technol., Trans. ASME* 121, 225-230 (1999).

Gasoline, Diesel Fuels Amino-Additives Ignition Emission Effects

84212. Pandey, R.A., and S. Malhotra, "Desulfurization of Gaseous Fuels with Recovery of Elemental Sulfur: An Overview," *Crit. Rev. Environ. Sci. Technol.* **29**, 229-268 (1999).

Desulfurization Gaseous Fuels Technologies Review

2. LIQUEFACTION/GASIFICATION

84213. Yoshikawa, K., H. Katsushima, M. Kasahara, T. Hasagawa, R. Tanaka and T. Ootsuka, "Innovative Coal Gasification System with High Temperature Air," pp. 932-937 in *IECEC-97: Proceedings of the 32nd Intersociety Energy Conversion Engineering Conference. Volume 2*, pp. 768-1542, 135 Papers Presented in Honolulu HI, August 1997, American Institute of Chemical Engineers, New York NY (1997).

Gasification
Coal
High Temperature
Air Method

84214. Borgwardt, R.H., "Transportation Fuel from Cellulosic Biomass: A Comparative Assessment of Ethanol and Methanol Options," *Proc. Inst. Mech. Eng. A. J. Power Energy* 213, 399-407 (1999).

Liquefaction Biomass CH₃OH,C₂H₅OH Fuels Comparisons

84215. O'Brien, C.J., S. Hochgreb, A. Rabinovich, L. Bromberg and D.R. Cohn, "Hydrogen Production via Plasma Reformers," pp. 1747-1752 in *IECEC-96: Proceedings of the 31st Intersociety Energy Conversion Engineering Conference. Volume 3*, pp. 1517-2187, 121 Papers Presented in Washington DC, August 1996, Institute of Electrical and Electronics Engineers, 445 Hoes Lane, Piscataway, NJ 08855 (1996).

Partial Oxidation Hydrocarbons Thermal Plasma CO,H₂ Production

84216. Zhou, J., S.M. Masutani, D.M. Ishimura, S.Q. Turn and C.M. Kinoshita, "Release of Fuel-Bound Nitrogen in Biomass During High Temperature Pyrolysis and Gasification," pp. 1785-1790 in *IECEC-97: Proceedings of the 32nd Intersociety Energy Conversion Engineering Conference. Volume 3*, pp. 1543-2358, 120 Papers Presented in Honolulu HI, August 1997, American Institute of Chemical Engineers, New York NY (1997).

Gasification Liquefaction Biomass Fuel 'N' Release 84217. Zhou, J., S.M. Masutani, D.M. Ishimura, S.Q. Turn and C.M. Kinoshita, "Simulation of Fuel-Bound Nitrogen Evolution in Biomass Gasification," pp. 1791-1796 in *IECEC-97: Proceedings of the 32nd Intersociety Energy Conversion Engineering Conference. Volume 3*, pp. 1543-2358, 120 Papers Presented in Honolulu HI, August 1997, American Institute of Chemical Engineers, New York NY (1997).

Gasification
Biomass
Fuel 'N' Release
Kinetic Model
Simulation

84218. Zhou, J., S.M. Masutani, D.M. Ishimura, S.Q. Turn and C.M. Kinoshita, "Release of Fuel Bound Nitrogen during Biomass Gasification," *Ind. Eng. Chem. Res.* **39**, 626-634 (2000).

Gasification Biomass Fuel 'N' Release

3. BURNERS

(See also Section 21 for Burner Emissions and Incinerator Performance)

84219. Coelho, P.J., "Mathematical Modeling of the Convection Chamber of a Utility Boiler: An Application," *Numer. Heat Transfer A. Applications* 36, 411-428 (1999).

Utility Boiler Convective Section Heat Transfer Model

84220. Coelho, P.J., "Mathematical Modeling of the Convection Chamber of a Utility Boiler: The Theory," *Numer. Heat Transfer A. Applications* **36**, 429-447 (1999).

Utility Boiler Convection Chamber Heat Transfer Modeling

84221. Xuan, Y., and R. Viskanta, "Numerical Investigation of a Porous Matrix Combustor Heater," *Numer. Heat Transfer A. Applications* **36**, 359-374 (1999).

Porous Matrix Combustor Heat Transfer Modeling

84222. Suzukawa, Y., S. Sugiyama and I. Mori, "Heat Transfer Improvement and NO_x Reduction in an Industrial Furnace by Regenerative Combustion System," pp. 804-809 in *IECEC-96: Proceedings of the 31st Intersociety Energy Conversion Engineering Conference. Volume 2*, pp. 666-1516, 148 Papers Presented in Washington DC, August 1996, Institute of Electrical and Electronics Engineers, 445 Hoes Lane, Piscataway, NJ 08855 (1996).

Ceramic Honeycomb Preheated Air Furnace Low NO_x Emissions

84223. Wiese, W., P. Brockerhoff, B. Emonts and E. Riedel, "Emission Behavior of a Catalytic Burner Fueled with Mixtures of Hydrogen and Methanol," *Proc. Inst. Mech. Eng. A. J. Power Energy* 213, 409-416 (1999).

Catalytic
Radiant Burner
CH₃OH/H₂
Fuel
Emissions

84224. Seo, Y.S., S.K. Kang and H.D. Shin, "The Catalytically Supported Catalytic Combustor for Lean Mixtures," Int. J. Energy Res. 23, 695-705 (1999). Combustor Lean Mixture Stability NO_x Emissions 84225. Cerri, I., G. Saracco, F. Geobaldo and V. Specchia, "Development of a Catalytic Methane Premixed Catalytic Burner for Household Applications," Ind. Domestic Eng. Chem. Res. 39, 24-33 (2000). CH₄ Burner NO_x Emissions Cruciform Burner (84381) Turbulence Generating Flows, LDV 84226. Hatanaka, T., S. Matsuda and H. Hatano, "A New Concept Gas-Solid New Burner Concept Combustion System "Merit" for High Combustion Efficiency and Low Ni Metal Emissions," pp. 944-948 in IECEC-97: Proceedings of the 32nd Intersociety Combustor Energy Conversion Engineering Conference. Volume 2, pp. 768-1542, 135 Ni/O₂ Oxidation NiO/CH₄ Reduction Papers Presented in Honolulu HI, August 1997, American Institute of Separate Cycles Chemical Engineers, New York NY (1997). Low Emissions 84227. Syred, N., H. Mirzae and T. O'Doherty, "Low Temperature Natural Gas Combustors Fired Combustors and NO_x Formation," *Proc. Inst. Mech. Eng. A. J. Power* Natural Gas Cvclone/Swirl Energy 213, 181-190 (1999). Wide Range Burners Low NO_x LDA Flowfields 84228. Blomeyer, M., B. Krautkremer, D.K. Hennecke and T. Doerr, "Mixing Rich/Quick Mix/ Zone Optimization of a Rich-Burn/Quick-Mix/Lean-Burn Combustor," J. Lean Combustor Propulsion Power 15, 288-295 (1999). Crossflow Air Injection Low NO_x 84229. Winter, F., C. Wartha and H. Hofbauer, "The Relative Importance of Circulating Radicals on the N₂O and NO Formation and Destruction Paths in a FBC Quartz CFBC," J. Energy Resources Technol., Trans. ASME 121, 131-136 $NO_{1}N_{2}O$ (1999).Formation Flame Radical

84230. Correa, S.M., "Power Generation and Aeropropulsion Gas Turbines: From Combustion Science to Combustion Technology," *Symp. (Int.) Combust. Proc.* **27**, 1793-1807 (1998).

Gas Turbines
Power/AeroEngines
States
Future Challenges
Review

Modification Effects 84231. Hayashi, S., H. Yamada, K. Shimodaira and T. Machida, "NO_x Emissions from Nonpremixed, Direct Fuel Injection Methane Burners at High Temperature and Elevated Pressure Conditions," *Symp. (Int.) Combust. Proc.* 27, 1833-1839 (1998).

Turbojet Combustor High T,P CH₄ Fueled NO_x Control

84232. Blust, J.W., D.R. Ballal and G.J. Sturgess, "Fuel Effects on Lean Blowout and Emissions from a Well-Stirred Reactor," Presented Originally as AIAA Paper 97-2710 at the *33rd AIAA/ASME/SAE/ASEE Joint Propulsion Conference*, Held in Seattle WA, July 1997, *J. Propulsion Power* 15, 216-223 (1999).

Turbine Simulator Toroidal Stirred Reactor Lean Blowout Emissions Characterization

84233. Masuya, G., T. Uemoto, Y. Wakana, K. Kudou, A. Murakami and T. Komuro, "Performance Evaluation of Scramjet Combustors Using Kinetic Energy and Combustion Efficiencies," *J. Propulsion Power* **15**, 401-407 (1999).

Scramjet Combustors Heat Release Performance

4. COAL, PARTICLE COMBUSTION/PYROLYSIS

(See also Section 21 for Coal Combustion Emissions)

(84316) Open Cycle, Current Status

Coal Fired MHD

(84213) High Temperature Air Method

Coal Gasification

84234. Wehner, B., T.C. Bond, W. Birmili, J. Heintzenberg, A. Wiedensohler and R.J. Charlson, "Climate-Relevant Particulate Emission Characteristics of a Coal Fired Heating Plant," *Environ. Sci. Technol.* **33**, 3881-3886 (1999).

Coal Combustion
Particle Emissions
3-700 nm Sizes
Measurements

84235. Gallego-Juarez, J.A., E.R.-F. de Sarabia, G. Rodriguez-Corral, T.L. Hoffmann, J.C. Galvez-Moraleda, J.J. Rodriguez-Maroto, F.J. Gomez-Moreno, A. Bahillo-Ruiz, M. Martin-Espigares and M. Acha, "Application of Acoustic Agglomeration to Reduce Fine Particle Emissions from Coal Combustion Plants," *Environ. Sci. Technol.* 33, 3843-3849 (1999).

Coal Combustion
Particle Emissions
Acoustic
Agglomeration
Fine Particles

(84541) Particulate Emissions, PAH, Organic Content

Coal, FBC

(84545) Fly Ash, Carbon Content

Pulverized Coal Low NO_x Burner

84236. Sandelin, K., and R. Backman, "A Simple Two-Reactor Method for Predicting Distribution of Trace Elements in Combustion Systems," *Environ. Sci. Technol.* **33**, 4508-4513 (1999).

Coal Combustion As,Cd,Hg,Ni Pb,Se,V,Zn Trace Metal Distributions Equilibrium Calculations 84237. Naruse, I., T. Murakami, R. Noda and K. Ohtake, "Influence of Coal Type on Evolution Characteristics of Alkali Metal Compounds in Coal Combustion," *Symp. (Int.) Combust. Proc.* 27, 1711-1717 (1998).

Coal Combustion Alkali Release Coal Type Effects

(84549) Formation from Coal, Analysis

Fullerenes Nanotubes

84238. Zhang, D.-K., and M. Telfer, "Sulfur Transformation in a South Australian Low-Rank Coal During Pyrolysis," *Symp. (Int.) Combust. Proc.* 27, 1703-1709 (1998).

Coal Pyrolysis Sulfur Release Ca,Na Washing Effects

84239. Wornat, M.J., B.A. Vernaglia, A.L. Lafleur, E.F. Plummer, K. Taghizadeh, P.F. Nelson, C.-Z. Li, A. Necula and L.T. Scott, "Cyclopenta-Fused Polycyclic Aromatic Hydrocarbons from Brown Coal Pyrolysis," *Symp. (Int.) Combust. Proc.* 27, 1677-1686 (1998).

Coal Pyrolysis
Tars
PAH Content

84240. Thenappan, S., and S.R. Gollahalli, "Flame Propagation in Co-fired Coal/Natural Gas Mixtures," pp. 955-960 in *IECEC-97: Proceedings of the 32nd Intersociety Energy Conversion Engineering Conference. Volume 2*, pp. 768-1542, 135 Papers Presented in Honolulu HI, August 1997, American Institute of Chemical Engineers, New York NY (1997).

Coal/Gas
Co-firing
Turbulent Flame
Propagation
Speeds

84241. Davidson, R.M., "Coal and Waste: Energy and Recycling," *Energy Environ.* **10**, 399-407 (1999).

Coal/Waste Co-firing Options

84242. Frazzitta, S., K. Annamalai and J. Sweeten, "Performance of a Burner with Coal and Coal/Biosolid Fuel Blends," *J. Propulsion Power* **15**, 181-186 (1999).

Coal/Biowaste
Fuel Blends
Combustion
Performance
NO_x ,SO₂ Emissions

84243. Ketlogetswe, C., "Co-Combustion of Coal and Solid Waste (Municipal and Industrial Solid Wastes)," pp. 1879-1886 in *IECEC-96: Proceedings of the 31st Intersociety Energy Conversion Engineering Conference. Volume 3*, pp. 1517-2187, 121 Papers Presented in Washington DC, August 1996, Institute of Electrical and Electronics Engineers, 445 Hoes Lane, Piscataway, NJ 08855 (1996).

Coal/Carpet Waste Co-firing Bed Temperatures

84244. Gullett, B.K., J.E. Dunn and K. Raghunathan, "Effect of Cofiring Coal on Formation of Polychlorinated Dibenzo-p-Dioxins and Dibenzofurans during Waste Combustion," *Environ. Sci. Technol.* **34**, 282-290 (2000).

Coal/Waste Co-firing PCDD/PCDFs Formation Effects

84245. Sibraa, A., T. Newbury and B.S. Haynes, "The Reactions of Hydrocarbon and Carbon Monoxide with Surface Bound Oxides on Carbon," *Combust. Flame* 120, 515-525 (2000).

C(s) Surface Oxides CO,H₂ Interactions Kinetics 84246. Di Maio, F.P., P.G. Lignola and S. Di Gregorio, "Cellular Automata Simulation of Coal Combustion," *Phys. Chem. Chem. Phys.* **2**, 83-89 (2000).

Spherocarb, Char, Graphite Combustion Mathematical Modeling Simulations

84247. Lunden, M.M., N.Y.C. Yang, T.J. Headley and C.R. Shaddix, "Mineral-Char Interactions during Char Combustion of a High Volatile Coal," *Symp. (Int.) Combust. Proc.* 27, 1695-1702 (1998).

Carbon Burnout Mineral Content Reactivity Effects

84248. Missoum, A., A.K. Gupta and J. Chen, "Global Kinetics of the Thermal Decomposition of Waste Materials," pp. 636-641 in *IECEC-97: Proceedings of the 32nd Intersociety Energy Conversion Engineering Conference. Volume 1*, pp. 1-767, 141 Papers Presented in Honolulu HI, August 1997, American Institute of Chemical Engineers, New York NY (1997).

Cellulose Pyrolysis Overall Kinetics TGA Analysis

84249. Hiers III, R.S., "Critical Behavior in Small Particle Combustion," Presented Originally as AIAA Paper 99-0977 at the *37th AIAA Aerospace Sciences Meeting*, Held in Reno NV, January, 1999, *J. Thermophys. Heat Transfer* 14, 53-58 (2000).

Small Particle Combustion Critical Behavior

5. SPRAY COMBUSTION

(See also Section 23 for Droplet Characterization)

84250. Chin, J.S., N.K. Rizk and M.K. Razdan, "Study on Hybrid Airblast Atomization," *J. Propulsion Power* **15**, 241-247 (1999).

Atomization
Hybrid Airblast
Liquid Pressure
Spray Quality
Characterization

84251. Vanderwege, B.A., and S. Hochgreb, "The Effect of Fuel Volatility on Sprays from High Pressure Swirl Injectors," *Symp. (Int.) Combust. Proc.* 27, 1865-1871 (1998).

Pressure Swirl Atomizer PLIF, Mie Visualization Fuel Volatility Effects

84252. Ateshkadi, A., V.G. McDonnell and G.S. Samuelsen, "Effect of Hardware Geometry on Gas and Drop Behavior in a Radial Mixer Spray," *Symp. (Int.) Combust. Proc.* **27**, 1985-1992 (1998).

Spray Injector Inflow Swirlers Hardware Geometry Importance

84253. Lin, S.P., and R.D. Reitz, "Drop and Spray Formation from a Liquid Jet," *Ann. Rev. Fluid Mech.* **30**, 85-105 (1998).

Spray Formation Breakup Regimes Sizes, Theories Review 84254. Mitra, S.K., and X. Li, "A Comprehensive Model on Spray Formation Spray Formation Process and Probability Distribution of Subsequently Formed Spray Model Droplets," pp. 904-909 in IECEC-97: Proceedings of the 32nd Intersociety Size, Velocity Energy Conversion Engineering Conference. Volume 2, pp. 768-1542, 135 Distributions Papers Presented in Honolulu HI, August 1997, American Institute of Chemical Engineers, New York NY (1997). (84429) I.C. Engines, Scattering Method Droplet Sizing 84255. Parker, T., E. Jepsen and H. McCann, "Measurements and Error Diesel Sprays Analysis of Droplet Size in Optically Thick Diesel Sprays," Symp. (Int.) Sizing Combust. Proc. 27, 1881-1888 (1998). Optically Dense IR Probe Beam Methods 84256. Rantanen, P., A. Valkonen and A. Cronhjort, "Measurements of a Diesel Diesel Spray Spray with a Normal Size Nozzle and a Large-Scale Model," Int. J. Heat LDA, Sizing Fluid Flow 20, 545-551 (1999). Large Scale Model (84393) Flowfield, 3-D Velocities Method Swirl Spray Nozzle 84257. Bertoli, C., and M.na Migliaccio, "A Finite Conductivity Model for Diesel Diesel Spray Spray Evaporation Computations," Int. J. Heat Fluid Flow 20, 552-561 Evaporation (1999).Model Development 84258. Reveillon, J., and L. Vervisch, "Spray Vaporization in Nonpremixed Droplet Turbulent Combustion Modeling: A Single Droplet Model," Combust. Vaporization Flame 121, 75-90 (2000). Turbulent Combustion Model

84259. Hallett, W.L.H., "A Simple Model for the Vaporization of Droplets with Large Numbers of Components," *Combust. Flame* **121**, 334-344 (2000).

Droplet
Vaporization
Multicomponent
Mixtures
Model

84260. Sirignano, W.A., and J.-P. Delplanque, "Transcritical Vaporization of Liquid Fuels and Propellants," *J. Propulsion Power* **15**, 896-902 (1999).

Droplet
Vaporization
Supercritical
Conditions
Model Reviews

84261. Winn, R.C., and C.R. Morin, "Low Cost Shadowgraph Technique for Flammable Vapor Visualization," pp. 642-647 in *IECEC-97: Proceedings of the 32nd Intersociety Energy Conversion Engineering Conference. Volume* 1, pp. 1-767, 141 Papers Presented in Honolulu HI, August 1997, American Institute of Chemical Engineers, New York NY (1997).

Vapor Visualization Low Cost Shadowgraph System

| 84262. | Chiu, H.H., and L.H. Hu, "Dynamics of Ignition Transience and Gasification Partition of a Droplet," <i>Symp. (Int.) Combust. Proc.</i> 27, 1889-1896 (1998). | Droplet Hot Environment Vaporization Ignition Transient Modeling |
|---------|---|---|
| 84263. | Sornek, R.J., R. Dobashi and T. Hirano, "Effect of Turbulence on Vaporization, Mixing and Combustion of Liquid-Fuel Sprays," <i>Combust. Flame</i> 120 , 479-491 (2000). | Liquid Fuel Sprays Vaporization Mixing Turbulence Effects |
| 84264. | Chen, WH., CC. Liu and T.L. Jiang, "Hysteresis Effects of Two Interactive Droplets Burning in Convective Flows, "Symp. (Int.) Combust. Proc. 27, 1923-1932 (1998). | 2-Droplet Combustion Hot Air Flows Vaporization Visualization |
| 84265. | Dwyer, H.A., B.D. Shaw and H. Niazmand, "Droplet/Flame Interactions Including Surface Tension Influences," <i>Symp. (Int.) Combust. Proc.</i> 27, 1951-1957 (1998). | CH₃OH Droplet Vaporization/ Combustion Heat Transfer Interactions Modeling |
| 84266. | Daif, A., M. Bouaziz, J. Bresson and M. Grisenti, "Surface Temperature of Hydrocarbon Droplet in Evaporation," <i>J. Thermophys. Heat Transfer</i> 13, 553-555 (1999). | Droplet Evaporation Surface Temperature C ₆ -C ₁₀ Alkanes IR Thermography |
| 84267. | Dwyer, H.A., P. Stapf and R. Maly, "Unsteady Vaporization and Ignition of a Three-Dimensional Droplet Array," <i>Combust. Flame</i> 121 , 181-194 (2000). | 3-D Droplet Array Vaporization Ignition C ₇ H ₁₆ Modeling |
| 84268. | Goto, M., Y. Ju and T. Niioka, "Numerical Analysis of Ignition of Fuel Droplet Array in Hot Stagnant Air," <i>Symp. (Int.) Combust. Proc.</i> 27, 1959-1966 (1998). | Droplet Arrays Ignition Hot Stagnant Air Numerical Modeling |
| (84324) | Sprays, Auto-ignition, Gas Turbines, Transport/Kinetic Modeling | n-C ₇ H ₁₆ /Air |
| 84269. | Nicoli, C., P. Haldenwang and B. Denet, "Ignition of a Reactive Mixing Layer," <i>J. de Chim. Phys.</i> 96 , 1016-1021 (1999). | Spray Ignition Mixing Layer Model H ₂ /O ₂ (I)/H ₂ |

84270. Higgins, B., D. Siebers, C. Mueller and A. Aradi, "Effects of an Ignition-Diesel Sprays Enhancing Diesel Fuel Additive on Diesel Spray Evaporation, Mixing, $C_6H_{12}(C_2H_5)ONO_2$ Ignition and Combustion," Symp. (Int.) Combust. Proc. 27, 1873-1880 Additive (1998).Ignition Enhancer Mechanism 84271. Hou, S.-S., "The Interaction between Upstream and Downstream Heat Spray Flames Transfers on the Burning and Extinction of Dilute Spray Flames," JSME Extinction Int. J. Ser. B. Fluids Thermal Eng. 42, 691-698 (1999). Heat Transfer Modeling 84272. Hou, S.-S., and T.-H. Lin, "Extinction of Stretched Spray Flames with Spray Flames Nonunity Lewis Numbers in a Stagnation-Point Flow," Symp. (Int.) Rich CH₃OH Combust. Proc. 27, 2009-2015 (1998). Stretched Extinction Modeling 84273. He, L., S.D. Tse and C.K. Law, "Role of Flamefront Motion and Criterion Droplet for Global Quasi-Steadiness in Droplet Burning," Symp. (Int.) Combust. Combustion Flamefront Motion Proc. 27, 1943-1950 (1998). Theory 84274. Stapf, P., H.A. Dwyer and R.R. Maly, "A Group Combustion Model for Diesel Spray Treating Reactive Sprays in Internal Combustion Engines," Symp. (Int.) Combustion Combust. Proc. 27, 1857-1864 (1998). Flow/Kinetic Group Droplet Model 84275. Park, J., H. Kobayashi and T. Niioka, "A Study of Flame Spread Along a Droplet Array Droplet Array at Elevated Pressures up to a Supercritical Pressure," Int. Flame Spread J. Energy Res. 23, 813-826 (1999). OH* Emission Gravity, Pressure Effects 84276. Mukhopadhyay, A., and D. Sanyal, "A Study of Thin-Flame Quasisteady Fuel Droplet Sphericosymmetric Combustion of Multicomponent Fuel Droplets. I. Multicomponent Surface Regression Modeling for Droplet Surface Regression and Non-Unity Gas Phase Thin Flame Lewis Number," Int. J. Energy Res. 23, 963-977 (1999). Model 84277. Mukhopadhyay, A., and D. Sanyal, "A Study of Thin-Flame Quasisteady Fuel Droplet Sphericosymmetric Combustion of Multicomponent Fuel Droplets. II. Multicomponent Parametric Studies," Int. J. Energy Res. 23, 979-987 (1999). Thin Flame Combustion

84278. Park, J., H. Kobayashi and T. Niioka, "Flame Spread Behavior of Droplet Array Blended Fuel Droplet Array," Int. J. Energy Res. 23, 1305-1312 (1999).

Combustion Blended Fuel Flame Spread OH* Imaging

P,T Effects

84279. Tsushima, S., H. Saitoh, F. Akamatsu and M. Katsuki, "Observation of Combustion Characteristics of Droplet Clusters in a Premixed Spray Flame by Simultaneous Monitoring of Planar Spray Images and Local Chemiluminescence," *Symp. (Int.) Combust. Proc.* 27, 1967-1974 (1998).

Spray Flame
Laser Tomography
Visualization
CH*,OH* Emissions
Cluster
Disappearance

84280. Wark, C., K. Eickmann and C. Richards, "The Structure of an Acoustically Forced, Reacting Two-Phase Jet," *Combust. Flame* **120**, 539-548 (2000).

Spray Combustion 2-Phase Jet Imaging PDA Structure

84281. Karpetis, A.N., and A. Gomez, "An Experimental Study of Well-Defined Turbulent Nonpremixed Spray Flames," *Combust. Flame* **121**, 1-23 (2000).

CH₃OH Spray Turbulent Flames CH* Imaging PDA,SRS Measurements

84282. Karpetis, A.N., and A. Gomez, "An Experimental Investigation of Nonpremixed Turbulent Spray Flames and Their Self-Similar Behavior," *Symp. (Int.) Combust. Proc.* 27, 2001-2008 (1998).

CH₃OH Spray
Turbulent Flames
PDA,SRS
Temperatures
Scaling

84283. Massot, M., M. Kumar, M.D. Smooke and A. Gomez, "Spray Counterflow Diffusion Flames of Heptane: Experiments and Computations with Detailed Kinetics and Transport," *Symp. (Int.) Combust. Proc.* 27, 1975-1983 (1998).

n-C₇H₁₆ Spray Diffusion Flames T,PDA Measurements Modeling

84284. Chauveau, C., B. Vieille, I. Gokalp, D. Segawa, T. Kadota and A. Nakainkyo, "Effects of Gravitational Acceleration on High Pressure Combustion of Methanol Droplets," *J. de Chim. Phys.* **96**, 1031-1037 (1999).

Droplet Combustion CH₃OH Gravity Effects

84285. Okai, K., O. Moriue, M. Araki, M. Tsue, M. Kono, J. Sato, D.L. Dietrich and F.A. Williams, "Pressure Effects on Combustion of Methanol and Methanol/Dodecanol Single Droplets and Droplet Pairs in Microgravity," *Combust. Flame* **121**, 501-512 (2000).

Droplet Combustion CH₃OH CH₃OH/C₁₂H₂₅OH Microgravity Single/Double Pairs

84286. Dubey, R.K., M.Q. McQuay and J.A. Carvalho Jr., "An Experimental and Theoretical Investigation on the Effects of Acoustics on Spray Combustion," *Symp. (Int.) Combust. Proc.* 27, 2017-2023 (1998).

C₂H₅OH Spray Combustion Rijke Tube Acoustic Effects 84287. Marsh, N.D., D. Zhu and M.J. Wornat, "Pyrolysis Product Absorption by Burning Benzene Droplets," *Symp. (Int.) Combust. Proc.* **27**, 1897-1905 (1998).

C₆H₆ Droplet Combustion Liquid Pyrolysis PAH Retention Mechanisms

84288. Cooper, C.S., and N.M. Laurendeau, "Quantitative Laser Saturated Fluorescence Measurements of Nitric Oxide in a Heptane Fueled Lean Direct Injection Spray Flame at Varying Global Equivalence Ratios," *Symp. (Int.) Combust. Proc.* 27, 1993-2000 (1998).

Spray Flame C_7H_{16}/Air Saturated LIF NO Densities

84289. Mikami, M., T. Yagi and N. Kojima, "Occurrence Probability of Microexplosion in Droplet Combustion of Miscible Binary Fuels," *Symp. (Int.) Combust. Proc.* **27**, 1933-1941 (1998).

Droplet Combustion n-RH/n-C₁₆H₃₄ Microexplosions

84290. Shaddix, C.R., and P.J. Tennison, "Effects of Char Content and Simple Additives on Biomass Pyrolysis Oil Droplet Combustion," *Symp. (Int.) Combust. Proc.* 27, 1907-1914 (1998).

Droplet
Combustion
Biomass Oils
CH₃OH,H₂O Additive
Effects
Microexplosions

84291. D'Alessio, J., M. Lazzaro, P. Massoli and V. Moccia, "Thermo-Optical Investigation of Burning Biomass Pyrolysis Oil Droplets," *Symp. (Int.) Combust. Proc.* 27, 1915-1922 (1998).

Biomass Oil Droplet Combustion Cenosphere Formation

6. METALS/PROPELLANTS/POLYMER COMBUSTION

84292. Dreizin, E.L., "Phase Changes in Metal Combustion," *Prog. Energy Combust. Sci.* **26**, 57-78 (2000).

Metal Combustion Phase Changes Al,Cu,Fe Mg,Zr Disruptions

84293. Assovskii, I.G., O.M. Zhigalina, N.A. Kiselev, G.P. Kuznetsov and V.I. Kolesnikov-Svinarev, "The Effect of Gravity on Aluminum Droplet Combustion," *Dokl. Phys.* 44, 409-412 (1999).

Al Droplet
Combustion
Normal
Reduced Gravity

84294. Glassman, I., and P. Papas, "Combustion Thermodynamics of Metal-Complex Oxidizer Mixtures," *J. Propulsion Power* **15**, 801-805 (1999).

AI,Ti/O₂ Ti/N₂ Solid Phase Chemical Equilibrium Controlling Aspects 84295. Kashireninov, O.E., I.A. Yuranov, A.A. Fomin and E.A. Shtessel, "An Solid Phase Inherently Chemical Mechanism for Auto-Oscillations in Solid State Combustion Combustion," Combust. Flame 121, 430-438 (2000). B/Mo,Nb C/Ta Oscillatory Mechanisms 84296. Anselmi-Tamburini, U., F. Maglia, G. Spinolo and Z.A. Munir, "Use of Solid Phase Two-Color Array Pyrometry for Characterization of Combustion Combustion Synthesis Waves," J. Mater. Res. 15, 572-580 (2000). 2-Color Pyrometer Zr/NiO Surface Morphology Changes 84297. Knott, G.M., and M.Q. Brewster, "Two-Dimensional Combustion Solid Propellants Modeling of Heterogeneous Solid Propellants with Finite Peclet Heterogeneous Combustion Number," Combust. Flame 121, 91-106 (2000). Model 84298. Waesche, R.H.W., "Mechanisms and Methods of Suppression of Instabilities Combustion Instability by Metallic Additives," J. Propulsion Power 15, Propellant Fuels 919-922 (1999). Combustion Al, Mg, B, C Additive Suppression Effects 84299. Babuk, V.A., V.A. Vasilyev and M.S. Malkhov, "Condensed Combustion Aluminized Products at the Burning Surface of Aluminized Solid Propellant," J. Solid Propellants Propulsion Power 15, 783-793 (1999). Burning Surface Products 84300. Atwood, A.I., T.L. Boggs, P.O. Curran, T.P. Parr, D.M. Hanson-Parr, AP,HMX,RDX C.F. Price and J. Wiknich, "Burning Rate of Solid Propellant Ingredients." Burning Rates 1. Pressure and Initial Temperature Effects," J. Propulsion Power 15, 740-Initial P.T Effects 747 (1999). 84301. Atwood, A.I., T.L. Boggs, P.O. Curran, T.P. Parr, D.M. Hanson-Parr, AP.HMX.RDX C.F. Price and J. Wiknich, "Burning Rate of Solid Propellant Ingredients." ADN, CL-20, HNF II. Determination of Burning Rate Temperature Sensitivity." J. Burning Rates Propulsion Power 15, 748-752 (1999). T Sensitivity CH₃NO₂, CH₃ONO (84678) Pyrolysis, Fragmentation Mechanisms $(CH_3)_2NNH_2$, TNAZ

84302. Tang, C.-J., Y.J. Lee and T.A. Litzinger, "Simultaneous Temperature and HMX Species Measurements During Self-Oscillating Burning of HMX," *J. Self-Oscillatory Propulsion Power* 15, 296-303 (1999).

T,Species Measurements

| 84303. | Zenin, A.A., S.V. Finjakov, V.M. Puchkov and N.G. Ibragimov, "Temperature and Pressure Sensitivities of Burning Wave Parameters of Nitramine-Containing Propellants and HMX," <i>J. Propulsion Power</i> 15, 753-758 (1999). | Propellants Nitramines, HMX Burning Surface Temperatures P,T Sensitivities |
|---------|---|---|
| 84304. | Kubota, N., "Energetics of HMX-Based Composite Modified Double-Base Propellant Combustion," <i>J. Propulsion Power</i> 15 , 759-762 (1999). | HMX Based Propellants NO ₂ Fraction Burning Rate Dependence |
| 84305. | Louwers, J., G.M.H.J.L. Gadiot, M.Q. Brewster, S.F. Son, T. Parr and D. Hanson-Parr, "Steady State Hydrazinium Nitroformate (HNF) Combustion Modeling," <i>J. Propulsion Power</i> 15, 772-777 (1999). | HNF Combustion N ₂ H ₅ C(NO ₂) ₃ Liquid/Gas Modeling |
| (85018) | $\Delta H_{sublimation}$, Decomposition Channels, Calculations | $\Delta H_f(NH(NO_2)_2)$ $NH_4N(NO_2)_2$ |
| 84306. | Politzer, P., and P. Lane, "Energetics of Ammonium Perchlorate Decomposition Steps," <i>J. Mol. Struct.</i> 454 , 229-235 (1998). | NH ₄ CIO ₄ (s) Dissociation Channels Reaction Enthalpies Calculations |
| 84307. | Kondrikov, B.N., V.E. Annikov, V.Yu. Egorshev, L. DeLuca and C. Bronzi, "Combustion of Ammonium Nitrate-Based Compositions, Metal-Containing and Water Impregnated Compounds," <i>J. Propulsion Power</i> 15, 763-771 (1999). | NH ₄ NO ₃ Propellant Oxidizer Combustion Characterization |
| (85019) | Thermodynamic Properties, TNT, RDX, HMX, PETN, NPN, NG | 29 Nitro-Compounds |
| 84308. | Owens, F.J., "Molecular Orbital Calculation of Decomposition Pathways of Nitrocubanes and Nitroazacubanes," <i>J. Mol. Struct.</i> 460 , 137-140 (1999). | Nitrocubanes Nitroazacubanes Dissociation Pathways Energies |
| 84309. | Wang, YM., C. Chen and ST. Lin, "Theoretical Studies of the NTO Unimolecular Decomposition," <i>J. Mol. Struct.</i> 460 , 79-102 (1999). | NTO Dissociation C-NO ₂ Scission Energetics Barriers |

| 84310. | Yu, CL., YX. Zhang and S.H. Bauer, "Estimation of the Equilibrium Distribution of Products Generated during High Temperature Pyrolyses of 1,3,3-Trinitroazetidine; Thermochemical Parameters," <i>J. Mol. Struct.</i> 432 , 63-68 (1998). | Pyrolysis Products Kinetic Control IR Frequencies Thermodynamic Properties 0-1500 K |
|---------|--|--|
| (84415) | Fire Retardants, Char Formation, Yields, Review | Polymers |
| (84535) | Soot Formation, Yields | Plastic Polymer Combustion |
| 84311. | Williams, P.T., and E.A. Williams, "Product Composition from the Fast Pyrolysis of Polystyrene," <i>Environ. Technol.</i> 20 , 1109-1118 (1999). | Polystyrene Pyrolysis Fluidized Bed Products |
| 84312. | Olson, S.L., and J.S. T'ien, "Buoyant Low-Stretch Diffusion Flames beneath Cylindrical PMMA Samples," <i>Combust. Flame</i> 121 , 439-452 (2000). | PMMA Diffusion Flame Characterization |
| 84313. | Vietoris, T., P. Joulain and J.L. Torero, "Experimental Characterization of a Laminar Diffusion Flame in Microgravity," <i>J. de Chim. Phys.</i> 96 , 1022-1030 (1999). | PMMA Slab Diffusion Flame Forced Flow Microgravity |
| | 7. CATALYTIC COMBUSTION | |
| (84649) | Laser Diagnostic Methods, Review | Catalytic Combustion |
| 84314. | Harmsen, J.M.A., J.H.B.J. Hoebink and J.C. Schouten, "Transient Kinetic Modeling of the Ethylene and Carbon Monoxide Oxidation over a Commercial Automotive Exhaust Gas Catalyst," <i>Ind. Eng. Chem. Res.</i> 39 , 599-609 (2000). | Catalytic Oxidation C ₂ H ₄ ,CO Auto Catalyst Transient Kinetics |
| 84315. | Lyon, R.K., and J.A. Cole, "Unmixed Combustion: An Alternative to Fire," <i>Combust. Flame</i> 121 , 249-261 (2000). | Indirect Catalytic Combustion Oxidation/ Reduction |

Cu/CuO FeO/Fe₂O₃

8. MHD

84316. Pian, C.C.P., and R. Kessler, "Open-Cycle Magnetohydrodyamic Power Generators," *J. Propulsion Power* 15, 195-203 (1999).

MHD
Open Cycle
Current Status
Coal Fired Flows

9. TEMPERATURES

| (84303) | Propellants, Nitramines, HMX Combustion, Pressure, Temperature | Surface Temperatures |
|---------|--|--|
| | Sensitivities | ' |
| (84543) | Sooting C ₂ H ₄ Flame, Laser Induced Incandescence Implications | Emission Temperatures |
| (84458) | Temperatures, Diesel Engines, In-Cylinder, CCD Imaging | 2-Color Pyrometer |
| (84296) | Solid Phase Combustion, Zr/NiO Surface Morphology Changes | 2-Color Pyrometer |
| (84266) | Droplet Evaporation, Surface Temperatures, C ₆ -C ₁₀ Alkanes | IR Thermography |
| 84317. | Astashkevich, S.A., M.V. Kalachev, B.P. Lavrov and V.L. Ovchinnikov, "Determination of Gas Temperature of a Nonequilibrium Plasma from the Intensity Distribution in the Rotational Structure of the $(GK^1\Sigma_g^+ \to B^1\Sigma_u^+)$ Bands of H_2 ," <i>Opt. Spectrosc., Russia</i> 87, 203-211 (1999). | Temperatures H ₂ (GK-B) Rotational Perturbation Problems |
| 84318. | Benedetti, R., K. Giulietti and M. Rosa-Clot, "Lineshape Analysis of $\rm O_2$ in Air as a Way to Measure Temperature Using a Distributed Feedback Diode Laser at 761 nm," <i>Opt. Commun.</i> 154 , 47-53 (1998). | Temperatures O ₂ (b-X),(0,0) Lineshape Diode Laser Rotational Lines |
| 84319. | Lou, J., T.M. Finegan, P. Mohsen, T.A. Hatton and P.E. Laibinis, "Fluorescence Based Thermometry: Principles and Applications," <i>Rev. Anal. Chem.</i> 18 , 235-284 (1999). | Temperatures Fluorescence Based Methods Review |
| 84320. | Nakayama, H., T. Ishida, Y. Kodama and T. Niimi, "A Study on a Method for 2-Dimensional Temperature Measurement Technique by O_2 -LIPF: Development of a Stereo-Viewer and Verification of the Validity," <i>JSME Int. J. Ser. B. Fluids Thermal Eng.</i> 42 , 547-552 (1999). | Temperatures 2-D O ₂ ,LIPF Heated Air Jet Method |
| 84321. | Brown, M.S., and W.L. Roberts, "Single Point Thermometry in High Pressure, Sooting, Premixed Combustion Environments," Presented Originally as AIAA Paper 97-3038 at the <i>33rd AIAA/ASME/SAE/ASEE Joint</i> | Temperatures Rich C ₂ H ₄ /Air Laser Scattering |

Propulsion Conference, Held in Seattle WA, July 1997, J. Propulsion Method

Power 15, 119-127 (1999).

84322. Lubben, J.F., C. Mund, B. Schrader and R. Zellner, "Uncertainties in Temperature Measurements of Optically Levitated Single Aerosol Particles by Raman Spectroscopy," *J. Mol. Struct.* 480/481, 311-316 (1999).

Temperatures
Raman Spectra
Levitated
Single Aerosol
Particle

10. IGNITION

(See also Section 5 for Droplet Ignition)

| (84437) | I.C. Engines, 2-Stroke, OH* Emission, EGR Effects | Auto-ignition |
|---------|--|---|
| (84453) | Diesel Engines, Direct Injection, Spray Model | Auto-ignition |
| 84323. | Roubaud, A., R. Minetti and L.R. Sochet, "Oxidation and Combustion of Low Alkylbenzenes at High Pressure: Comparative Reactivity and Autoignition," <i>Combust. Flame</i> 121 , 535-541 (2000). | Auto-ignition 11 Alkylbenzenes Comparisons Structure Effects |
| 84324. | Wolff, M.C., J. Meisl, R. Koch and W. Wittig, "The Influence of Evaporation on the Auto-ignition Delay of <i>n</i> -Heptane/Air Mixtures under Gas Turbine Conditions," <i>Symp. (Int.) Combust. Proc.</i> 27 , 2025-2031 (1998). | Auto-ignition n-C ₇ H ₁₆ /Air Sprays Gas Turbines Transport/Kinetic Modeling |
| (84359) | Scramjet Combustion, H ₂ Fuel Injection, Stability | Auto-ignition |
| 84325. | Petersen, E.L., D.F. Davidson and R.K. Hanson, "Ignition Delay Times of Ram Accelerator $CH_4/O_2/D$ iluent Mixtures," Presented Originally as AIAA Paper 96-2681 at the <i>32nd AIAA/ASME/SAE/ASEE Joint Propulsion Conference</i> , Held in Lake Buena Vista FL, July 1996, <i>J. Propulsion Power</i> 15, 82-91 (1999). | Ignition Delay Times CH ₄ /O ₂ /Diluent Shock Tube Measurements |
| (84430) | I.C. Engines, Natural Gas, Characterization | Lean Burn Ignition Delays |
| (84669) | C_2H_2 , C_3H_4 , $C_4H_6/O_2/Ar$ Shock Tube Measurements, Kinetic Modeling | Ignition Delays |
| (84672) | i-C ₄ H ₈ /O ₂ /Ar Shock Tube Data, Kinetic Modeling | Ignition Delays |
| 84326. | Fotache, C.G., Y. Tan, C.J. Sung and C.K. Law, "Ignition of CO/H ₂ /N ₂ versus Heated Air in Counterflow: Experimental and Modeling Results: <i>Combust. Flame</i> 120 , 417-426 (2000). | Ignition Regimes Counterflow CO/H ₂ Heated Air Jets |
| (84211) | Gasoline, Diesel Fuels, Ignition Quality, Emission Effects | Amino-Additives |
| (84744) | Ignition Improver, H ₂ /Air, Kinetic Modeling, Data Comparisons | SiH ₄ |

11. COMBUSTION THEORY/PROPAGATION/STABILIZATION

| 84327. | Kadowaki, S., "The Lateral Movement of the Three-Dimensional Cellular Flame at Low Lewis Numbers," <i>Int. J. Heat Fluid Flow</i> 20 , 649-656 (1999). | 3-D Cellular Flame Lateral Movement Modeling |
|--------|--|---|
| 84328. | Daou, J., M. Matalon and A. Linan, "Premixed Edge Flames under Transverse Enthalpy Gradients," <i>Combust. Flame</i> 121 , 107-121 (2000). | Propagation Counterflow Nonequal Enthalpy Opposed Streams Modeling |
| 84329. | Leong, M.Y., G.S. Samuelsen and J.D. Holdeman, "Mixing of Jet Air with a Fuel Rich, Reacting Crossflow," <i>J. Propulsion Power</i> 15 , 617-622 (1999). | Fuel Rich Burned Gases Fast Crossflow Jet Air Mixing Species Densities |
| 84330. | Lim, J., J. Gore and R. Viskanta, "A Study of the Effects of Air Preheat on the Structure of Methane/Air Counterflow Diffusion Flames," <i>Combust. Flame</i> 121 , 262-274 (2000). | Counterflow CH₄/Air Diffusion Air Preheat Species Profiles NO Formation |
| 84331. | Chao, YC., YC. Jong and HW. Sheu, "Helical Mode Excitation of Lifted Flames Using Piezoelectric Actuators," <i>Experiments Fluids</i> 28 , 11-20 (2000). | Lifted Jet Flames Piezoelectric Flow Actuator Vortical Flow Stabilization |
| 84332. | Pearlman, H., "Low Temperature Oxidation Reactions and Cool Flames at Earth and Reduced Gravity," <i>Combust. Flame</i> 121 , 390-393 (2000). | Cool Flames $n-C_4H_{10}/O_2$ Microgravity Effects |
| 84333. | Hirasawa, T., T. Ueda, A. Matsuo and M. Mizomoto, "Response of Flame Displacement Speeds to Oscillatory Stretch in Wall-Stagnating Flow," <i>Combust. Flame</i> 121 , 312-322 (2000). | Oscillatory Stagnation Wall CH ₄ ,C ₃ H ₈ /Air Displacement Speeds |
| 84334. | Richards, G.A., M. Janus and E.H. Robey, "Control of Flame Oscillations with Equivalence Ratio Modulation," <i>J. Propulsion Power</i> 15 , 232-240 (1999). | Oscillations Suppression Swirl Combustor Natural Gas Fuel Flow Modulation |

Method

84335. Koshigoe, S., T. Komatsuzaki and V. Yang, "Adaptive Control of Oscillations Combustion Instability with On-Line System Identification," J. Adaptive Control Propulsion Power 15, 383-389 (1999). Instability Suppression 84336. Vaezi, V., and R.C. Aldredge, "Laminar Flame Instabilities in a Taylor-Propagation Couette Combustor," Combust. Flame 121, 356-366 (2000). Rotating Combustor Instabilities 84337. Jones, C.M., J.G. Lee and D.A. Santavicca, "Closed-Loop Active Control Combustion of Combustion Instabilities Using Subharmonic Secondary Fuel Instabilities Injection," J. Propulsion Power 15, 584-590 (1999). Active Control Secondary Fuel Injection Method 84338. Yu, K.H., K.J. Wilson and K.C. Schadow, "Liquid-Fueled Active Instabilities Instability Suppression," Symp. (Int.) Combust. Proc. 27, 2039-2046 Combustion Chamber (1998).Liquid Fuel Injection Suppressant 84339. Broda, J.C., S. Seo, R.J. Santoro, G. Shirhattikar and V. Yang, "An Instabilities Experimental Study of Combustion Dynamics of a Premixed Swirl Swirl Injector Injector," Symp. (Int.) Combust. Proc. 27, 1849-1856 (1998). CH* Emission Monitor Operating Condition Map 84340. Venkataraman, K.K., L.H. Preston, D.W. Simons, B.J. Lee, J.G. Lee and Instability D.A. Santavicca, "Mechanism of Combustion Instability in a Lean Bluff Body Premixed Dump Combustor," J. Propulsion Power 15, 909-918 (1999). **Dump Combustor** Natural Gas CH* Emission Flame/Vortex Flowfields 84341. Paschereit, C.O., E. Gutmark and W. Weisenstein, "Control of Instabilities Thermoacoustic Instabilities and Emissions in an Industrial-Type Gas Gas Turbine Turbine Combustor," Symp. (Int.) Combust. Proc. 27, 1817-1824 (1998). Swirl Stabilized Control OH* Monitor

84342. Lieuwen, T., and B.T. Zinn, "The Role of Equivalence Ratio Oscillations in Driving Combustion Instabilities in Low NO_x Gas Turbines," *Symp. (Int.) Combust. Proc.* **27**, 1809-1816 (1998).

Instabilities Low NO_x Gas Turbines Lean Mode Mechanisms

NO_x Control

84343. Sun, C.J., and C.K. Law, "On the Nonlinear Response of Stretched Extinction Premixed Flames," Combust. Flame 121, 236-248 (2000). Stretched Flames Modeling 84344. Yoshida, A., "Extinction of Wrinkled Laminar Flame and Existence of Extinction Distributed Reaction Zone," JSME Int. J. Ser. B. Fluids Thermal Eng. 42, Counterflow 523-531 (1999). Laminar Wrinkled Flame Model 84345. Liu, F., G.J. Smallwood, O.L. Gulder and Y. Ju, "Asymptotic Analysis of Radiative Radiative Extinction in Counterflow Diffusion Flames of Nonunity Lewis Extinction Numbers," Combust. Flame 121, 275-287 (2000). Counterflow Diffusion Flames Modeling 84346. Yamashita, H., D. Djamrak and T. Takeno, "Role of Elementary Extinction Reactions in Flame Structure and Unsteady Behavior of Two-Fuel Jet Dimensional Fuel Jet Diffusion Flame," JSME Int. J. Ser. B. Fluids Diffusion Flame Thermal Eng. 42, 699-707 (1999). Co-flowing Air Modeling 84347. Babb, M., S.R. Gollahalli, and C.M. Sliepcevich, "Extinguishment of Extinction Liquid Heptane and Gaseous Propane Diffusion Flames," J. Propulsion Liquid C₇H₁₆ Power 15, 260-265 (1999). Gaseous C₃H₈ Diffusion Flames CO₂, N₂ Additives Control 84348. Sohn, C.H., and S.H. Chung, "Effect of Pressure on the Extinction, Extinction Acoustic Pressure Response, and NO Formation in Diluted Hydrogen/Air H₂/Air Diffusion Flames," Combust. Flame 121, 288-300 (2000). Diffusion Flames Acoustic Instabilities NO Formation Pressure Effects 84349. Choi, J.-Y., I.-S. Jeung and Y. Yoon, "Scaling Effect of the Combustion" Supersonic Induced by Shock Wave Boundary Layer Interaction in Premixed Gas," Combustion Symp. (Int.) Combust. Proc. 27, 2181-2188 (1998). Shock Wave Boundary Layer

84350. Umemura, A., and Y. Takihana, "Nonlinear Instabilities Leading to

Layer Flow," Symp. (Int.) Combust. Proc. 27, 2135-2142 (1998).

Rapid Mixing and Combustion in Confined Supersonic Double Shear-

Supersonic Air
Slow Fuel Stream
Mixing Instabilities
Channel Flow
Explosions
Mechanisms

Model

84351. Luo, K.H., and K.N.C. Bray, "Combustion-Induced Pressure Effects in Supersonic Supersonic Diffusion Flames," Symp. (Int.) Combust. Proc. 27, 2165-2171 Turbulent (1998).Diffusion Flame Combustion Induced Pressure Effects 84352. Morris, C.I., M.R. Kamel and R.K. Hanson, "Shock Induced Combustion Supersonic Flows in High Speed Wedge Flows," Symp. (Int.) Combust. Proc. 27, 2157-2164 Wedge/Shock Induced Combustion (1998).OH,PLIF Schlieren H₂/O₂ Flowfield 84353. Da Silva, L.F.F., and B. Deshaies, "Stabilization of an Oblique Supersonic Flow Detonation Wave by a Wedge: A Parametric Numerical Study," Combust. H₂/Air Wedge Triggered Flame 121, 152-166 (2000). Detonation Wave Modeling 84354. Ben-Yakar, A., and R.K. Hanson, "Experimental Investigation of Flame-H₂ Jet Holding Capability of Hydrogen Transverse Jet in Supersonic Crossflow," Supersonic Heated Symp. (Int.) Combust. Proc. 27, 2173-2180 (1998). Air Crossflow Stability PLIF, OH Schlieren 84355. Sislian, J.P., R. Dudebout, J. Schumacher, M. Islam and T. Redford, Scramjet "Incomplete Mixing and Off-Design Effects on Shock Induced Combustion Combustion Ramjet Performance," J. Propulsion Power 16, 41-48 (2000). Incomplete Mixing Effects Flowfield Kinetic Modeling 84356. Lubarsky, E., and Y. Levy, "Experimental Investigation of Flame-Instabilities Holding System for the Suppression of Ramjet Rumble," Symp. (Int.) Liquid Fueled Combust. Proc. 27, 2033-2037 (1998). Ramjet PDA,CH* Control Method 84357. Petersen, E.L., and R.K. Hanson, "Reduced Kinetics Mechanisms for Ramiet Ram Accelerator Combustion," Presented Originally as AIAA Paper Combustion 97-2892 at the 33rd AIAA/ASME/SAE/ASEE Joint Propulsion Conference, $CH_4, H_2/O_2$ Held in Seattle WA, July 1997, J. Propulsion Power 15, 591-600 (1999). Reduced Kinetic Models 84358. Gruenig, C., V. Avrashkov and F. Mayinger, "Fuel Injection into a Scramiet Supersonic Airflow by Means of Pylons," J. Propulsion Power 16, 29-34 Combustion (2000).H₂ Fuel Injection LIF,OH

Rayleigh Flowfield 84359. Gruenig, C., V. Avrashkov and F. Mayinger, "Self-ignition and Supersonic Reaction of Pylon Injected Hydrogen Fuel," *J. Propulsion Power* **16**, 35-40 (2000).

Scramjet
Combustion
H₂ Fuel Injection
Self-ignition
Stability

84360. Toshimitsu, K., A. Matsuo, M.R. Kamel, C.I. Morris and R.K. Hanson, "Numerical Simulations and Planar Laser Induced Fluorescence Imaging Results of Hypersonic Reactive Flows," *J. Propulsion Power* **16**, 16-21 (2000).

Hypersonic
CH₄,H₂/O₂
Combustion
PLIF,OH
Schlieren
CFD Comparisons

84361. Mitani, T., N. Chinzei and G. Masuya, "Mach 2.5 Experiments of Reaction Quenching in Gas Sampling for Scramjet Engines," *Symp. (Int.) Combust. Proc.* 27, 2151-2156 (1998).

Scramjet
Engines
Gas Sampling
Probe Difficulties

84362. Ale, B.B., and I. Wierzba, "The Flammability Limits of Hydrogen and Methane in Air at Moderately Elevated Temperatures," pp. 938-943 in IECEC-97: Proceedings of the 32nd Intersociety Energy Conversion Engineering Conference. Volume 2, pp. 768-1542, 135 Papers Presented in Honolulu HI, August 1997, American Institute of Chemical Engineers, New York NY (1997).

Combustion Limits CH₄/Air H₂/Air ≤350 °C

84363. Shih, H.-Y., H. Bedir, J.S. T'ien and C.-J. Sung, "Computed Flammability Limits of Opposed Jet $H_2/O_2/CO_2$ Diffusion Flames at Low Pressure," *J. Propulsion Power* 15, 903-908 (1999).

Flammability
Limits
H₂/O₂/CO₂
Opposed Jet
Stretch Effects
Modeling

12. TURBULENCE

(See also Section 14 for Turbulent Flowfields and Velocities)

84364. Vervisch, L., and T. Poinsot, "Direct Numerical Simulation of Nonpremixed Turbulent Flames," *Ann. Rev. Fluid Mech.* **30**, 655-691 (1998).

Turbulent Flames DNS Numerical Methods Review

84365. Inage, S.-i., H. Kobayashi and N. Kobayashi, "A Theoretical Evaluation of Fractal Dimension of Turbulent Flame," *JSME Int. J. Ser. B. Fluids Thermal Eng.* 42, 344-348 (1999).

Turbulent
Fractal Dimension
Modeling

84366. Ma, C.Y., T. Mahmud, P.H. Gaskell and E. Hampartsoumian, "Numerical Predictions of a Turbulent Diffusion Flame in a Cylindrical Combustor Using Eddy Dissipation and Flamelet Combustion Models," *Proc. Inst. Mech. Eng. C. J. Mech. Eng. Sci.* 213, 697-705 (1999).

Turbulent
Natural Gas
Diffusion Flame
Model/
Measurement
Predictions

84367. Besson, M., P. Bruel, J.L. Champion and B. Deshaies, "Experimental Analysis of Combusting Flows Developing over a Plane Symmetric Expansion," Presented Originally as AIAA Paper 99-0412 at the 37th AIAA Aerospace Sciences Meeting, Held in Reno NV, January, 1999, J. Thermophys. Heat Transfer 14, 59-67 (2000).

Turbulent
Combustion
Model Testing
2 Stream/
Sudden Expansion
Configuration

84368. Haworth, D.C., R.J. Blint, B. Cuenot and T.J. Poinsot, "Numerical Simulation of Turbulent Propane/Air Combustion with Nonhomogeneous Reactants," *Combust. Flame* **121**, 395-417 (2000).

Turbulent C₃H₈/Air Nonhomogeneous Mixtures Modeling

84369. Gulder, O.L., G.J. Smallwood, R. Wong, D.R. Snelling, R. Smith, B.M. Deschamps and J.-C. Sautet, "Flame Front Surface Characteristics in Turbulent Premixed Propane/Air Combustion," *Combust. Flame* 120, 407-416 (2000).

Turbulent C₃H₈ /Air Flame Front OH,LIF Images Mie Scattering

84370. Torii, S., "Thermal Transport Phenomena of Turbulent Jet Diffusion Flames by Means of Anisotropic κ - ϵ - t^2 - ϵ _t Model," *Int. J. Energy Res.* 23, 989-998 (1999).

Turbulent Jet
Diffusion Flames
H₂/Air
Transport
Modeling

84371. Gupta, A.K., S. Bolz and T. Hasegawa, "Effect of Air Preheat Temperature and Oxygen Concentration on Flame Structure and Emission," *J. Energy Resources Technol., Trans. ASME* 121, 209-216 (1999).

Turbulent
Diffusion Flames
Highly Preheated
Air/C₃H₈
CH,C₂,OH Emission
CO₂,NO_x Formation

(84240) Rates, Coal/Gas Co-firing, Turbulent Flames

Propagation

84372. Brockhinke, A., K. Kohse-Hoinghaus and P. Andresen, "Double-Pulse One-Dimensional Raman and Rayleigh Measurements for the Detection of Temporal and Spatial Structures in a Turbulent H_2 /Air Diffusion Flame," *Opt. Lett.* 21, 2029-2031 (1996).

Turbulent
Diffusion Flame
H₂/Air
Raman/Rayleigh
T,Major Species
Monitoring

84373. Brockhinke, A., S. Haufe and K. Kohse-Hoinghaus, "Structural Properties of Lifted Hydrogen Jet Flames Measured by Laser Spectroscopic Techniques," *Combust. Flame* 121, 367-377 (2000).

Turbulent
Diffusion Flames
H₂/Air
Raman,Rayleigh
Lift-off Height
Measurements

84374. Barlow, R.S., G.J. Fiechtner, C.D. Carter and J.-Y. Chen, "Experiments Turbulent on the Scalar Structure of Turbulent CO/H₂/N₂ Jet Flames," Combust. Jet Flames Flame 120, 549-569 (2000). $CO/H_2/N_2$ Rayleigh, Raman T,OH,NO LIF LDV Scalar Structure 84375. Bandaru, R.V., and S.R. Turns, "Turbulent Jet Flames in a Crossflow: Turbulent Effects of Some Jet, Crossflow and Pilot-Flame Parameters on Jet Flame Emissions," Combust. Flame 121, 137-151 (2000). Air Crossflow **Emissions** UHC,CO NO_1NO_2 84376. Kitajima, A., T. Ueda, A. Matsuo and M. Mizomoto, "A Comprehensive Extinction Examination of the Structure and Extinction of Turbulent Nonpremixed Turbulent Flames Formed in a Counterflow," Combust. Flame 121, 301-311 (2000). Counterflow CH₄/Air Structure 84377. Corvellec, C., P. Bruel and V.A. Sabel'nikov, "Turbulent Premixed Turbulent Flames in the Flamelet Regime: Burning Velocity Spectral Properties in Premixed Flames the Presence of Countergradient Diffusion," Combust. Flame 120, 585-Countergradient 588 (2000). Diffusion Velocity Spectrum 84378. Lee, T.-W., A. Mitrovic and T. Wang, "Temperature, Velocity and Turbulent NO_x/CO Emission Measurements in Turbulent Flames: Effects of Partial CH₄/Air Premixing with Central Fuel Injection," Combust. Flame 121, 378-385 CO,NO_x **Emissions** (2000).Added Fuel Effects 84379. Hermanson, J.C., and B.M. Cetegen, "Mixing Enhancement of Non-Turbulent Jet Uniform Density Turbulent Jets Interacting with Normal Shock Waves," Shock Wave Symp. (Int.) Combust. Proc. 27, 2047-2053 (1998). Interactions Oil Smoke Visualization Mixing

84380. Dunn-Rankin, D.,

Flame 120, 504-514 (2000).

and

M.A.

McCann, "Overpressures Turbulent from Nondetonating, Baffle-Accelerated Turbulent Flames in Tubes," Combust. Baffle Accelerated Tube Flame Overpressure

Generation

84381. Shy, S.S., W.K. I and M.L. Lin, "A New Cruciform Burner and Its Turbulence Measurements for Premixed Turbulent Combustion Study," *Experimental Thermal Fluid Sci.* 20, 105-114 (2000).

Turbulence Generating Cruciform Burner LDV

84382. Vaezi, V., and R.C. Aldredge, "Influences of Acoustic Instabilities on Turbulent Flame Propagation," *Experimental Thermal Fluid Sci.* **20**, 162-169 (2000).

Turbulent
Acoustic
Instabilities
Downward Flame
Propagation
LDV

84383. Hassel, E.P., and S. Linow, "Laser Diagnostics for Studies of Turbulent Combustion," *Measurement Sci. Technol.* 11, R37-R57 (2000).

Turbulent Combustion LDV,Rayleigh SRS,CARS,LIF Diagnostics Review

13. DETONATIONS/EXPLOSIONS

84384. Bartenev, A.M., and B.E. Gelfand, "Spontaneous Initiation of Detonations," *Prog. Energy Combust. Sci.* **26**, 29-55 (2000).

Detonations Spontaneous Initiation Theory

84385. Stewart, D.S., "The Shock Dynamics of Multidimensional Condensed and Gas Phase Detonations," *Symp. (Int.) Combust. Proc.* **27**, 2189-2205 (1998).

Detonations Condensed/Gas Phases Dynamics Theory

84386. Varatharajan, B., and F.A. Williams, "Ignition Times in the Theory of Branched-Chain Thermal Explosions," *Combust. Flame* **121**, 551-554 (2000).

Thermal Explosions
Branched Chain
Ignition Time
Theory

84387. Wyczalek, F.A., and C.M. Suh, "Fuel Tank Combustible Mixtures: New Lessons Learned," pp. 664-669 in *IECEC-97: Proceedings of the 32nd Intersociety Energy Conversion Engineering Conference. Volume 1*, pp. 1-767, 141 Papers Presented in Honolulu HI, August 1997, American Institute of Chemical Engineers, New York NY (1997).

Fuel Tank Explosive Mixtures Safety Analysis

84388. Papalexandris, M.V., "A Numerical Study of Wedge-Induced Detonations," *Combust. Flame* **120**, 526-538 (2000).

Detonations
Wedge Induced
Combustion
Mixtures
Chemical Kinetics
Modeling

84389. Welford, G.B., S. Ivatt and G. Dennison, "Dust Explosions at Elevated Pressures and Their Suppression," *Proc. Inst. Mech. Eng. A. J. Power Energy* 213, 435-446 (1999).

Dust Explosions
Elevated
Pressure
Suppression

84390. Aduev, B.P., E.D. Aluker, G.M. Belokurov, Yu.A. Zakharov and A.G. Krechetov, "Explosive Decomposition of Heavy Metal Azides," *J. Exp. Theoret. Phys.* **89**, 906-915 (1999).

Explosive Dissociation AgN₃,TIN₃ PbN₆ Luminescence Spectra

14. FLOW PHENOMENA/VELOCITIES/DIFFUSION

(See also Section 5 for Droplet Visualization and Velocities, Section 12 for Turbulent Flowfields and Section 19 for Engine Flowfields)

84391. Durox, D., and S. Ducruix, "Concerning the Location of the Schlieren Limit in Premixed Flames," *Combust. Flame* **120**, 595-598 (2000).

Visualization Flame Flowfields Schlieren Maximum Intensity

84392. Desaubry, C., and P. Gervais, "A Simple Particle Image Velocimetry Instrument for Low-Velocity Flows," *Experiments Fluids* 28, 195-196 (2000).

PIV Imaging Low Velocities

84393. Roehle, I., "Three-Dimensional Doppler Global Velocimetry in the Flow of a Fuel Spray Nozzle and in the Wake Region of a Car," *Flow Measurement Instrumentation* 7, 287-294 (1996).

Swirl Spray
Nozzle Flowfield
3-D Velocities
Wind Tunnel
Car Wakes

84394. Pasini, S., A. Coghe, U. Ghezzl and G. Solero, "Experimental Characterization of Flows in the Model of a Strongly Swirling Combustor," pp. 916-921 in *IECEC-97: Proceedings of the 32nd Intersociety Energy Conversion Engineering Conference. Volume 2*, pp. 768-1542, 135 Papers Presented in Honolulu HI, August 1997, American Institute of Chemical Engineers, New York NY (1997).

Flowfield
Swirling Combustor
Fuel/Air
Mixing
LDA Measurements

(84227) Cyclone/Swirl, Wide Range Burners, Natural Gas, Low NO_x

LDA

84395. Bonnet, J.P., D. Gresillon and J.P. Taran, "Nonintrusive Measurements for High Speed, Supersonic, and Hypersonic Flows," *Ann. Rev. Fluid Mech.* 30, 231-273 (1998).

Flow Diagnostics Laser Methods Super-, Hypersonic Review

84396. Chakraborty, D., P.J. Paul and H.S. Mukunda, "Evaluation of Combustion Models for High Speed H₂/Air Confined Mixing Layer Using DNS Data," *Combust. Flame* **121**, 195-209 (2000).

Supersonic H₂/Air Mixing Layers Model

| (84352) | Supersonic Flows, Wedge/Shock Induced Combustion, H_2/O_2 , OH PLIF | Schlieren Flowfield |
|---------|--|---|
| (84354) | H ₂ Jet, Supersonic Heated Crossflow Air, Stabilities, OH PLIF | Schlieren Flowfield |
| 84397. | Chakraborty, D., H.S. Mukunda and P.J. Paul, "Effect of Confinement in High Speed Reacting Mixing Layer," <i>Combust. Flame</i> 121 , 386-389 (2000). | Hypersonic Mixing Flows Growth Confinement Effects |
| (84360) | Hypersonic CH ₄ , H ₂ /O ₂ Combustion, OH PLIF, CFD Comparisons | Schlieren |
| 84398. | Takahashi, S., K. Wakai, S. Tomioka, M. Tsue and M. Kono, "Effects of Combustion on Flowfield in a Model Scramjet Combustor," <i>Symp. (Int.) Combust. Proc.</i> 27, 2143-2150 (1998). | Scramjet Combustor Flowfield Mixing Modeling |
| (84355) | Scramjet Combustion, Incomplete Mixing Effects, Kinetic Modeling | Flowfield |
| (84358) | Scramjet Combustion, H ₂ Fuel Injection, OH LIF | Rayleigh Flowfield |
| 84399. | Gu, X.J., M.Z. Haq, M. Lawes and R. Woolley, "Laminar Burning Velocity and Markstein Lengths of Methane/Air Mixtures," <i>Combust. Flame</i> 121 , 41-58 (2000). | Burning Velocity CH ₄ /Air Stretch Effects |
| (84418) | Fe(CO) ₅ Inhibition Effects, CO/H ₂ /O ₂ /N ₂ Flame, Kinetic Catalytic Cycles | Burning Velocities |
| 84400. | Gibson, L.T., B.G. Cooksey, D. Littlejohn and N.H. Tennent, "Determination of Experimental Diffusion Coefficients of Acetic Acid and Formic Acid Vapors in Air Using a Passive Sampler," <i>Anal. Chim. Acta</i> 341, 1-10 (1997). | Diffusion Coefficients CH₃COOH/Air HCOOH/Air Measurements |

15. IONIZATION

(See also Section 26 for Ion Spectroscopy, Section 27 for Penning Ionization, Section 40 for Dynamics of Ion-Molecule Reactions, Section 43 for Ion P.E. Curves and Surfaces, Section 44 for Ionic Structures and Section 46 for Thermochemical Values)

84401. Hu, J., B. Rivin and E. Sher, "Experimental and Numerical Study of the Effect of an Electric Field on a Bunsen-Type Flame," *Isr. J. Chem.* **39**, 87-96 (1999).

Flame/ Electric Field Effects CH₄/Air Ionic Wind Effects

| 84402. | Karachevtsev, G.V., and P.S. Vinogradov, "Three Body Ion-Molecule Processes," <i>Russ. Chem. Rev.</i> 68 , 549-561 (1999). | A++B+M Rate Constants T Dependence Review |
|---------|--|--|
| 84403. | Ohoyama, H., H. Kawaguchi, M. Yamato, T. Kasai, B.G. Brunetti and F. Vecchiocattivi, "Evidence for Steric Effect in Methyl Chloride Ionization by Metastable Argon Atoms," <i>Chem. Phys. Lett.</i> 313 , 484-490 (1999). | Penning Ionization Ar(³ P)+CH ₃ CI Orientation Dependence |
| 84404. | Rosa, A., and I. Szamrej, "Thermal Electron Capture in the Mixtures of Halocarbons and Environmental Gases," <i>J. Phys. Chem. A. Mol., Spectrosc., Kinetics</i> 104 , 67-71 (2000). | CCIF ₃ ,CHF ₃ +e ⁻ CCIF ₃ .N ₂ +e ⁻ CHF ₃ .N ₂ +e ⁻ Attachment Rate Constants |
| (84651) | CH ₃ Formation and Laser Ionization/TOF Monitoring Method | $CO^{+} + CH_{4}$ $N_{2}O^{+} + CH_{4}$ |
| 84405. | Rayon, V.M., C. Barrientos and A. Largo, "Theoretical Study of Possible Interstellar Processes for the Production of C_2CI Precursors," <i>J. Mol. Struct.</i> 432 , 75-88 (1998). | C_2H^++HCI $CI^++C_2H_2$ Barrier Free Channels Calculations |
| 84406. | Hakoda, T., S. Hashimoto, Y. Fujiyama and A. Mizuno, "Decomposition Mechanism for Electron Beam Irradiation of Vaporized Trichloroethylene/Air Mixtures," <i>J. Phys. Chem. A. Mol., Spectrosc., Kinetics</i> 104, 59-66 (2000). | C ₂ HCl ₃ +e ⁻ Air Mixture Destruction Efficiencies Products |
| (84528) | Ionic Role Testing, Cs, H ₂ O Flame Additives | Soot Formation |
| (84972) | Vibrational Relaxation, Rate Constants | HCN ⁺ (v) + He DCN ⁺ (v) + He |
| 84407. | Baranowski, R., and M. Thachuk, "Molecular Dynamics Study of Rotational Alignment of NO ⁺ Drifting in Helium: Velocity and Angular Momentum Distribution Functions," <i>J. Chem. Phys.</i> 111 , 10061-10068 (1999). | NO ⁺ /He Rotational Alignment Drift Tube Calculations |
| 84408. | Arnold, S.T., I. Dotan, S. Williams, A.A. Viggiano and R.A. Morris, "Selected Ion Flow Tube Studies of Air Plasma Cations Reacting with Alkylbenzenes," <i>J. Phys. Chem. A. Mol., Spectrosc., Kinetics</i> 104 , 928-934 (2000). | $NO^+, O_2^+ + M$ $O^+, N^+, N_2^+ + M$ Rate Constants Branching Ratios M=4 Alkylbenzenes |
| (84976) | Vibrational Relaxation, T _e (0.1-5 eV) | $N_2(v) + e^-$ |
| | | |

84409. Babikov, D., E.A. Gislason, M. Sizun, F. Aguillon and V. Sidis, "Fragmentation of Na₃⁺ Clusters by He Impact: Effect of Initial Cluster Temperature on Nonadiabatic Phenomena," *Chem. Phys. Lett.* **316**, 129-134 (2000).

Na₃⁺+He Fragmentation Channels Cross Sections

84410. Levandier, D.J., Y.-h. Chiu and R.A. Dressler, "Charge Transfer and Chemical Reaction Dynamics in Hyperthermal O⁺+NO Collisions," *J. Chem. Phys.* 112, 122-129 (2000).

O++NO Cross Sections 3 Channels Reactant Energy Thresholds

84411. Antoniotti, P., L. Operti, R. Rabezzana, G. Tonachini and G.A. Vaglio, "Gas Phase Ion Chemistry and ab Initio Theoretical Study of Phosphine. III. Reactions of PH_2^+ and PH_3^+ with PH_3 ," *J. Chem. Phys.* **112**, 1814-1822 (2000).

 $PH_2^+ + PH_3$ $PH_3^+ + PH_3$ Rate Constants Product Ions Measurements $\Delta H_f(P_2H_n^+)$ n=1-6, Calculations

84412. Decker, B.K., L.M. Babcock and N.G. Adams, "Selected Ion Flow Tube Studies of S+(4S) Reactions with Small Oxygenated and Sulfurated Organic Molecules," *J. Phys. Chem. A. Mol., Spectrosc., Kinetics* 104, 801-810 (2000).

S++M Rate Constants M=20 Organics Ion Products

84413. Srinivas, R., S. Vivekananda, D. Schroder and H. Schwarz, "SiNCO+ and SiNCS+ and Their Neutral Counterparts," *Chem. Phys. Lett.* **316**, 243-247 (2000).

SiNCO⁺
SiNCS⁺
Ionized Neutrals
Mass Spectrometry
Stabilities

16. INHIBITION/ADDITIVES

(See also Section 21 for Combustion Emission Control Additives)

84414. Grant, G., J. Brenton and D. Drysdale, "Fire Suppression by Water Sprays," *Prog. Energy Combust. Sci.* **26**, 79-130 (2000).

Fire Suppression Water Sprays State of the Art Review

84415. Antonov, A.V., I.S. Reshetnikov and N.A. Khalturinskij, "Combustion of Char-Forming Polymeric Systems," *Russ. Chem. Rev.* **68**, 605-614 (1999).

Fire Retardants
Polymers
Char Formation
Yields
Review

(84211) Ignition Quality, Gasoline, Diesel Fuels, Emission Effects

Amino-Additives

84416. Zegers, E.J.P., B.A. Williams, E.M. Fisher, J.W. Fleming and R.S. Inhibition CH_4 , C_3H_8 /Air Sheinson, "Suppression of Nonpremixed Flames by Fluorinated Ethanes and Propanes," Combust. Flame 121, 471-487 (2000). Haloalkanes Halons I DV Effectiveness 84417. Shebeko, Yu.N., V.V. Azatyan, I.A. Bolodian, V.Yu. Navzenya, S.N. Inhibition Kopylov, D.Yu. Shebeko and E.D. Zamishevski, "The Influence of 10 Fluorocarbons Fluorinated Hydrocarbons on the Combustion of Gaseous Mixtures in a CH₄,H₂/Air Closed Vessel," Combust. Flame 121, 542-547 (2000). Closed Vessels Flevated Explosion Pressures (84290) Biomass Oils, Droplet Combustion, Microexplosions CH₃OH₄H₂O Additive Effects (84465) NO_x Control, Diesel Engine Exhaust, Discharge/Catalyst Treatment CH₃ONO₂ Additive (84270) Diesel Spray Additive, Ignition Enhancer, Mechanism 2-Ethylhexyl Nitrate 84418. Rumminger, M.D., and G.T. Linteris, "Inhibition of Premixed Carbon Inhibition Monoxide/Hydrogen/Oxygen/Nitrogen Flames by Iron Pentacarbonyl," $CO/H_{2}/O_{2}/N_{2}$ Combust. Flame 120, 451-464 (2000). Fe(CO)₅ Effects Burning Velocities Kinetic Cycles (84435) CH₄ Fueled I.C. Engine, Effects H₂ Additive (84452) I.C. Engines, Methylcyclopentadienyl Manganese Tricarbonyl Octane MMT Fuel Additive Improver, Mn Particle Emissions, Sizes, Composition

17. CORROSION/EROSION/DEPOSITION

(See also Section 22 for Diamond Formation Deposition)

84419. Cheon, J., M. Guile, P. Muraoka and J.I. Zink, "Gas Phase Photoproduction of Diatomic Metal Nitrides During Metal Nitride Laser Chemical Vapor Deposition," *Inorganic Chem.* **38**, 2238-2239 (1999).

(84702) Effects, (CH₃)₂O/O₂ Flow Reactor, Kinetic Modeling

CVD Laser Photolysis $M(N(C_2H_5)_2)_4 + hv$ M = Ti,Zr,Hf TiN^*,ZrN^* $(^2\Pi^{-2}\Sigma)$ Emission

NO, NO₂ Additives

18. GAS/SURFACE INTERACTIONS/BOUNDARY LAYER COMBUSTION

(See also Section 7 for Catalytic Combustion, Section 17 for Surface Deposition, Section 21 for Gas/Sorbent Emission Control and Section 22 for Particle Formation and Deposition)

84420. Lilley, D.G., "Fire Dynamics: A Primer," *J. Propulsion Power* **15**, 204-215 (1999).

Building
Fire Dynamics
Pertinent
Information
Review

84421. Degroote, E., and P.L. Garcia-Ybarra, "Flame Spreading Over Liquid Ethanol," Eur. Phys. J. B 13, 381-386 (2000).

Pool Fire $C_2H_5OH(I)$ Flame Spread Mechanisms

84422. Yoshimoto, T., T. Okamoto, T. Takagi and M. Katsuki, "Numerical Simulation of Combustion and Nongray Radiative Heat Transfer in a Furnace and Its Comparison with Experiments," *JSME Int. J. Ser. B. Fluids Thermal Eng.* 42, 752-759 (1999).

Heat Transfer Furnace Nongray Radiation Soot Influence Model

(84219) Utility Boiler, Convection Chamber Modeling (84220)

Heat Transfer

(84221) Porous Matrix Combustor, Modeling

Heat Transfer

84423. Mihele, C.M., M. Mozurkewich and D.R. Hastie, "Radical Loss in a Chain Reaction of CO and NO in the Presence of Water: Implications for the Radical Amplifier and Atmospheric Chemistry," *Int. J. Chem. Kinet.* 31, 145-152 (1999).

Heterogeneous CH₃O₂,C₂H₅O₂ HO₂ Wall Loss Rate Constants Teflon Tube HO₂/H₂O/NO Interactions

(84226) Ni/O $_2$ Oxidation Cycle, NiO/CH $_4$ Reduction Cycle, New Combustion Technique, Low Emissions

Catalytic Cycle Combustion

84424. Underwood, G.M., P. Li, C.R. Usher and V.H. Grassian, "Determining Accurate Kinetic Parameters of Potentially Important Heterogeneous Atmospheric Reactions on Solid Particle Surfaces with a Knudsen Cell Reactor," *J. Phys. Chem. A. Mol., Spectrosc., Kinetics* 104, 819-829 (2000).

Heterogeneous Surface Reactions Knudsen Cell Reactor Method (CH₃)₂CO/TiO₂ HNO₃/CaCO₃ NO₂/C(s),Al₂O₃ NO₂/Fe₂O₃ 84425. Xu, S.C., R. Guo and S.L. Wang, "Research on the Model Reactions of $CIONO_2$ with HCl on Water Clusters," *Chem. Phys. Lett.* **313**, 617-625 (1999).

Heterogeneous CIONO₂/HCI(H₂O)_n Reactivities Cluster Enhancements

84426. Schweitzer, F., P. Mirabel and C. George, "Uptake of Hydrogen Halides by Water Droplets," *J. Phys. Chem. A. Mol., Spectrosc., Kinetics* **104**, 72-76 (2000).

Heterogeneous HCI,HBr/H₂O(I) HI/H₂O(I) Uptake Coefficients

(84593) FTIR Spectra, Mixtures

HNO₃, H₂SO₄ Aqueous Films

84427. Gratpanche, F., and J.-P. Sawerysyn, "Uptake Coefficients of NO₃ Radicals on Solid Surfaces of Seal-Salts," *J. de Chim. Phys.* **96**, 213-231 (1999).

Heterogeneous NO₃/NaBr(s) NO₃/NaCl(s) Uptake Coefficients T Dependences

19. ENGINES/EMISSIONS

(See also Section 10 for Ignition)

84428. Takagi, Y., "A New Era in Spark Ignition Engines Featuring High Pressure Direct Injection," *Symp. (Int.) Combust. Proc.* **27**, 2055-2068 (1998).

I.C. Engines
High Pressure
Direct Injection
Performance
Improvements
Review

- 84429. Mounaim-Rousselle, C., and O. Pajot, "Droplet Sizing by Mie Scattering Interferometry in a Spark Ignition Engine," *Particle Part. Syst. Charact.* **16**, 160-168 (1999).
- I.C. Engine
 Droplet Sizing
 Scattering Method
- 84430. Rousseau, S., B. Lemoult and M. Tazerout, "Combustion Characterization of Natural Gas in a Lean Burn Spark Ignition Engine," *Proc. Inst. Mech. Eng. D. J. Auto Eng.* 213, 481-489 (1999).
- I.C. Engine
 Natural Gas
 Lean Burn
 Ignition Delay
 Characterization
- 84431. Kelly-Zion, P.L., J.P. Styron, C.-F. Lee, R.P. Lucht, J.E. Peters and R.A. White, "Multicomponent Liquid and Vapor Fuel Measurements in the Cylinder of a Port Injected, Spark Ignition Engine," *Symp. (Int.) Combust. Proc.* 27, 2111-2117 (1998).

I.C. Engine
Port Injected
Fuel/Vapor
Distributions
Exciplex PLIF

- 84432. Fujikawa, T., Y. Hattori, M. Koike, K. Akihama, T. Kobayashi and S. Matsushita, "Quantitative 2-D Fuel Distribution Measurements in a Direct Injection Gasoline Engine Using Laser Induced Fluorescence Technique," *JSME Int. J. Ser. B. Fluids Thermal Eng.* 42, 760-767 (1999).
- I.C. Engine
 DI Gasoline
 2-D Mapping
 LIF,(CH₃)₂CO
 Tracer
- 84433. Hinze, P.C., and W.K. Cheng, "Assessing the Factors Affecting Spark Ignition Engine Cycle-to-Cycle Variations at Idle," *Symp. (Int.) Combust. Proc.* 27, 2119-2126 (1998).
- I.C. Engine Cycle-to-Cycle Idling Variations Controlling Factors
- 84434. Wagner, R.M., J.A. Drallmeier and C.S. Daw, "Nonlinear Cycle Dynamics in Lean Spark Ignition Combustion," *Symp. (Int.) Combust. Proc.* 27, 2127-2133 (1998).
- I.C. Engine Fuel Lean Instabilities Behavioral Patterns
- 84435. Shrestha, S.O.B., and G.A. Karim, "Hydrogen as an Additive to Methane for Spark Ignition Engine Applications," pp. 910-915 in *IECEC-97: Proceedings of the 32nd Intersociety Energy Conversion Engineering Conference. Volume 2*, pp. 768-1542, 135 Papers Presented in Honolulu HI, August 1997, American Institute of Chemical Engineers, New York NY (1997).
- I.C. Engine CH₄ Fueled H₂ Additive Effects
- 84436. Lee, K.-h., C.-s. Lee and Y.-c. Joo, "Measurement of Velocity and Turbulence Scale Near the Spark Plug by Using a Two-Color PIV Method," *JSME Int. J. Ser. B. Fluids Thermal Eng.* 42, 674-682 (1999).
- I.C. Engine
 Velocities
 Spark Plug Region
 2-Color PIV
 Turbulence
- 84437. Hashimoto, S., Y. Amino, K. Yoshida, H. Shoji and A. Saima, "Analysis of OH Radical Emission Intensity During Auto-ignition in a 2-Stroke Spark Ignition Engine," *JSME Int. J. Ser. B. Fluids Thermal Eng.* **42**, 515-522 (1999).
- I.C. Engine
 2-Stroke
 OH* Emission
 EGR Effects
 Auto-ignition
- 84438. Mizaikoff, B., P. Fuss and M.J. Hall, "Fast-Spec: An Infrared Spectroscopic Diagnostic to Measure Time-Resolved Exhaust Hydrocarbon Emissions from Spark Ignition Engines," *Symp. (Int.) Combust. Proc.* 27, 2093-2100 (1998).
- I.C. Engines
 Unburnt
 Hydrocarbon Emissions
 IR Absorption
 Monitoring Method
 FID Comparisons
- 84439. Marran, D.F., M.B. Long, W.M. Studzinski, J.C. Swindal and W.P. Acker, "Planar Laser Induced Fluorescence Imaging of Crevice Hydrocarbon Emissions in a Spark Ignition Engine," *Symp. (Int.) Combust. Proc.* 27, 2069-2076 (1998).
- I.C. Engine
 Crevice UHC
 Emissions
 PLIF
 Dependences

84440. Kim, C.G., S.M. Choi and C.S. Bae, "Effect of an Inter-ring Crevice on I.C. Engine Unburned Hydrocarbon Emissions in a Spark Ignition Engine," Proc. Unburned Inst. Mech. Eng. D. J. Auto Eng. 213, 227-233 (1999). Hydrocarbons Inter-ring Crevice Effects (84471) Vehicle Role in Atmospheric Concentrations C₅H₈ Emissions 84441. Goto, Y., "Mixture Formation and Ignition in a Direct Injection Natural I.C. Engine Gas Engine," JSME Int. J. Ser. B. Fluids Thermal Eng. 42, 268-274 Natural Gas Direct Injection (1999).NO_v Emissions 84442. Shayler, P.J., J. Chick, N.J. Darnton and D. Eade, "Generic Functions for I.C. Engines Fuel Consumption and Engine-Out Emissions of HC, CO and NO_x of CO,HC,NO, Emissions Spark Ignition Engines," Proc. Inst. Mech. Eng. D. J. Auto Eng. 213, 365-378 (1999). Predictive Generic Functions 84443. Zhao, H., Z. Peng, P. Calnan, N. Ladommatos and T. Ma, "Analysis of I.C. Engines Stratified EGR and Air on Combustion and NO Formation in a Spark NO Formation Ignition Engine," Proc. Inst. Mech. Eng. D. J. Auto Eng. 213, 611-623 Stratified (1999).EGR/Air Effects 84444. Schulz, C., J. Wolfrum and V. Sick, "Comparative Study of Experimental I.C. Engine and Numerical NO Profiles in Spark Ignition Combustion," Symp. (Int.) NO,LIF Combust. Proc. 27, 2077-2084 (1998). Profiles Measurements Modeling 84445. Tanaka, T., and M. Tabata, "Effect of Equivalence Ratio on NO I.C. Engine Distribution Inside a Spark Ignition Engine by Using Laser Induced NO, PLIF Fluorescence Method," JSME Int. J. Ser. B. Fluids Thermal Eng. 42, 262-Equivalence Ratio 267 (1999). Effects In-Cylinder Measurements 84446. Josefsson, G., I. Magnusson, F. Hildenbrand, C. Schulz and V. Sick, I.C. Engine "Multidimensional Laser Diagnostic and Numerical Analysis of NO PIV Flowfields Formation in a Gasoline Engine," Symp. (Int.) Combust. Proc. 27, 2085-PLIF, NO 2092 (1998). Measurements Modeling (84474) Vehicular Contributions to Global Atmospheric Loads, NH₃, HCN, N₂O Emissions

84447. Kayes, D., and S. Hochgreb, "Mechanisms of Particulate Matter Formation in Spark Ignition Engines. I. Effect of Engine Operating Conditions," *Environ. Sci. Technol.* **33**, 3957-3967 (1999).

HONO Measurements

I.C. Engines
Soot Formation
Liquid Fuel
Equivalence
Ratio Effects

84448. Kayes, D., and S. Hochgreb, "Mechanisms of Particulate Matter Formation in Spark Ignition Engines. II. Effect of Fuel, Oil and Catalyst Parameters," *Environ. Sci. Technol.* **33**, 3968-3977 (1999).

I.C. Engines
Soot Formation
Fuel,Oil
Catalytic Converter
Dependences

84449. Kayes, D., and S. Hochgreb, "Mechanisms of Particulate Matter Formation in Spark Ignition Engines. III. Formation Model," *Environ. Sci. Technol.* **33**, 3978-3992 (1999).

I.C. Engines Soot Formation Mechanisms Model

(84472) Atmospheric Vehicular Contributions

PAH Emissions

84450. Marr, L.C., T.W. Kirchstetter, R.A. Harley, A.H. Miguel, S.V. Hering and S.K. Hammond, "Characterization of Polycyclic Aromatic Hydrocarbons in Motor Vehicle Fuels and Exhaust Emissions," *Environ. Sci. Technol.* 33, 3091-3099 (1999).

Vehicular
PAHS
Fuels/Emissions
Comparisons

84451. Borghese, A., and S.S. Merola, "Detection of Extremely Fine Carbonaceous Particles in the Exhausts of Diesel and Spark Ignited Internal Combustion Engines, by Means of Broad-Band Extinction and Scattering Spectroscopy in the Ultraviolet Band 190-400 nm," *Symp. (Int.) Combust. Proc.* 27, 2101-2109 (1998).

Automotive
Engine Emissions
Fine Particles
Extinction/
Scattering
Measurements

84452. Zayed, J., B. Hong and G. L'Esperance, "Characterization of Manganese Containing Particles Collected from the Exhaust Emissions of Automobiles Running with MMT Additive," *Environ. Sci. Technol.* 33, 3341-3346 (1999).

I.C. Engines
MMT Fuel Additive
Mn Particle
Emissions
Sizes
Composition

84453. Schihl, P., A. Atreya and W. Bryzik, "Development of a Shear Layer Ignition Model for Application to Direct-Injection Diesel Engines," *Combust. Flame* 121, 453-470 (2000).

Diesel Engines Auto-ignition Direct Injection Spray Model

84454. Bowen, C.E., G.T. Reader and I.J. Potter, "The Effect of Exhaust Gas Recirculation on the Combustion Noise Level of an Indirect Injection Diesel Engine," pp. 2088-2093 in *IECEC-97: Proceedings of the 32nd Intersociety Energy Conversion Engineering Conference. Volume 3*, pp. 1543-2358, 120 Papers Presented in Honolulu HI, August 1997, American Institute of Chemical Engineers, New York NY (1997).

Diesel Engine Indirect Injection Engine Noise EGR Effects

84455. Mbarawa, M., B.E. Milton, R.T. Casey and H. Miao, "Fuel Injection Characteristics of Diesel-Stimulated Natural Gas Combustion," *Int. J. Energy Res.* 23, 1359-1371 (1999).

Diesel Engine Natural Gas/Air Injection Performance 84456. Huang, Z.H., H.W. Wang, H.Y. Chen, L.B. Zhou and D.M. Jiang, "Study of Combustion Characteristics of a Compression Ignition Engine Fueled with Dimethyl Ether," *Proc. Inst. Mech. Eng. D. J. Auto Eng.* 213, 647-652 (1999).

Diesel Engine (CH₃)₂O Direct Injection Performance

84457. Shaheed, A., and E. Swain, "Combustion Analysis of Coconut Oil and Its Methyl Esters in a Diesel Engine," *Proc. Inst. Mech. Eng. A. J. Power Energy* 213, 417-425 (1999).

Diesel Engine Coconut Oils Testing

84458. Vattulainen, J., V. Nummela, R. Hernberg and J. Kytola, "A System for Quantitative Imaging Diagnostics and Its Application to Pyrometric In-cylinder Flame Temperature Measurements in Large Diesel Engines," *Measurement Sci. Technol.* 11, 103-119 (2000).

Diesel Engines
Temperatures
2-Color Pyrometry
In-cylinder
CCD Imaging

84459. Durbin, T.D., J.R. Collins, J.M. Norbeck and M.R. Smith, "Effects of Biodiesel, Biodiesel Blends and a Synthetic Diesel on Emissions from Light Heavy-Duty Diesel Vehicles," *Environ. Sci. Technol.* **34**, 349-355 (2000).

Diesel Engines Synfuel Emissions Performance

84460. Serdari, A., K. Fragioudakis, C. Teas, F. Zannikos, S. Stournas and E. Lois, "Effect of Biodiesel Addition to Diesel Fuel on Engine Performance and Emissions," *J. Propulsion Power* **15**, 224-231 (1999).

Diesel Engine Biofuel/Diesel Performance Emissions

84461. Chan, S.H., Y. He and J.H. Sun, "Prediction of Transient Nitric Oxide in Diesel Exhaust," *Proc. Inst. Mech. Eng. D. J. Auto Eng.* **213**, 327-339 (1999).

Diesel Engine NO Emissions Model

84462. Duva, A.W., O. Ibrahim and Z. Zhang, "Control of Diesel Engine Emissions by Dilute Oxidizer Injection," pp. 1944-1949 in *IECEC-96: Proceedings of the 31st Intersociety Energy Conversion Engineering Conference. Volume 3*, pp. 1517-2187, 121 Papers Presented in Washington DC, August 1996, Institute of Electrical and Electronics Engineers, 445 Hoes Lane, Piscataway, NJ 08855 (1996).

Diesel Engine NO_x, Hydrocarbon Emissions H₂O₂, H₂O Injection Effects

84463. Hashizume, T., H. Akagawa and K. Tsujimura, "Emissions Reduction Using Multiple Stage Diesel Combustion," *JSME Int. J. Ser. B. Fluids Thermal Eng.* 42, 768-775 (1999).

Diesel Engine Multistaged NO_x Emission Reductions

84464. Kandylas, I.P., G.C. Koltsakis and A.M. Stamatelos, "Mathematical Modeling of Precious Metals Catalytic Converters for Diesel NO_x Reduction," *Proc. Inst. Mech. Eng. D. J. Auto Eng.* **213**, 279-292 (1999).

Diesel Engines NO_x Control Catalytic Converter Lean Burn Modeling 84465. Hoard, J.W., T.J. Wallington, J.C. Ball, M.D. Hurley, K. Wodzisz and M.L. Balmer, "Role of Methyl Nitrate in Plasma Exhaust Treatment," *Environ. Sci. Technol.* 33, 3427-3431 (1999).

Diesel Engine NO_x Control CH₃ONO₂ Addition Discharge/ Catalyst

84466. Shi, J.P., and R.M. Harrison, "Investigation of Ultrafine Particle Formation during Diesel Exhaust Dilution," *Environ. Sci. Technol.* **33**, 3730-3736 (1999).

Diesel Engines
Exhaust
Dilution
Particle
Size Distribution
Effects

84467. Haefliger, O.P., T.D. Bucheli and R. Zenobi, "Comment on 'Real Time Characterization of the Organic Composition and Size of Individual Diesel Engine Smoke Particles,'" *Environ. Sci. Technol.* **33**, 3932 (1999).

Diesel Engines
Particle Emissions
Laser Mass Analysis
Potential
Measurement
Artifacts

84468. Reilly, P.T.A., R.A. Gieray, W.B. Whitten and J.M. Ramsey, "Response to Comment on 'Real-Time Characterization of the Organic Composition and Size of Individual Diesel Engine Smoke Particles,'" *Environ. Sci. Technol.* **33**, 3933-3934 (1999).

Reply

84469. Konstandopoulos, A.G., and M. Kostoglou, "Reciprocating Flow Regeneration of Soot Filters," *Combust. Flame* **121**, 488-500 (2000).

Diesel Engines Soot Traps Regeneration Modes

20. PLUME/STACK CHEMISTRY/ATMOSPHERIC EMISSIONS

84470. Watts, S.F., "The Mass Budgets of Carbonyl Sulfide, Dimethyl Sulfide, Carbon Disulfide and Hydrogen Sulfide," *Atm. Environ.* **34**, 761-779 (2000).

Atmospheric (CH₃)₂S,OCS CS₂,H₂S Sources/Sinks Budgets

84471. Reimann, S., P. Calanca and P. Hofer, "The Anthropogenic Contribution to Isoprene Concentrations in a Rural Atmosphere," *Atm. Environ.* **34**, 109-115 (2000).

Atmospheric C_5H_8 Anthropogenic Contributions Vehicle Role

(84715) Atmospheric Lifetime, OH Reaction Rate Constant

 $C_3H_7OC_2H_4OH$

84472. Lim, L.H., R.M. Harrison and S. Harrad, "The Contribution of Traffic to Atmospheric Concentrations of Polycyclic Aromatic Hydrocarbons," *Environ. Sci. Technol.* 33, 3538-3542 (1999).

Atmospheric PAHS Vehicular Contributions 84473. Wallington, T.J., O. Sokolov, M.D. Hurley, G.S. Tyndall, J.J. Orlando, I. Barnes, K.H. Becker and R. Vogt, "Atmospheric Chemistry of Methylcyclopentadienyl Manganese Tricarbonyl: Photolysis, Reaction with Hydroxyl Radicals and Ozone," *Environ. Sci. Technol.* 33, 4232-4238 (1999).

Atmospheric $(CH_3)C_5H_4Mn(CO)_3$ $MMT+h\mathbf{v}$ $MMT+OH,O_3$ Rate Constants Loss Rates

84474. Becker, K.H., J.C. Lorzer, R. Kurtenbach, P. Wiesen, T.E. Jensen and T.J. Wallington, "Nitrous Oxide (N₂O) Emissions from Vehicles," *Environ. Sci. Technol.* **33**, 4134-4139 (1999).

Atmospheric N₂O Vehicular Global Emissions Measurements NH₃,HCN,HONO Emissions

84475. Dervos, C.T., and P. Vassiliou, "Sulfur Hexfluoride (SF₆): Global Environmental Effects and Toxic Byproduct Formation," *J. Air Waste Manage. Assoc.* **50**, 137-141 (2000).

Atmospheric SF₆ Global Usage Greenhouse Warming

84476. Courtney, R.S., "An Assessment of Validation Experiments Conducted on Computer Models of Global Climate Using the General Circulation Model of the UK's Hadley Centre," *Energy Environ.* 10, 491-502 (1999).

Climatic Impact Global Warming Modeling Criticisms

84477. Soon, W., S.L. Baliunas, A.B. Robinson and Z.W. Robinson, "Environmental Effects of Increased Atmospheric Carbon Dioxide," *Energy Environ.* 10, 439-468 (1999).

Climatic Impact CO₂ Environmental Effects Assessment

(84210) Alternate Fuel Usage for Automobiles, Assessment

CO₂ Mitigation

(84206) Ethanol Fuel Usage, Analysis

CO₂ Mitigation

84478. Yamasaki, A., M. Wakatsuki, H. Teng, Y. Yanagisawa and K. Yamada, "A New Ocean Disposal Scenario for Anthropogenic CO_2 : CO_2 Hydrate Formation in a Submerged Crystallizer and Its Disposal," *Energy* **25**, 85-96 (2000).

CO₂ Ocean Disposal Analysis

84479. McCulloch, A., "Chlorofluorocarbon and Halon Replacements in the Environment," *J. Fluorine Chem.* **100**, 163-173 (1999).

Climatic Impact
Global Warming
Potential
New Fluorocarbon
Replacements
Assessments

84480. Kondratyev, K.Ya., and C.A. Varotsos, "Total and Tropospheric Ozone Changes: Observations and Numerical Modeling," *Nuovo Cimento C: Geophys. Space Phys.* **22**, 219-246 (1999).

Climatic Impact Total/Tropospheric Ozone Potential Impacts 84481. Ponater, M., R. Sausen, B. Feneberg and E. Roeckner, "Climate Effect of Ozone Changes Caused by Present and Future Air Traffic," *Climate Dyn.* 15, 631-642 (1999).

Climatic Change Aircraft Induced O₃ Effects Modeling

21. COMBUSTION EMISSIONS/NO_x, SO₂ CHEMISTRY, CONTROL

(See also Section 3 for Burner Emissions, Section 4 for Coal/Waste Combustion Emissions and Section 19 for Engine Emissions)

84482. Harrison, J.S., Chairman, "Controlling Industrial Emissions - Practical Experience," 23 Papers Presented at the Commonwealth Institute, London UK, November 1997, I.Ch.E. Symp. Ser. 143, 219 pp. (1997).

Industrial Emissions Control Symposium Proceedings

84483. Buist, I., J. McCourt, S. Potter, S. Ross and K. Trudel, "In Situ Burning," *Pure Appl. Chem.* **71**, 43-65 (1999).

Oil Spill Combustion In-situ Advantages Disadvantages

(84208) Co-firing Emissions, Combustion Problems

Agricultural Wastes

(84205) Emulsified Fuel, Combustion Emissions

Bitumen/Oil

84484. Giugliano, M.S., Cernuschi, U. Ghezzi and M. Grosso, "Experimental Evaluation of Waste Tires Utilization in Cement Kilns," *J. Air Waste Manage. Assoc.* 49, 1405-1414 (1999).

Incineration
Waste Tires
Cement Production
Auxiliary Fuel
Use

84485. Shin, D., and S. Choi, "The Combustion of Simulated Waste Particles in a Fixed Bed," *Combust. Flame* **121**, 167-180 (2000).

Incineration Wood Particles Fixed Bed Model

(84209) Sawdust, Sander-dust Combustion, Ash Analysis

Na,K Emissions

84486. Li, K., E.M. Kennedy, B. Moghtaderi and B.Z. Dlugogorski, "Experimental and Computational Studies on the Gas Phase Reaction of CBrF₃ with Hydrogen," *Environ. Sci. Technol.* **34**, 584-590 (2000).

Destruction CBrF₃/H₂ Pyrolysis Products

84487. Wang, Y.-F., W.-J. Lee, C.-Y. Chen and L.-T. Hsieh, "Decomposition of Dichlorodifluoromethane by Adding Hydrogen in a Cold Plasma System," *Environ. Sci. Technol.* 33, 2234-2240 (1999).

Destruction CCI₂F₂ H₂/Ar Discharge Efficiencies 84488. Sgro, L.A., C.P. Koshland, D. Lucas and R.F. Sawyer, "Postflame Incineration Reaction Chemistry of Dichloromethane: Variations of Equivalence Ratio CH₂Cl₂ and Temperature," Combust. Flame 120, 492-503 (2000). Postflame Region Injection Products Kinetics 84489. Shimizu, T., T. Hirama, H. Hosoda, K. Kitano, M. Inagaki and K. CO₂ Control Flue Gas Tejima, "A Twin Fluidized Bed Reactor for Removal of CO₂ from Combustion Processes," Trans. I. Chem. E. A77, 62-68 (1999). Separation CaO Absorber 84490. Kang, J.-W., H.-M. Hung, A. Lin and M.R. Hoffmann, "Sonolytic Destruction Destruction of Methyl tert-Butyl Ether by Ultrasonic Irradiation: The t-C₄H₀OCH₃/H₂O Role of O_3 , H_2O_2 , Frequency and Power Density," *Environ. Sci. Technol.* Contaminated **33**, 3199-3205 (1999). Water Ultrasonics/O₃ Method 84491. Ledesma, E.B., P.F. Nelson and J.C. Mackie, "The Formation of Nitrogen Tar Volatiles Species and Oxygenated PAH During the Combustion of Coal Volatiles," Combustion Symp. (Int.) Combust. Proc. 27, 1687-1693 (1998). Flow Reactor FTIR Analysis N-Species Formation 84492. Wikstrom, E., M. Tysklind and S. Marklund, "Influence of Variation in Incineration Combustion Conditions on the Primary Formation of Chlorinated Solid Wastes Organic Micropollutants during Municipal Solid Waste Combustion," Organic Emissions Environ. Sci. Technol. 33, 4263-4269 (1999). Formation 84493. Frenklach, M., N.W. Moriarty and N.J. Brown, "Hydrogen Migration in PAH Polyaromatic Growth," Symp. (Int.) Combust. Proc. 27, 1655-1661 (1998). Growth Reaction Dynamic Pathways Modeling 84494. Siegmann, K., and K. Sattler, "Formation Mechanism for Polycyclic PAH Aromatic Hydrocarbons in Methane Flames," J. Chem. Phys. 112, 698-Formation

(84671) Rich Aliphatic Flames, Species Profiles, Kinetic Modeling

709 (2000).

 C_6H_6 ,PAH Formation

CH₄/Air

Mass Analysis Sequences

84495. Wang, Z., M. Fingas, Y.Y. Shu, L. Sigouin, M. Landriault, P. Lambert, R. Turpin, P. Campagna and J. Mullin, "Quantitative Characterization of PAHs in Burn Residue and Soot Samples and Differentiation of Pyrogenic PAHs from Petrogenic PAHs: The 1994 Mobile Burn Study," *Environ. Sci. Technol.* 33, 3100-3109 (1999).

PAH Emissions
Diesel Fuel
Open Burn

84496. Griesheimer, J., and K.-H. Homann, "Large Molecules, Radicals Ions and Small Soot Particles in Fuel-Rich Hydrocarbon Flames. II. Aromatic Radicals and Intermediate PAHs in a Premixed Low Pressure Naphthalene/Oxygen/Argon Flame," *Symp. (Int.) Combust. Proc.* 27, 1753-1759 (1998).

PAH,Organics Formation C₁₀H₈/O₂/Ar Near Sooting Flame Sampling Analysis

84497. Ferraz, M.C.M.A., J.I.B. Cardoso and S.L.R. Pontes, "Concentration of Atmospheric Pollutants in the Gaseous Emissions of Medical Waste Incinerators," *J. Air Waste Manage. Assoc.* **50**, 131-136 (2000).

Incineration Medical Waste Emissions PAHS

84498. Oanh, N.T.K., L.B. Reutergardh and N.T. Dung, "Emission of Polycyclic Aromatic Hydrocarbons and Particulate Matter from Domestic Combustion of Selected Fuels," *Environ. Sci. Technol.* **33**, 2703-2709 (1999).

Combustion Fuel Stoves PAH, Particle Emissions

84499. Yang, Y., J.A. Mulholland and U. Akki, "Formation of Furans by Gas Phase Reactions of Chlorophenols," *Symp. (Int.) Combust. Proc.* **27**, 1761-1768 (1998).

Furans
Formation C_6H_5OH/O_2 $C_6H_4(CI)OH/O_2$ Flow Reactor
Mechanisms

84500. Taylor, P.H., S.S. Sidhu, W.A. Rubey, B. Dellinger, A. Wehrmeier, D. Lenoir and K.-W. Schramm, "Evidence for a Unified Pathway of Dioxin Formation from Aliphatic Hydrocarbons," *Symp. (Int.) Combust. Proc.* 27, 1769-1775 (1998).

Dioxin Formation C₂H₂/HCI/CuO Catalyzed Pathways

84501. Wikstrom, E., and S. Marklund, "Secondary Formation of Chlorinated Dibenzo-p-Dioxins, Dibenzofurans, Biphenyls, Benzenes and Phenols during Municpal Sold Waste Combustion," *Environ. Sci. Technol.* **34**, 604-609 (2000).

Incineration
PCDD,PCDF
Aromatics
Secondary
Flue Gas
Formation

84502. Chen, J.-C., M.-Y. Wey and M.-H. Yan, "The Effects of Chloride Additives on Adsorption of Heavy Metals during Incineration," *J. Air Waste Manage. Assoc.* 49, 1116-1120 (1999).

Incineration Heavy Metal Emissions Sorbents CI Additive Effects

84503. Davis, S.B., T.K. Gale, J.O.L. Wendt and W.P. Linak, "Multicomponent Coagulation and Condensation of Toxic Metals in Combustors," *Symp. (Int.) Combust. Proc.* 27, 1785-1791 (1998).

Heavy Metal Combustion Emissions Aerosols Coagulation Cd,Ni,Pb 84504. Yousif, S., F.C. Lockwood and T. Abbas, "Modeling of Toxic Metal Emissions from Solid Fuel Combustors," *Symp. (Int.) Combust. Proc.* 27, 1647-1654 (1998).

Incineration Metal Emissions Cd,Pb Model

84505. Biswas, P., "Mercury Measurement and Its Control: What We Know, Have Learned and Need to Further Investigate," *J. Air Waste Manage. Assoc.* 49, 1469-1473 (1999).

Hg Emissions Coal Combustion Critical Review Report Discussion

84506. Rice, G.E., B.F. Lyon and M. Keating, "Predicted Fate and Transport of Mercury Emitted from Utility Boilers in the Local Atmosphere," pp. 2150-2155 in *IECEC-96: Proceedings of the 31st Intersociety Energy Conversion Engineering Conference. Volume 3*, pp. 1517-2187, 121 Papers Presented in Washington DC, August 1996, Institute of Electrical and Electronics Engineers, 445 Hoes Lane, Piscataway, NJ 08855 (1996).

Hg Boiler Emissions Atmospheric Fate

84507. Barths, H., N. Peters, N. Brehm, A. Mack, M. Pfitzner and V. Smiljanovski, "Simulation of Pollutant Formation in a Gas Turbine Combustor Using Unsteady Flamelets," *Symp. (Int.) Combust. Proc.* 27, 1841-1847 (1998).

Soot,NO_x Formation Gas Turbine Staged Turbulent Model

84508. Kleeman, M.J., J.J. Schauer and G.R. Cass, "Size and Composition Distribution of Fine Particulate Matter Emitted from Wood Burning, Meat Charbroiling and Cigarettes," *Environ. Sci. Technol.* **33**, 3516-3523 (1999).

Wood, Cigarettes
Meat Charbroiling
Particle Emissions
Sizes
Composition
Measurements

84509. Fine, P.M., G.R. Cass and B.R.T. Simoneit, "Characterization of Fine Particle Emissions from Burning Church Candles," *Environ. Sci. Technol.* 33, 2352-2362 (1999).

Church Candles
Fine Particle
Emissions
Sizing
Analysis

84510. Bayless, D.J., A.R. Khan, S. Tanneer and R. Birru, "An Alternative to Additional SO₃ Injection for Fly Ash Conditioning," *J. Air Waste Manage. Assoc.* **50**, 169-174 (2000).

Particulate Control Electrostatic Precipitators SO₂/SO₃ Conversion Improved Collection

(84481) Climatic Impact of O₃ Changes, Modeling

Aircraft Emissions

84511. Xu, M., Y. Fan and J. Yuan, "Simplification of the Mechanism of NO_x Formation in a CH_4 /Air Combustion System," *Int. J. Energy Res.* 23, 1267-1276 (1999).

NO_x Formation CH₄/Air Simplified Kinetic Model Adequacies

| 84512. | Konnov, A.A., G. Colson and J. De Ruyck, "The New Route Forming NO via NNH," <i>Combust. Flame</i> 121 , 548-550 (2000). | NO Formation NNH+O Important Reaction Route |
|---------|--|--|
| 84513. | Mitchell, M.G., L.L. Smith, A.R. Karagozian and O.I. Smith, "Burner Emissions Associated with Lobed and Non-Lobed Fuel Injectors," <i>Symp. (Int.) Combust. Proc.</i> 27 , 1825-1831 (1998). | CO,NO _x Emissions Fuel Injector Geometries Assessments |
| (84330) | Counterflow CH ₄ /Air Diffusion, Preheated Air, Species Profiles | NO Formation |
| 84514. | Gabriel, R., J.E. Navedo and RH. Chen, "Effects of Fuel Lewis Number on Nitric Oxide Emission of Diluted $\rm H_2$ Turbulent Jet Diffusion Flames," Combust. Flame 121, 525-534 (2000). | NO Formation H ₂ Turbulent Diffusion Jets Lewis Number Effects |
| (84348) | $H_{\scriptscriptstyle 2}/Air$ Diffusion Flame, Acoustic Instabilities, Pressure Effects, Extinction | NO Formation |
| 84515. | Wargadalam, V.J., G. Loffler, F. Winter and H. Hofbauer, "Homogeneous Formation of NO and N_2O from the Oxidation of HCN and NH_3 at 600-1000 °C," <i>Combust. Flame</i> 120 , 465-478 (2000). | NO,N ₂ O Formation HCN,NH ₃ /O ₂ Flow Reactor CO,CH ₄ ,H ₂ Effects Mechanisms |
| 84516. | Colonna, G., M. Tuttafesta, M. Capitelli and D. Giordano, "Non-Arrhenius NO Formation Rate in One-Dimensional Nozzle Airflow," Presented Originally as AIAA Paper 98-2951 at the 7th Joint Thermophysics and Heat Transfer Conference, Held in Albuquerque NM, June 1998, J. Thermophys. Heat Transfer 13, 372-375 (1999). | NO Formation High Temperature Nozzle Flows Nonequilibrium N ₂ (v) Role |
| 84517. | Leblanc, E., K. Jokela, L. Perier-Camby and G. Thomas, "Nitrogen Oxide Reaction Study: Application to NO/NO_2 Analysis at the Combustion System Outlet," <i>J. de Chim. Phys.</i> 96 , 759-777 (1999). | NO/NO ₂ Conversions Combustion Conditions Catalytic Effects |
| 84518. | Rodenhausen, R., "Case Study: Choosing Selective Catalytic Reduction as a Preferred Technology for the Destruction of NO_x ," <i>Environ. Progress</i> 18, 260-266 (1999). | NO _x Control NH ₃ /Catalyst Method Effectiveness |

| 84519. | Miller, J.A., and P. Glarborg, "Modeling the Thermal De-NO $_{\rm x}$ Process: Closing in on a Final Solution," <i>Int. J. Chem. Kinet.</i> 31 , 757-765 (1999). | NO _x Control Thermal NH ₃ Process Kinetic Modeling NH ₂ +NO Branching Inclusion Adequacies |
|--------|--|--|
| 84520. | Zamansky, V.M., and V.V. Lissianski, "Effect of Mixing on Natural Gas Reburning," <i>Isr. J. Chem.</i> 39 , 63-71 (1999). | NO Control Natural Gas Reburn Method Mixing Effects |
| 84521. | Xu, M., Y. Fan, J. Yuan, C. Sheng and H. Yao, "Modeling NO_x Emissions during Staged Combustion," <i>Int. J. Energy Res.</i> 23 , 683-693 (1999). | NO _x Control Staged Combustion Kinetic Modeling Reburn Location |
| 84522. | Reifman, J., E.E. Feldman, T.Y.C. Wei and R.W. Glickert, "An Intelligent Emissions Controller for Fuel Lean Gas Reburn in Coal Fired Power Plants," <i>J. Air Waste Manage. Assoc.</i> 50 , 240-251 (2000). | NO _x Control Gas Reburn Coal Boilers Automatic Controller |
| 84523. | Delahay, G., S. Kieger, B. Neveu and B. Coq, "Selective Catalytic Reduction of NO with NH_3 in the Presence of Oxygen over Copper Exchanged NaY Zeolites," <i>J. de Chim. Phys.</i> 96 , 443-454 (1999). | NO Control NH ₃ /Cu Zeolite Method Efficiencies |
| 84524. | Vincent, M.A., L.D. Salsi and I.H. Hillier, "NO Reduction: Reaction of a Readily Formed Intermediate (NO) $_3$ or (NO) $_3$," <i>Chem. Phys. Lett.</i> 314 , 138-140 (1999). | NO Control Catalytic Methods (NO) ₃ ,(NO) ₃ ⁻ Roles |
| 84525. | Takaki, K., M.A. Jani and T. Fujiwara, "Removal of Nitric Oxide in Flue Gases by Multipoint to Plane Dielectric Barrier Discharge," <i>IEEE Trans. Plasma Sci.</i> 27, 1137-1145 (1999). | NO _x Control Flue Gases Discharge Method Multipoint Electrode |
| 84526. | Mok, Y.S., and IS. Nam, "Positive Pulsed Corona Discharge Process for Simultaneous Removal of SO_2 and NO_x from Iron Ore Sintering Flue Gas," <i>IEEE Trans. Plasma Sci.</i> 27 , 1188-1196 (1999). | NO _x ,SO ₂ Control Flue Gases Discharge Method C ₃ H ₆ ,NH ₃ Additive Effects |
| 84527. | Bai, M., Z. Zhang, H. Leng, X. Bai and C. Yi, "A Study on the Treatment of CO ₂ , SO ₂ , NO _x and Fly Ash by Pulse Activation," <i>J. Air Waste Manage.</i> | Emissions Control Pulsed Discharge |

Assoc. 49, 854-860 (1999).

44

 CO_2 , NO_x , SO_2 Particulates

Method

22. SOOT, DIAMOND, PARTICLE FORMATION/CONTROL

(See also Section 19 for Soot Formation in Engines and Section 21 for Combustion Generated Soot and Particle Formation)

84528. Hall-Roberts, V.J., A.N. Hayhurst, D.E. Knight and S.G. Taylor, "The Soot Formation Origin of Soot in Flames: Is the Nucleus an Ion?," Combust. Flame 120. 578-584 (2000).

Ionic Role Cs, H₂O Additive Effects

84529. Appel, J., H. Bockhorn, M. Frenklach, "Kinetic Modeling of Soot Formation with Detailed Chemistry and Physics: Laminar Premixed Flames of C₂ Hydrocarbons," Combust. Flame 121, 122-136 (2000).

Soot Formation Updated Kinetic Modeling

84530. Bai, X.S., M. Balthasar, F. Mauss and L. Fuchs, "Detailed Soot Modeling in Turbulent Jet Diffusion Flames," Symp. (Int.) Combust. Proc. 27, 1623-1630 (1998).

Soot Formation Turbulent Diffusion Flames Model

84531. Kronenburg, A., R.W. Bilger and J.H. Kent, "Modeling Soot Formation in Turbulent Methane/Air Jet Diffusion Flames," Combust. Flame 121, 24-40 (2000).

Soot Formation CH₄/Air Diffusion Flame Modeling

84532. Melton, T.R., A.M. Vincitore and S.M. Senkan, "The Effects of Equivalence Ratio on the Formation of Polycyclic Aromatic Hydrocarbons and Soot in Premixed Methane Flames," Symp. (Int.) Combust. Proc. 27, 1631-1637 (1998).

Soot, PAH Formation CH₄/O₂/Ar Flame Species Equivalence Ratio Effects

84533. Lee, K.-O., C.M. Megaridis, S. Zelepouga, A.V. Saveliev, L.A. Kennedy, O. Charon and F. Ammouri, "Soot Formation Effects of Oxygen Concentration in the Oxidizer Stream of Laminar Coannular Nonpremixed Methane/Air Flames," Combust. Flame 121, 323-333 (2000).

Soot Formation CH₄/Air O₂ Enrichment Effects

(84551) C₆H₆/O₂ Flames, Profiles, Pathways, Correlations

 C_n , PAH Soot Formation

84534. Krestinin, A.V., "Detailed Modeling of Soot Formation in Hydrocarbon Pyrolysis," Combust. Flame 121, 513-524 (2000).

Soot Formation Hydrocarbon Pyrolysis Kinetic Model Adequacies

84535. Shemwell, B.E., and Y.A. Levendis, "Particulates Generated from Combustion of Polymers (Plastics)," J. Air Waste Manage. Assoc. 50, 94-102 (2000).

Soot Formation Plastic Combustion Yields

(84291) Biomass Oil Droplet Combustion

Cenosphere Formation

84536. Kurz, M., A. D'Anna, A. D'Alessio, S.S. Merola and A. Borghese, "Ultraviolet Broadband Light Scattering Measurements during Metallic Particle Formation in a Combustion-Like Environment," *Particle Part. Syst. Charact.* 16, 77-84 (1999).

Particle Formation Droplet Pyrolysis Pb(NO₃)₂ Ni(NO₃)₂ Characterization PbO,Ni(OH)₂ Products

84537. D'Anna, A., M. Kurz and S.S. Merola, "Particle Formation from Single Droplets of Aqueous Solutions of Lead Nitrate," *Particle Part. Syst. Charact.* **15**, 237-242 (1998).

PbO Particle Formation Pb(NO₃)₂ Spray Pyrolysis Method

84538. Barthel, H., M. Heinemann, M. Stintz and B. Wessely, "Particle Sizes of Fumed Silica," *Particle Part. Syst. Charact.* **16**, 169-176 (1999).

Fumed SiO₂
Particle Sizing
H₂/O₂/SiCl₄
Flame Formation

23. PARTICLE CHARACTERIZATION

(See also Section 5 for Spray Characterization)

84539. Qiu, H.-H., W. Jia, C.T. Hsu and M. Sommerfeld, "High Accuracy Optical Particle Sizing in Phase Doppler Anemometry," *Measurement Sci. Technol.* 11, 142-151 (2000).

Particle Sizing
PDA
Method

84540. Tuch, T., A. Mirme, E. Tamm, J. Heinrich, J. Heyder, P. Brand, C. Roth, H.E. Wichmann, J. Pekkanen and W.G. Kreyling, "Comparison of Two Particle-Size Spectrometers for Ambient Aerosol Measurements," *Atm. Environ.* 34, 139-149 (2000).

Aerosols
Size Distributions
Monitoring
Instruments
Comparisons

(84508) Wood, Cigarettes, Meat Charbroiling, Emissions, Composition, Measurements

Particle Sizes

84541. Mastral, A.M., M.S. Callen and T. Garcia, "Polycyclic Aromatic Hydrocarbons and Organic Matter Associated to Particulate Matter Emitted from Atmospheric Fluidized Bed Coal Combustion," *Environ. Sci. Technol.* 33, 3177-3184 (1999).

Particulates PAH, Organic Content FBC Coal Fuels

(84509) Church Candles, Emissions, Analysis

Particle Sizes

(84466) Diesel Engine Exhaust Dilution Effects

Particle Sizes

84542. di Stasio, S., and P. Massoli, "A Dissymetry Ratio Optical Technique as Applied to Scattering Pattern Recognition of Differently Shaped Soot Aggregates," *Particle Part. Syst. Charact.* **15**, 90-99 (1998).

Soot Aggregates Shapes Scattering Technique

| 84543. | Schraml, S., S. Dankers, K. Bader, S. Will and A. Leipertz, "Soot Temperature Measurements and Implications for Time-Resolved Laser Induced Incandescence," <i>Combust. Flame</i> 120 , 439-450 (2000). | Soot Sizing Temperatures Emission Method C ₂ H ₄ Flame LII Implications |
|---------|--|---|
| (84322) | Single Levitated Particle, Raman Temperatures | Aerosol Particle |
| (84452) | Composition, I.C. Engine, Methylcyclopentadienyl Manganese Tricarbonyl Octane Improver | Mn Particle Sizes |
| 84544. | Collina, E., M. Lasagni, M. Tettamanti and D. Pitea, "Kinetics of Municipal Solid Waste Incinerator Fly Ash Thermal Degradation. II. Mechanism of Native Carbon Gasification," <i>Environ. Sci. Technol.</i> 34, 137-142 (2000). | Fly Ash Carbon Content Oxidation Mechanism Rate Constants |
| 84545. | Veranth, J.M., D.W. Pershing, A.F. Sarofim and J.E. Shield, "Sources of Unburned Carbon in the Fly Ash Produced from Low NO_x Pulverized Coal Combustion," <i>Symp. (Int.) Combust. Proc.</i> 27 , 1737-1744 (1998). | Fly Ash Carbon Content Pulverized Coal Low NO _x Burner |
| 84546. | Kozinski, J.A., and G. Zheng, "On the Migration of Metals Inside Ash Particles Formed during Biowaste Combustion," <i>Symp. (Int.) Combust. Proc.</i> 27 , 1745-1752 (1998). | Ash Particles Biowaste Combustion Metal Content Encapsulation Migrations |
| (84209) | Sawdust, Sander-dust Combustion, Na, K Emissions | Ash Analysis |
| 84547. | Fayet, T., C. Pellissier, M. Hjiaj, NE. Abriak and C. Klein, "Mechanical and Physical Properties of Fly Ashes," <i>J. de Chim. Phys.</i> 96 , 386-394 (1999). | Coal Fly Ash Physical Properties Characterizations |
| 84548. | Robinson, A.L., S.G. Buckley and L.L. Baxter, "In Situ Measurements of the Thermal Conductivity of Ash Deposits," <i>Symp. (Int.) Combust. Proc.</i> 27 , 1727-1735 (1998). | Ash Thermal Conductivities Coal,Straw In Situ Measurements |
| | | |

24. NUCLEATION/COAGULATION/CLUSTERS

(See also Section 22 for Nucleation and Growth of Particles)

(84235) Fine Particles, Coal Combustion Acoustic Agglomeration

(84503) Heavy Metal Combustion Emissions, Cd, Ni, Pb

Aerosol Coagulation

84549. Patney, H.K., C. Nordlund, A. Moy, H. Rose, B. Young and M.A. Wilson, "Fullerenes and Nanotubes from Coal," *Fullerene Sci. Technol.* 7, 941-971 (1999).

Fullerene Nanotube Formation Coal Source Analysis

84550. Nikolaev, P., M.J. Bronikowski, R.K. Bradley, F. Rohmund, D.T. Colbert, K.A. Smith and R.E. Smalley, "Gas Phase Catalytic Growth of Single-Walled Carbon Nanotubes from Carbon Monoxide," *Chem. Phys. Lett.* 313, 91-97 (1999).

C_n
Nanotubes
Formation
Fe(CO)₅/CO
Pyrolysis

84551. Grieco, W.J., A.L. Lafleur, K.C. Swallow, H. Richter, K. Taghizadeh and J.B. Howard, "Fullerenes and PAH in Low Pressure Premixed Benzene/Oxygen Flames," *Symp. (Int.) Combust. Proc.* 27, 1669-1675 (1998).

 C_n ,PAH Flame Formation C_6H_6/O_2 Profiles Pathways PAH/Soot Correlations

(84951) Structural Calculations, Electronic Description

 C_{20}

(84952) Structural Calculations, Frequency Assignments, Data Comparisons

 C_{60} , C_{60}^{6-}

84552. Tchaplyguine, M., K. Hoffmann, O. Duhr, H. Hohmann, G. Korn, H. Rottke, M. Wittmann, I.V. Hertel and E.E.B. Campbell, "Ionization and Fragmentation of C₆₀ with Sub-50 fs Laser Pulses," *J. Chem. Phys.* **112**, 2781-2789 (2000).

C₆₀
fs Photoionization
Fragmentation
Mass Analysis

(85010) Absorption Spectrum, Calculations

 $IP,EA(C_{60})$

84553. Hammida, M., A. Fonseca, R. Doome, E. De Hoffmann, P.A. Thiry and J.B. Nagy, "C₆₀, C₆₀O, C₇₀ and C₇₀O Fullerene Formations in Premixed Benzene/Oxygen Flames," *Symp. (Int.) Combust. Proc.* **27**, 1663-1668 (1998).

 C_{60} , C_{70} C_{60} O, C_{70} O Flame Formation C_6 H₆/O₂ Sampling/Analysis

(84964) Structural Calculations, Geometry, D₀

 $(NH_3)_2$

84554. Foltin, M., G.J. Stueber and E.R. Bernstein, "On the Growth Dynamics of Neutral Vanadium Oxide and Titanium Oxide Clusters," *J. Chem. Phys.* 111, 9577-9586 (1999).

Cluster Growth V₂O,V₂O₂
Ti₂O₂,Ti₂O₃
Dynamics
TOF Monitor

25. FLAME/CHEMILUMINESCENT SPECTROSCOPY

84555. Shamim, T., and A. Atreya, "Transient Response of a Radiating Flamelet to Changes in Global Stoichiometric Conditions," *Combust. Flame* 121, 59-74 (2000).

Flame Radiation
Turbulent
Fluctuation
Effects

(84422) Nongray, Soot Influence, Heat Transfer Modeling Furnace Radiation

(84816) Chemiluminescence, $Ca(^{1}D_{2}) + HCI,HBr$, Product Cross Section CaCI(A) Dependences CaBr(B,A)

(84618) Chemiluminescence, Photon Yields, $Ca(^{1}D, ^{3}P) + CX_{4-n}Y_{n}$, X, Y = F, CI, Br CaX(B, A-X)

(84863) Dioxirane (Cyclic Peroxide) Formation, Chemiluminescence, Review RR'O₂

84556. Green, K.M., R.P. Kampf and J.M. Parson, "Molecular Beam Study of the Chemiluminescent Reaction of Manganese and Ozone," *J. Chem. Phys.* Chemil 112, 1721-1732 (2000).

MnO(A-X) Chemiluminescence Spectrum Mn+O₃

26. SPECTRAL CHARACTERIZATIONS/ANALYSES

(See also Section 43 for Energy Levels and Theoretically Calculated Spectral Constants, and Section 44 for Vibrational Frequencies and Constants)

84557. Ataka, S., M. Tasumi and I. Suzuki, eds., "Infrared and Raman Spectroscopy Literature Database: A Bibliography Covering the Period June 1996-May 1997," Special Issue, J. Mol. Struct. 438/439, 532 pp. (1997).

IR,Raman Spectroscopy Bibliography 6800 References

84558. Ataka, S., M. Tasumi and I. Suzuki, eds., "Infrared and Raman Spectroscopy Literature Database: A Bibliography Covering the Period June 1997-May 1998," Special Issue, J. Mol. Struct. 472/473, 580 pp. (1998).

IR,Raman
Spectroscopy
Continuing
Extensive
Bibliography

84559. Reichardt, T.A., and R.P. Lucht, "Resonant Degenerate Four-Wave Mixing Spectroscopy of Transitions with Degenerate Energy Levels: Saturation and Polarization Effects," *J. Chem. Phys.* 111, 10008-10020 (1999).

DFWM
Zeeman Structure
Saturation
Polarization
Theory

84560. Asmis, K.R., T.R. Taylor and D.M. Neumark, "Anion Photoelectron Spectroscopy of B_3N^- ," *J. Chem. Phys.* **111**, 10491-10500 (1999).

PES Detachment Spectra

 B_3N^-

EA Electronic Structures

84561. Burkholder, J.B., and J.J. Orlando, "Ultraviolet Absorption Cross Sections of *cis*-BrONO," *Chem. Phys. Lett.* **317**, 603-608 (2000).

cis-Brono uv Absorption Cross Sections 84562. Cox, A.P., and M.C. Ellis, "Microwave Spectrum, Internal Rotation and CCI₃NO₂ Dipole Moment of Trichloronitromethane, Cl₃CNO₂," J. Mol. Struct. 445, Rotational 287-301 (1998). Spectrum Constants Dipole Moment 84563. Joo, D.-L., D.J. Clouthier and R.H. Judge, "Experimental Proof of the CD₂Se(a-X) Case (ab) Coupling Hypothesis in the First Excited Triplet State of Laser Induced Selenoformaldehyde (H₂C=Se)," *J. Chem. Phys.* **112**, 2285-2291 (2000). Phosphorescence Spectral Constants 84564. Zheng, X., and D.L. Phillips, "Density Functional Theory and Resonance CF_2I_2 Raman Investigation of the Ultraviolet Electronic Excited States of CH_2I_2 CF₂I₂," Chem. Phys. Lett. **316**, 524-530 (2000). Low-lying Electronic States **UV** Transitions Calculations 84565. Robinson, J.D., R.J. Foltynowicz and E.R. Grant, "Double-Resonance HCO Spectroscopy of the High Rydberg States of HCO. IV. Vibrational Rydberg States Double Resonance Autoionization Dynamics as a Function of Bending Amplitude," J. Chem. Phys. 112, 1701-1706 (2000). Absorption Spectrum Vibrational Autoionization Linewidths 84566. Law, M.M., "Joint Local- and Normal-Mode Studies of the Overtone CH₃F,CH₃CI CH₃Br,CH₃I Spectra of the Methyl Halides: CH₃F, CH₃Cl, CH₃Br, CD₃Br and CH₃I," J. Chem. Phys. 111, 10021-10033 (1999). FTIR Spectra Overtones Frequencies Assignments 84567. Blowers, P., and R.I. Masel, "Calculated Vibrational Spectra for CH_nOH_m CH_nOH_m,CH_nOH_m+ IR Spectra Species," J. Phys. Chem. A. Mol., Spectrosc., Kinetics 104, 34-44 (2000). Frequencies Calculations 84568. Ramond, T.M., G.E. Davico, R.L. Schwartz and W.C. Lineberger, $CH_3O(X),RO(A,X)$ "Vibronic Structure of Alkoxy Radicals via Photoelectron Spectroscopy," $R = C_2H_5$, C_3H_7 , C_4H_9 J. Chem. Phys. 112, 1158-1169 (2000). Vibronic Structure $EA_{f}\Delta H_{f}(RO)$ $D(ROH)_{t}\Delta H_{t}(RO^{\pm})$ Anion PES 84569. Cossart-Magos, C., and D. Cossart, "Very High Rotational Excitation of CO(v≤6,J) CO in a Cooled Electric Discharge Through Carbon Monoxide," J. Chem. Cooled Discharge Phys. 112, 2148-2154 (2000). FTIR Spectra

High Rotational Excitation

| 84570. | Jacobson, M.P., S.L. Coy, R.W. Field, S.J. Lipson, R.B. Lockwood, D.L. Vititoe, W.A.M. Blumberg and P.S. Armstrong, "Numerical Pattern Recognition Analysis of CO Atmospheric Simulation Experiments," <i>J. Phys. Chem. A. Mol., Spectrosc., Kinetics</i> 104, 249-257 (2000). | CO IR Spectra v≤12,∆v=1 Overlapping Bands Pattern Recognition Algorithm |
|---------|---|--|
| 84571. | Liu, Y., H. Liu, H. Gao, C. Duan, P.A. Hamilton and P.B. Davies, "Near-Infrared Laser Absorption Spectroscopy of the CS ⁺ Cation," <i>Chem. Phys. Lett.</i> 317 , 181-186 (2000). | CS+(A-X) Absorption Velocity Modulation Constants |
| 84572. | Ottinger, C., and T. Winkler, "The Vibrational Level Structure of trans-Glyoxal in the $T_1(^3A_u)$ State," Chem. Phys. Lett. 314 , 411-420 (1999). | (CHO) ₂ ,(T ₁ -S ₀) Phosphorescence Spectra Constants Jet Cooled |
| 84573. | Tonokura, K., S. Marui and M. Koshi, "Absorption Cross Section Measurements of the Vinyl Radical in the 440-460 nm Region by Cavity Ringdown Spectroscopy," <i>Chem. Phys. Lett.</i> 313 , 771-776 (1999). | C ₂ H ₃ (A-X) Absorption Cross Sections Cavity Ringdown |
| 84574. | Davis, S., D. Uy and D.J. Nesbitt, "Laser Spectroscopy of Jet Cooled Ethyl Radical: Infrared Studies in the CH_2 Stretch Manifold," <i>J. Chem. Phys.</i> 112 , 1823-1834 (2000). | C ₂ H ₅ (v _{CH2}) IR Laser Absorption Spectrum Jet Cooled Assignments |
| 84575. | Cheng, BM., E.P. Chew, CP. Liu, JS.K. Yu and Ch. Yu, "Photoionization-Efficiency Spectrum and Ionization Energy of C_2H_5SCI ," <i>J. Chem. Phys.</i> 111, 10093-10098 (1999). | C ₂ H ₅ SCI Photoionization Spectrum IP Vibrational Frequencies |
| 84576. | Hepp, M., and M. Herman, "Vibration-Rotation Bands in Ethane," <i>Mol. Phys.</i> 98 , 57-61 (2000). | C ₂ H ₆ IR,Raman 4500-6500 cm ⁻¹ Frequencies Assignments |
| (85008) | ZEKE-PES Spectrum, Frequencies, IP | C_3H_3 |
| (84705) | Absorption Cross Sections | C ₃ H ₄ CI C ₃ H ₄ CIO ₂ |

84577. Durig, J.R., Z. Yu and G.A. Guirgis, "Raman and Infrared Spectra, Conformational Stability, Barriers to Internal Rotation, Normal Coordinate Analysis, Vibrational Assignment, and ab Initio Calculations of 3,3-Difluoropropene," *J. Phys. Chem. A. Mol., Spectrosc., Kinetics* 104, 741-751 (2000).

C₃H₄F₂ IR,Raman Frequencies Assignments

84578. Sinclair, W.E., D. Pfluger and J.P. Maier, "Rotationally Resolved (A²∏←X²∏) Electronic Spectra of Cyanodiacetylene and Dicyanoacetylene Cations," *J. Chem. Phys.* 111, 9600-9608 (1999).

C₂(CN)₂⁺ C₄HCN⁺ Frequency Modulated Absorption Assignments Constants

(84714) Ultraviolet Absorption Spectra

 $C_5H_{11}O_2$ $C_{10}H_{21}O_2$

84579. Miani, A., E. Cane, P. Palmieri, A. Trombetti and N.C. Handy, "Experimental and Theoretical Anharmonicity for Benzene Using Density Functional Theory, *J. Chem. Phys.* **112**, 248-259 (2000).

C₆H₆
IR,Raman
Spectra
Frequencies
Anharmonicities
Force Field

84580. Bernhardsson, A., N. Forsberg, P.-A. Malmqvist, B.O. Roos and L. Serrano-Andres, "A Theoretical Study of the $^1B_{2u}$ and $^1B_{1u}$ Vibronic Bands in Benzene," *J. Chem. Phys.* **112**, 2798-2809 (2000).

C₆H₆(¹B_{2u}, ¹B_{1u}-X) Absorption Spectrum Frequencies Simulation

84581. Rashev, S., "A Tier Model Calculation of the Absorption Spectrum of the Fourth CH Stretch Overtone State CH(v=5) in Benzene," *Chem. Phys. Lett.* 312, 561-566 (1999).

C₆H₆(5**v**_{CH})
Overtone
Absorption Spectrum
Calculations

84582. Zhu, L., and T.J. Cronin, "Photodissociation of Benzaldehyde in the 280-308 nm Region," *Chem. Phys. Lett.* **317**, 227-231 (2000).

C₆H₅CHO Absorption Cross Sections HCO Fragment Yields

84583. Reyle, C., and P. Brechignac, "Fluorescence of Jet Cooled Naphthalene: Emission Spectra, Lifetimes and Quantum Yields," *Eur. Phys. J. D* 8, 205-210 (2000).

C₁₀H₈
LIF Spectra
Jet Cooled
Collision Free
Lifetimes
Quantum Yields

| 84584. | Bichutskaya, E.N., A.Z. Devdariani, A.L. Zagrebin and Yu.N. Sebyakin, "Quasi-Molecular Emission and Nonadiabatic Transitions. I. Ca(4s4p 3 P $_1$, 3 P $_2$) and Mg(3s3p 3 P $_1$, 3 P $_2$)-He(1s 2 1 S $_0$) Quasi-Molecules," <i>Opt. Spectrosc.</i> , <i>Russia</i> 87, 197-202 (1999). | Ca(³ P _{1,2}).He Mg(³ P _{1,2}).He Collision Induced Forbidden Emission Transitions |
|---------|--|---|
| 84585. | Bichutskaya, E.N., A.Z. Devdariani and A.L. Zagrebin, "Quasi-Molecular Emission and Nonadiabatic Transitions. II. Ca(4s4p ¹ P,4s3d ¹ D)-He(1s ² , ¹ S ₀) Quasi-Molecule," <i>Opt. Spectrosc., Russia</i> 88 , 163-168 (2000). | Ca(¹ P).He Ca(¹ D).He Quasi-Molecular Emission Spectra Calculations |
| 84586. | Kamariotis, A., T. Hayes, D. Bellert and P.J. Brucat, "The Ground and Charge-Transfer Excited States of CoO+," <i>Chem. Phys. Lett.</i> 316 , 60-66 (2000). | CoO+(C,B-X) Photodissociation Spectra Constants Energies |
| 84587. | Yamada, C., and E. Hirota, "The Microwave Spectrum of Cesium Monoxide CsO Radical," <i>J. Chem. Phys.</i> 111 , 9587-9592 (1999). | CsO(v≤3) Microwave Spectrum Constants |
| 84588. | Ban, T., S. Ter-Avetisyan, R. Beuc, H. Skenderovic and G. Pichler, "Photoassociation of Cesium Atoms into the Double Minimum $Cs_2(3^1\Sigma_u^+)$ State," <i>Chem. Phys. Lett.</i> 313 , 110-114 (1999). | $Cs_2(3^1\Sigma_u^+)$ Photoassociation Outer P.E. Well $(3^1\Sigma_u^+-X)$ Absorption Coefficient |
| 84589. | Whitham, C.J., H. Ozeki and S. Saito, "Microwave Spectra of CuOD and AgOD: Molecular Structure and Harmonic Force Field of CuOH and AgOH," <i>J. Chem. Phys.</i> 112, 641-646 (2000). | CuOH,AgOH Microwave Spectra Structure Frequencies D-Labeling |
| 84590. | Muller, H.S.P., "Infrared Spectroscopy and Molecular Properties of Chlorosyl Fluoride, FCIO," <i>Chem. Phys. Lett.</i> 314 , 396-402 (1999). | FCIO, v ₁ , v ₂ IR Spectrum Constants Structure |
| 84591. | Friesen, M., M. Junker and H. Schnockel, "Raman Spectrum and Bonding of Matrix Isolated GeO ₂ ," <i>J. Chem. Phys.</i> 112 , 1782-1784 (2000). | GeO₂ Raman Spectra Frequencies Bonding Matrix Study |
| (85013) | Photoionization Spectrum, ΔH_{f} , IP | t-HOCO |

84592. Brust, A.S., K.H. Becker, J. Kleffmann and P. Wiesen, "Ultraviolet HONO Absorption Cross Sections of Nitrous Acid," Atm. Environ. 34, 13-19 DONO uv Absorption (2000).Cross Sections 84593. Biermann, U.M., B.P. Luo and T. Peter, "Absorption Spectra and Optical HNO₃, H₂SO₄ Constants of Binary and Ternary Solutions of H₂SO₄, HNO₃, and H₂O in Aqueous Films the Mid Infrared at Atmospheric Temperatures," J. Phys. Chem. A. Mol., FTIR Spectra Mixtures Spectrosc., Kinetics 104, 783-793 (2000). 84594. Callegari, A., J. Rebstein, J.S. Muenter, R. Jost and T.R. Rizzo, "Erratum $HOCI(6v_{OH})$ - The Spectroscopy and IVR Dynamics of HOCI in the $v_{OH}=6$ Region, Overtone Spectra Probed by Infrared-Visible Double Resonance Overtone Excitation [J. Band Origins Chem. Phys. 111, 123 (1999)]," ibid. 112, 2569 (2000). Erratum (84317) Rotational Perturbations $H_2(GK-B)$ 84595. Zagrebin, A.L., and M.G. Lednev, "Collision-Induced Quasi-Molecular $Hg(6^3P_2-6^1S_0)$ Emission and Absorption near the Forbidden Hg(6¹S₀-6³P₂) Line in Ne, Ar Effects Mixtures of Mercury Vapor with Neon and Argon," Opt. Spectrosc., Russia Emission, Absorption 85, 181-186 (1998). Spectra 84596. Zagrebin, A.L., M.G. Lednev, "Spectra of Collision-Induced Optical $Hg(6^3P_2-6^1S_0)$ Excitation and the Radiative Decay of the Metastable State Hg(6³P₂) in Collision Induced Mixtures of Mercury Vapor with Inert Gases," Opt. Spectrosc., Russia 87, Absorption 812-823 (1999). Kr,Xe Effects Calculations 84597. Yoshii, H., T. Tanaka, Y. Morioka, T. Hayaishi and K. Ito, "Vibrationally $KrXe^{+}(C,B,A,X)$ Resolved Threshold Photoelectron-Photoion Coincidence Spectra of PES KrXe," J. Chem. Phys. 111, 10595-10601 (1999). Spectral Constants P.E. Curves 84598. Apponi, A.J., M.A. Anderson and L.M. Ziurys, "High Resolution MgOH, MgOD(v_2) Spectroscopy of MgOH ($X^2\Sigma^+$) in Its v_2 Mode: Further Evidence for Rotational Quasilinearity," J. Chem. Phys. 111, 10919-10925 (1999). Spectra Geometry Constants (84556) Chemiluminescent Spectra, Mn+O₃ MnO(A-X)(84771) Absorption Coefficients, Shock Tube Measurements NH₂,597.4 nm (85017) Double Resonance Rydberg State Spectra, Autoionization NH_3 84599. Imajo, T., K. Yoshino, J.R. Esmond, W.H. Parkinson, A.P. Thorne, J.E. NO(C-X),(1,0)Murray, R.C.M. Learner, G. Cox, A.S.-C. Cheung, K. Ito and T. Matsui, Absorption "The Application of a Vacuum Ultraviolet Fourier Transform Cross Sections Spectrometer and Synchrotron Radiation Source to Measurements of: II. Linestrengths

The $\delta(1,0)$ Band of NO," *J. Chem. Phys.* **112**, 2251-2257 (2000).

Spectral Constants

84600. Jarvis, G.K., Y. Song, C.Y. Ng and E.R. Grant, "A Characterization of Vibrationally and Electronically Excited NO₂⁺ by High-Resolution Threshold Photoionization Spectroscopy," *J. Chem. Phys.* **111**, 9568-9573 (1999).

NO₂
PFI-ZEKE Spectra
NO₂⁺(X)
Low-lying Excited
States
Constants, Energies

(84629) LIF Spectra, Radiative Lifetimes, Calculations`

 $NO_{2}(^{2}B_{2})$

84601. Aldener, M., B. Lindgren, A. Pettersson and U. Sassenberg, "Cavity Ringdown Laser Absorption Spectroscopy: Nitrogen Cation," *Phys. Scr.* **61**, 62-65 (2000).

N₂⁺(A-X) (10,5),(5,1) Bands Absorption Cavity Ringdown Constants

84602. Frohnmeyer, T., M. Hofmann, M. Strehle and T. Baumert, "Mapping Molecular Dynamics (Na₂) in Intense Laser Fields: Another Dimension to Femtochemistry," *Chem. Phys. Lett.* **312**, 447-454 (1999).

Na₂ fs Pump/Probe Wavepacket PES Monitor Laser Field Effects

84603. Lewis, B.R., S.T. Gibson and K. Yoshino, "Comment on "Ab Initio Dynamic Dipole Polarizabilities for O₂, Its Photoabsorption Spectrum in the Schumann-Runge Region, and Long Range Interaction Coefficients for Its Dimer [*J. Chem. Phys.* **109**, 9802 (1998)]," *ibid.* **111**, 11236-11237 (1999).

O₂(B-X) Absorption Spectrum Calculations Comments

84604. Spelsberg, D., and W. Meyer, "Response to 'Comment on Ab Initio Dynamic Dipole Polarizabilities for O_2 , Its Photoabsorption Spectrum in the Schumann-Runge Region, and Long Range Interaction Coefficients for Its Dimer,'" *J. Chem. Phys.* **111**, 11238-11239 (1999).

Reply

84605. Balakrishnan, N., M.J. Jamieson, A. Dalgarno, Y. Li and R.J. Buenker, "Time-Dependent Quantum Mechanical Study of Photodissociation of Molecular Oxygen in the Schumann-Runge Continuum," *J. Chem. Phys.* 112, 1255-1259 (2000).

O₂ SR Continuum Total/Partial Absorption Cross Sections Predissociation Channels

84606. Song, Y., M. Evans, C.Y. Ng, C.-W. Hsu and G.K. Jarvis, "Rotationally Resolved Pulsed Field Ionization Photoelectron Bands for $O_2^+(A^2\Pi_u,v^+=0-12)$ in the Energy Range of 17.0-18.2 eV," *J. Chem. Phys.* 112, 1271-1278 (2000).

 $O_2^+(A,V=0-12)/O_2(X)$ PFI/PE Spectra $O_2^+(A)$ Constants

84607. Song, Y., M. Evans, C.Y. Ng, C.-W. Hsu and G.K. Jarvis, "Rotationally Resolved Pulsed Field Ionization Photoelectron Bands for $O_2^+(a^4\Pi_u,v^+=0.18)$ in the Energy Range of 16.0-18.0 eV," *J. Chem. Phys.* 112, 1306-1315 (2000).

 $O_2^+(a,v=0-18)/O_2(X)$ PFI/PE Spectra $O_2^+(a)$ Constants

| 84608. | Beeching, L., A. De Fanis, J.M. Dyke, S.D. Gamblin, N. Hooper, A. Morris and J.B. West, "Angle Resolved Photoelectron Spectroscopy of $O_2(a^1\Delta_g)$ with Synchrotron Radiation," <i>J. Chem. Phys.</i> 112 , 1707-1712 (2000). | O ₂ +/O ₂ (a) Photoionization Photoelectron Distribution |
|---------|---|---|
| 84609. | Citra, A., and L. Andrews, "Reactions of Laser Ablated Osmium and Ruthenium Atoms with Nitrogen: Matrix Infrared Spectra and Density Functional Calculations of Osmium and Ruthenium Nitrides and Dinitrides," <i>J. Phys. Chem. A. Mol., Spectrosc., Kinetics</i> 104 , 1152-1161 (2000). | OsN,OsN ₂ RuN,RuN ₂ FTIR Spectra Assignments Frequencies Matrix Study |
| (85022) | Photoelectron Spectra, PO ₃ (A,X) Frequencies, Energies, EA(PO ₃) | PO ₃ |
| 84610. | Beaton, S.A., and T.C. Steimle, "Laser Induced Fluorescence and Optical/Stark Spectroscopy of PtC," <i>J. Chem. Phys.</i> 111 , 10876-10882 (1999). | PtC(A",A'-X) LIF,Stark Spectra Dipole Moments Constants |
| 84611. | Shim, I., and K.A. Gingerich, "All-Electron ab Initio Investigations of the Three Lowest-Iying Electronic States of the RuC Molecule," <i>Chem. Phys. Lett.</i> 317 , 338-345 (2000). | RuC(${}^{1}\Delta, {}^{3}\Delta, {}^{1}\Sigma^{+}$) 3 Low-lying States Spectral Constants Energies Calculations |
| 84612. | Zen, CC., IC. Chen, YP. Lee and A.J. Merer, "Laser Induced Phosphorescence of SO_2 in Solid Neon: Direct Observation of the b^3A_2 State in the $^{16}OS^{18}O$ Molecule," <i>J. Phys. Chem. A. Mol., Spectrosc., Kinetics</i> 104, 771-776 (2000). | SO ₂ (b,a-X) Phosphorescence Frequencies Matrix Study |
| 84613. | Xue, B., Y. Chen and HL. Dai, "Observation of the Singlet-Triplet Pair of the 4p Rydberg State and Assignment of the Rydberg Series of SO_2 ," <i>J. Chem. Phys.</i> 112 , 2210-2217 (2000). | SO ₂ Rydberg States Assignments |
| (85024) | Photoelectron Spectra, EAs, Geometries, Measurements, Calculations | SO ₄ -,HSO ₄ - |
| 84614. | Lin, W., C.J. Evans and M.C.L. Gerry, "The Pure Rotational Spectrum of ScBr," <i>Phys. Chem. Chem. Phys.</i> 2 , 43-46 (2000). | ScBr Rotational Spectrum Constants D _e |
| 04/15 | Wang V F M II Chan I N 7hang and O 7 Oin "Crast-resser's and | Ta(0)00 Ta(0)00= |

84615. Wang, X.-F., M.-H. Chen, L.-N. Zhang and Q.-Z. Qin, "Spectroscopic and Theoretical Studies on the Reactions of Laser Ablated Tantalum with Carbon Dioxide," *J. Phys. Chem. A. Mol., Spectrosc., Kinetics* 104, 758-764 (2000).

Ta(O)CO,Ta(O)CO⁻
Ta(O₂)(CO)₂
FTIR Spectra
Matrix Study
Laser Ablation

(85025) Photoelectron Spectra, EAS

 ZrO^-, ZrO_2^-

27. EXCITED STATE LIFETIMES/QUENCHING

| (See | also | Section | 45 | for | Vibrational | and | Rotational | Relaxation |
|-------|--------|---------|----|-----|-------------|-----|------------|------------|
| Proce | esses) | | | | | | | |

| (84403) | Penning Ionization, Orientation Dependence | $Ar(^3P) + CH_3CI$ |
|---------|--|--|
| 84616. | Gonzalez-Lezana, T., M.I. Hernandez, G. Delgado-Barrio and P. Villarreal, "An Adiabatic Model for Rare Gas-Halogen van der Waals Complexes: Application to HeBr ₂ (B)," <i>J. Mol. Struct.</i> 433 , 107-111 (1998). | Br ₂ .He(B,v) Bound States Predissociation Calculations |
| 84617. | Stephenson, T.A., and N. Halberstadt, "Quantum Calculations on the Vibrational Predissociation of $NeBr_2$: Evidence for Continuum Resonances," <i>J. Chem. Phys.</i> 112 , 2265-2273 (2000). | Br₂(B).Ne,v≤20 Vibrational Predissociation Lifetimes Dynamics Calculations |
| (84980) | Rotational Energy Transfer, Rate Constants | CN(A, V=3, J) + Ar |
| (84897) | Lifetimes, P.E. Curves, Low-lying States, Transition Moments, Calculations | CO ⁺ (B,A) |
| (84583) | Lifetimes, LIF Spectra, Jet Cooled, Collision Free, Quantum Yields | C ₁₀ H ₈ * |
| 84618. | Pranszke, B., P. Kierzkowski and A. Kowalski, "Electronic Branching Ratios in Chemiluminescence from the Collisions of $Ca(^3P_J,^1D_2)$ Atoms with Halogenated Methanes $CX_{4-n}Y_n(X,Y=F,CI,Br)$," <i>Chem. Phys. Lett.</i> 317, 220-226 (2000). | Ca(¹ D, ³ P)+CX _{4-n} Y _n Cross Sections CaX(B,A-X) Chemiluminescence Photon Yields |
| (84816) | Chemiluminescence, CaCl(A), CaBr(B,A) Products, Cross Section Dependences, Reaction Dynamics | $Ca(^1D_2) + HCI$ $Ca(^1D_2) + HBr$ |
| (84584) | Collision Induced Forbidden Emission Transitions, Calculations | Ca(³ P _{1,2}).He Mg(³ P _{1,2}).He |
| (84585) | Collision Induced Emission Transitions, Calculations | Ca(¹ P).He Ca(¹ D).He |
| (84901) | Predissociation Mechanisms, P.E. Curves, Low-lying States, Calculations | CIO(A) |
| (84903) | Lifetimes, P.E. Curves, Spectral Constants, Low-lying States, Calculations | Gal(B,A) |
| (84904) | Lifetimes of 7 Low-lying Excited States, P.E. Curves, Spectral Constants, Transition Strengths, $D_{\rm e}(X)$, Calculations | GaP* |
| (84906) | Predissociation Linewidths, P.E. Curves, Rydberg States, Calculations | $HCI(D^1\Pi,d^3\Pi)$ $DCI(D^1\Pi,d^3\Pi)$ |

| (84642) | Lifetimes, v,J Transitions, Einstein A-Factors | H ₂ ⁺ (A) |
|--------------------|---|---|
| 84619. | Kishimoto, N., Y. Osada and K. Ohno, "Penning Ionization of $(NH_2)_2C=X$ (X=O,S) with He(2³S) Metastable Atoms: Difference of Anisotropic Interaction around N, O and S Atoms," <i>J. Phys. Chem. A. Mol., Spectrosc., Kinetics</i> 104 , 1393-1399 (2000). | He(2 ³ S) + CO(NH ₂) ₂ He(2 ³ S) + CS(NH ₂) ₂ Penning Ionization P.E. Surface Calculations PES Assignments |
| 84620. | Skoblo, Yu.E., and V.A. Ivanov, "Role of Metastable Atoms and Molecules of Helium in Excitation Transfer to Hydrogen Atoms," <i>Opt. Spectrosc., Russia</i> 88, 151-157 (2000). | $He(2^3S_1) + H_2$ $He_2(^3\Sigma_u^+) + H_2$ H(n=3-6) Product Channels Efficiencies |
| 84621. | Browaeys, A., J. Poupard, A. Robert, S. Nowak, W. Rooijakkers, E. Arimondo, L. Marcassa, D. Boiron, C.I. Westbrook and A. Aspect," Two Body Loss Rate in a Magneto-Optical Trap of Metastable He," <i>Eur. Phys. J. D</i> 8, 199-203 (2000). | He(2 ³ S,2 ³ P)+He(2 ³ S) Rate Constant Ionization |
| 84622. | Kartoshkin, V.A., "Chemi-ionization and Spin Exchange in Collisions of Excited Metastable Helium Atoms with Sodium Atoms in the Ground State: I. Kinetics of Optical Orientation," <i>Opt. Spectrosc., Russia</i> 85 , 28-32 (1998). | He(2 ³ S ₁) + Na Chemi-ionization Orientation Alignment Considerations |
| 84623. | Kartoshkin, V.A., "Chemi-ionization and Spin Exchange in Collisions of Excited Metastable Helium Atoms with Sodium Atoms in the Ground State: II. The Calculation of Cross Sections for Chemi-ionization and Spin Exchange," <i>Opt. Spectrosc., Russia</i> 85, 177-180 (1998). | He(2 ³ S ₁) + Na Chemi-ionization Spin Exchange Cross Sections Calculations |
| (84595) (84596) | Forbidden Transitions, Ne, Ar, Kr, Xe Collisional Effects | $Hg(6^3P_2-6^1S_0)$ |
| 84624. | Legay-Sommaire, N., and F. Legay, "Photochemical Insertion of Hg in the HCl Bond and Mercury-Sensitized Production of CIHCl ⁻ and KrHKr ⁺ in Low Temperature Matrices," <i>Chem. Phys. Lett.</i> 314 , 40-46 (1999). | Hg(³P₁)+HCI Matrix Study HHgCl Product |
| 84625. | Chiappero, M.S., and G.A. Arguello, "Deactivation of $I(^2P_{1/2})$ by CH_3CI , CH_2CI_2 , $CHCI_3$, CCI_3F and CCI_4 ," <i>Int. J. Chem. Kinet.</i> 30 , 799-803 (1998). | I(² P _{1/2}) + M Quenching Rate Constants 5 Chloro-organics |
| 84626. | Labazan, I., and S. Milosevic, "Lithium Vapor Excitation at (2S→3D) Two-Photon Resonance," <i>Eur. Phys. J. D</i> 8, 41-47 (2000). | Li(3 ² D,2,3 ² P) Energy Pooling Cross Sections |

| 84627. | Takayanagi, T., Y. Kurosaki, K. Yokoyama, K. Sato and S. Tsunashima, "Theoretical Calculations of Thermal Rate Constants for the N(2D) + Acetylene Reaction," <i>Chem. Phys. Lett.</i> 312 , 503-510 (1999). | $N(^2D) + C_2H_2$, C_2D_2 VTST Rate Constants Nonadiabatic Transitions Role |
|---------|---|---|
| 84628. | Hewett, K.B., G.C. Manke II, D.W. Setser and G. Brewood, "Quenching Rate Constants of NCI($a^1\Delta$) at Room Temperature," <i>J. Phys. Chem. A. Mol., Spectrosc., Kinetics</i> 104 , 539-551 (2000). | NCI(a) + M NF(a) + M Quenching Rate Constants 44 Species |
| (84983) | Rotational Relaxation, ps DFWM, Measurements | NH(A) |
| (84985) | Rotational State to State Energy Transfer, Measurements, Analysis | $NH_2(A) + Ar$ |
| 84629. | Santoro, F., and C. Petrongolo, "Nonadiabatic Radiative Lifetimes and Fluorescence Spectra of NO ₂ ," <i>J. Chem. Phys.</i> 111 , 9651-9657 (1999). | NO ₂ (² B ₂) Radiative Lifetimes LIF Spectra Calculations |
| 84630. | Nakamura, H., and S. Kato, "State Resolved Reaction Rates of the Spin-Forbidden Predissociation of N_2O : A Quantum Dynamics Study of the Rotational Effect," <i>J. Chem. Phys.</i> 112 , 1785-1796 (2000). | N ₂ O(1 ¹ A') Predissociation State Resolved Reaction Rates J Effects |
| (84924) | Lifetime, P.E. Curves, Low-lying $1^{1,3}\Sigma^+$, $2^1\Sigma^+$ States, Stabilities, Calculations | $Na^+.He(2^1\Sigma^+)$ |
| (84646) | Predissociation, (A-X) J-Dependent Linewidths | NaI(A) |
| 84631. | Zaitsevskii, A.V., E.A. Pazyuk and A.V. Stolyarov, "Radiative Properties of Low-lying Triplet States of the NaK Molecule," <i>Opt. Spectrosc., Russia</i> 87, 225-230 (1999). | NaK(d,c,b) Radiative Lifetimes s/o Interactions Calculations |
| 84632. | Alberti, M., J.M. Lucas, B. Brunetti, F. Pirani, M. Stramaccia, M. Rosi and F. Vecchiocattivi, "Anisotropy Effects in Methyl Chloride Ionization by Metastable Neon Atoms at Thermal Energies," <i>J. Phys. Chem. A. Mol., Spectrosc., Kinetics</i> 104, 1405-1415 (2000). | Ne(³ P _{2,0}) + CH ₃ Cl Penning Ionization CH ₃ Cl ⁺ (B,A,X) Product Channels Calculations |
| 84633. | Gonzalez, M., M.P. Puyuelo, J. Hernando, R. Sayos, P.A. Enriquez, J. Guallar and I. Banos, "Influence of the Collision Energy on the $O(^1D)+RH \rightarrow OH(X^2\Pi)+R(RH=CH_4,C_2H_6,C_3H_8)$ Reaction Dynamics: A Laser Induced Fluorescence and Quasiclassical Trajectory Study," <i>J. Phys. Chem. A. Mol., Spectrosc., Kinetics</i> 104, 521-529 (2000). | $O(^{1}D) + CH_{4}, C_{2}H_{6}$ $O(^{1}D) + C_{3}H_{8}$ Collision Energy Effects Product $OH(v=0,1)$ |

| (84849) | Reaction Dynamics, Channels, Products, Calculations | $O(^1D_2) + HCI$ |
|---------|--|--|
| 84634. | Chichinin, A.I., "Isotope Effects in the Deactivation of O(1D) Atoms by XCI and XF(X=H,D)," <i>Chem. Phys. Lett.</i> 316 , 425-432 (2000). | O(1D) + HCI, HF O(1D) + DCI, DF Physical, Chemical Quenching Rate Constants Isotope Effects |
| 84635. | Heard, D.E., and D.A. Henderson, "Quenching of $OH(A^2\Sigma^+,v=0)$ by Several Collision Partners between 200 and 344 K: Cross Section Measurements and Model Comparisons," <i>Phys. Chem. Chem. Phys.</i> 2, 67-72 (2000). | OH(A,v=0)+M Quenching Rate Constants M=CH ₄ ,CO,H ₂ ,Kr 200-344 K |
| (84605) | Schumann-Runge Continuum, Total/Partial Absorption Cross Sections, Predissociation Channels | O ₂ * |
| 84636. | Ekers, A., M. Glodz, J. Szonert, B. Bieniak, K. Fronc and T. Radelitski, "Inelastic Cross Sections and Natural Lifetimes for the $6^2D_{3/2,5/2}$ and $8^2S_{1/2}$ States of Rb," <i>Eur. Phys. J. D</i> 8 , 49-58 (2000). | Rb(6 ² D _J ,8 ² S _{1/2}) Mixing,Quenching Rate Constants Lifetimes |
| 84637. | Tachikawa, H., T. Hamabayashi and M. Igarashi, "Collision Energy- and Spin-Orbit Coupling-Dependence of Quenching Probability in the Electronic Energy Transfer Reaction $S(^1D) + CO \rightarrow S(^3P) + CO(v,J)$," <i>J. Mol. Struct.</i> 453, 191-196 (1998). | S(1D)+CO Quenching Branching Ratio Probabilities Calculations |
| 84638. | Lee, SH., and K. Liu, "Erratum - Isotope Effects and Excitation Functions for the Reactions of $S(^1D)+H_2$, D_2 and HD [Chem. Phys. Lett. 290, 323 (1998)]," ibid. 317, 516 (2000). | S(1D)+H ₂ ,HD,D ₂ Erratum |
| 84639. | Zhang, Q. C. Chen, S. Yu and X. Ma, "Kinetic Studies on State-to-State Coupling and Collisional Quenching of Excited Sulfur Dioxide," <i>Int. J. Chem. Kinet.</i> 30 , 831-837 (1998). | SO ₂ (B ¹ B ₁ ,A ¹ A ₂) Quenching Rate Constants Alkanes,Chloromethanes |
| (84762) | Quenching Rate Constant, SiH $_3$ (CHCHCI)+h \mathbf{v} | HSiCI*(V,J)+Ar |
| (84858) | Excited (³ P) State Insertion, Reaction Dynamics | Zn*,Cd*,Hg*+CH ₄ Zn*,Cd*,Hg*+SiH ₄ |

28. FRANCK-CONDON FACTORS/TRANSITION PROBABILITIES

(See also Section 27 for Lifetimes and Transition Probabilities)

(84897) Transition Moments, P.E. Curves, Lifetimes, Calculations CO+(B,A-X)

(84904) Low-lying States, Transition Strengths, Lifetimes, P.E. Curves, Spectral GaP^* Constants, $D_e(X)$, Calculations

| 84640. | Astashkevich, S.A., and B.P. Lavrov, "Absolute Values of Rovibronic Transition Probabilities for the $(I^1\Pi_g^-\to B^1\Sigma_u^+)$ System of Bands of the H ₂ Molecule," <i>Opt. Spectrosc., Russia</i> 85, 348-355 (1998). | H ₂ (I-B) Transition Probabilities Calculations |
|---------|--|---|
| 84641. | Astashkevich, S.A., and B.P. Lavrov, "Probabilities of Spontaneous ($J^1\Delta_g^-\to B^1\Sigma_u^+$) Transitions in the H_2 Molecule Forbidden in the Adiabatic Approximation," <i>Opt. Spectrosc.</i> , <i>Russia</i> 85, 504-509 (1998). | H₂(J-B) Transition Probabilities |
| 84642. | Bunker, P.R., and R.E. Moss, "Forbidden Electric Dipole Rotation and Rotation-Vibration Transition in H_2^+ ," <i>Chem. Phys. Lett.</i> 316 , 266-270 (2000). | H ₂ +(A,X) State Interactions Einstein A-Factors Lifetimes |
| (84912) | Transition Moments, Two Lowest Singlet States, P.E. Surfaces | H_3^+ |
| 84643. | Akopyan, M.E., T.F. Bachina, N.K. Bibinov, V.V. Grebenev, D.B. Kokh, V.A. Ozolov and A.M. Pravilov, "Dipole Moment of the $(E0_g^+-B0_u^+)$ Transition in an Iodine Molecule," <i>Opt. Spectrosc., Russia</i> 84, 651-655 (1998). | I ₂ (E-B) Dipole Moment Internuclear Separation Dependence Measurements |
| 84644. | Lee, P.C., and J.B. Nee, "Detection of O(1 D) Produced in the Photodissociation of O $_2$. I. Identification of the $^3\Sigma_u^-$ and $^3\Pi_u$ Rydberg States in 113-130 nm," <i>J. Chem. Phys.</i> 112 , 1763-1768 (2000). | O ₂ (F,E-X) 113-130 nm Oscillator Strengths O(¹ D) Product Quantum Yield Dependences |
| | 29. LINESHAPES/STRENGTHS | |
| (84565) | Vibrational Autoionization Linewidths | HCO Rydberg States |
| (84957) | Infrared Intensities, Structural Calculations, Geometries, Frequencies | FeH ₃ ,ScH ₃ TiH ₃ ,VH ₃ |
| (84906) | Predissociation Linewidths, P.E. Curves, Rydberg States, Calculations | $HCI(D^1\Pi,d^3\Pi)$ $DCI(D^1\Pi,d^3\Pi)$ |
| 84645. | Astashkevich, S.A., M.V. Kalachev and B.P. Lavrov, "Observation of Perturbations in the Probabilities of the $(GK^1\Sigma_g^+\to B^1\Sigma_u^+)$ Spontaneous Transitions of the H_2 Molecule: Rotational Branching Ratios," <i>Opt. Spectrosc., Russia</i> 87, 212-218 (1999). | H ₂ (GK-B) Linestrength Ratios Measurements Perturbations |
| (84599) | Linestrengths, Absorption Cross Sections, Spectral Constants | NO(C-X),(1,0) |

(84966) Infrared Intensities, Structural Calculations, Isomers, Geometries, N_2O_4

Frequencies, Dipole Moments

84646. Baba, M., T. Kokita, S. Kasahara and H. Kato, "Variation of the Linewidth of the (A0+ \leftarrow X¹ Σ +) Transition of NaI," *J. Chem. Phys.* 111, 9574-9576 (1999).

NaI(A-X) Excitation J Dependent Linewidths Predissociation

(84318) Rotational Lineshapes, Diode Laser, Temperatures

 $O_2(b-X),(0,0)$

84647. Franzke, J., H.D. Wizemann, K. Niemax and C. Vadla, "Impact Broadening and Shift Rates for the (6p² ³P¬→7s³P¬°) Transitions of Lead Induced by Collisions with Argon and Helium," *Eur. Phys. J. D* 8, 23-28 (2000).

Pb(7³P_{1,0}-6³P_{2,1}) Absorption Broadening Coefficients

30. ANALYSIS/MONITORING TECHNIQUES

84648. Kohse-Hoinghaus, K., "Laser and Probe Diagnostics in Fundamental Combustion Research," *Isr. J. Chem.* **39**, 25-39 (1999).

Laser Diagnostics Combustion Applications Review

84649. Ebert, V., C. Schulz, H.-R. Volpp, J. Wolfrum and P. Monkhouse, "Laser Diagnostics of Combustion Processes: From Chemical Dynamics to Technical Devices," *Isr. J. Chem.* 39, 1-24 (1999).

Laser Diagnostics
Catalytic
Combustion
Engines
T,NO,Alkalis
Incineration
Review

84650. Hunter, A.J.R., J.R. Morency, C.L. Senior, S.J. Davis and M.E. Fraser, "Continuous Emissions Monitoring Using Spark Induced Breakdown Spectroscopy," *J. Air Waste Manage. Assoc.* **50**, 111-117 (2000).

Spark Induced Breakdown Spectra Metal/Aerosols Atomic Analysis Monitoring

(84722) Photoionization Monitor

CH₂OH

84651. Li, J., V.M. Bierbaum and S.R. Leone, "Laser Ionization Time-of-Flight Mass Spectrometer Detection of Methyl Radical Produced by Ion-Molecule Reactions in a Flowing-Afterglow Apparatus," *Chem. Phys. Lett.* 313, 76-84 (1999).

Laser Ionization

Monitor CO⁺+CH₄ N₂O⁺+CH₄

CH₃

84652. Popp, P.J., G.A. Bishop and D.H. Stedman, "Development of a High Speed Ultraviolet Spectrometer for Remote Sensing of Mobile Source Nitric Oxide Emissions," *J. Air Waste Manage. Assoc.* 49, 1463-1468 (1999).

NDUV Absorption NO Monitor Automobile Monitoring

| 846! | 3. Booth, J.P., G. Cunge, L. Biennier, D. Romanini and A. Kachanov, "Ultraviolet Cavity Ringdown Spectroscopy of Free Radicals in Etching Plasmas," <i>Chem. Phys. Lett.</i> 317 , 631-636 (2000). | UV Absorption Cavity Ringdown AIF,CF CF ₂ ,SiF ₂ Monitor |
|-------|---|---|
| 846! | 54. Derzy, I., V.A. Lozovsky and S. Cheskis, "CH, NH and NH ₂ Concentration Profiles in Methane/Air Flames Doped with N ₂ O," <i>Isr. J. Chem.</i> 39 , 49-54 (1999). | Absorption Laser Intracavity Cavity Ringdown CH,NH,NH ₂ Monitors CH ₄ /O ₂ /N ₂ |
| (846 | 3) Intracavity Absorption, CH ₄ /Air Flame Profile | ¹ CH ₂ |
| 846! | 55. Hippler, M., and M. Quack, "cw Cavity Ringdown Infrared Absorption Spectroscopy in Pulsed Supersonic Jets: Nitrous Oxide and Methane," <i>Chem. Phys. Lett.</i> 314 , 273-281 (1999). | Absorption Cavity Ringdown CH ₄ (\mathbf{v}_2 +2 \mathbf{v}_3) N ₂ O(\mathbf{v}_1 +3 \mathbf{v}_3) Supersonic Jet Monitor |
| (845) | 3) Absorption, Cavity Ringdown Monitor | C_2H_3 |
| (847 | 7) Cavity Ringdown Absorption Monitor | C_6H_5 |
| 846 | 66. King, M.D., E.M. Dick and W.R. Simpson, "A New Method for the Atmospheric Detection of the Nitrate Radical, NO ₃ ," <i>Atm. Environ.</i> 34 , 685-688 (2000). | Absorption Cavity Ringdown NO ₃ Monitor Sensitivity |
| (846 | Species Profiles, CH ₄ , H ₂ Flames, Flame Speciation | LIF,AS |
| 846 | 57. Crosley, D.R., J.B. Jeffries and G.P. Smith," Absolute Concentration Measurements of Chemically-Important Flame Radicals," <i>Isr. J. Chem.</i> 39, 41-48 (1999). | LIF CH,HCO,NO,OH CH ₄ /O ₂ /N ₂ GRI-Mech Kinetic Model Validation |
| 846! | 8. McIlroy, A., "Laser Studies of Small Radicals in Rich Methane Flames: OH, HCO and ¹ CH ₂ ," <i>Isr. J. Chem.</i> 39 , 55-62 (1999). | Cavity Ringdown Monitors ¹ CH ₂ ,HCO,OH Rich CH ₄ Flames Kinetic Model |

Adequacies

84659. Zobnin, A.V., A.P. Nefedov, V.A. Sinel'shchikov and A.D. Usachev, "Role of Photochemical Processes in the Use of Laser Induced Fluorescence at 230.1 nm for the Diagnostics of Hydrocarbon Flames," Opt. Spectrosc., Russia 87, 23-28 (1999).

CO 230.1 nm Perturbing Effects $CO_2(v)$ Absorptions

LIF

84660. Tong, X., R.B. Barat and A.T. Poulos, "Detection of Mercuric Bromide in a Gas Phase Flow Cell by Laser Photofragment Fluorescence Spectroscopy," Environ. Sci. Technol. 33, 3260-3263 (1999).

Photofragment Fluorescence HaBr₂ Real-time Monitor Ha(253.7 nm)Detection

31. FLAME CONCENTRATION MEASUREMENTS

(See also Section 34 for Flame Species Profiles)

84661. Zhang, Y., Y. Yoon, P.B. Kelly and I.M. Kennedy, "LIF Measurements of Atomic Arsenic in Hydrogen and Methane Diffusion Flames," Symp. (Int.) Combust. Proc. 27, 1777-1783 (1998).

Flame Speciation CH₄,H₂ Flames LIF Monitor Atomic Profiles

84662. Berg, P.A., D.A. Hill, A.R. Noble, G.P. Smith, J.B. Jeffries and D.R. Crosley, "Absolute CH Concentration Measurements in Low Pressure Methane Flames: Comparisons with Model Results," Combust. Flame 121, 223-235 (2000).

CH Flame Profiles LIF, Rayleigh $CH_4/O_2/N_2$ Flames

84663. Derzy, I., V.A. Lozovsky and S. Cheskis, "Absorption Cross Sections and Absolute Concentration of Singlet Methylene in Methane/Air Flames," Chem. Phys. Lett. 313, 121-128 (1999).

¹CH₂ Flame Profiles Intracavity Absorption CH₄/Air

84664. Yu, S., A.D. Jones, D.P.Y. Chang, P.B. Kelly and I.M. Kennedy, "The Transformation of Chromium in a Laminar Premixed Hydrogen/Air Flame," Symp. (Int.) Combust. Proc. 27, 1639-1645 (1998).

Cr Flame Speciation H₂/Air Probe Sampling Kinetic Model

32. MAPPING/TOMOGRAPHIC METHODS

(84279) Spray Flame Visualization, CH*, OH* Spectral Emission, Cluster Disappearance

Laser Tomography

(84432) 2-D Mapping, I.C. Engine, DI Gasoline

LIF, (CH₃)₂CO Tracer

(84445) In-Cylinder Planar Measurements, I.C. Engine, Equivalence Ratio Effects PLIF, NO

33. OPTOGALVANIC/OPTOACOUSTIC METHODS

34. FLAME KINETIC MODELING

| 84665. | Held, T.J., and F.L. Dryer, "A Comprehensive Mechanism for Methanol Oxidation," <i>Int. J. Chem. Kinet.</i> 30 , 805-830 (1998). | Kinetic Modeling CH ₃ OH/O ₂ Comprehensive Mechanism Various Data Sets |
|---------|--|--|
| 84666. | Blasco, J.A., N. Fueyo, J.C. Larroya, C. Dopazo and YJ. Chen, "A Single-Step Time-Integrator of a Methane/Air Chemical System Using Artificial Neural Networks," <i>Comput. Chem. Eng.</i> 23, 1127-1133 (1999). | Kinetic Modeling CH₄/Air Reduced Scheme Artificial Neural Networks |
| (84357) | Reduced Kinetic Models, Ramjet Combustion | CH ₄ ,H ₂ /O ₂ |
| (84658) | $^{1}\mathrm{CH_{2}}$, HCO, OH Species Profiles, LIF and Cavity Ringdown Monitoring, Kinetic Model Adequacies | Rich CH ₄ Flames |
| 84667. | Al-Farayedhi, A.A., M.A. Antar and A. Khan, "Effect of the Equivalence Ratio on the Concentration of $CH_4/NO_2/O_2$ Combustion Products," <i>Int. J. Energy Res.</i> 23 , 1165-1175 (1999). | Kinetic Modeling CH ₄ /NO ₂ /O ₂ Species Profiles Data Comparisons |
| (84511) | NO Formation, Simplified Kinetic Model, Adequacies | CH ₄ /Air |
| (84657) | CH, HCO, NO, OH Species Profiles, LIF Monitor, GRI-Mech Kinetic Model Adequacies | $CH_4/O_2/N_2$ |
| (84654) | CH, NH, $\mathrm{NH_2}$ Species Profiles, Cavity Ringdown Monitor, GRI-Mech Kinetic Model Adequacies | $CH_4/O_2/N_2$ |
| 84668. | Crunelle, B., A. Turbiez and JF. Pauwels, "Chemical Structure of Methane and Ethane Flames," <i>J. de Chim. Phys.</i> 96 1146-1171 (1999). | Kinetic Modeling CH ₄ /O ₂ /Ar C ₂ H ₆ /O ₂ /Ar Species Profiles Measurements |
| 84669. | Fournet, R., J.C. Bauge and F. Battin-Leclerc, "Experimental and Modeling of Oxidation of Acetylene, Propyne, Allene and 1,3-Butadiene," <i>Int. J. Chem. Kinet.</i> 31 , 361-379 (1999). | Kinetic Modeling $C_2H_2/O_2/Ar$ $C_3H_4/O_2/Ar$ $C_4H_6/O_2/Ar$ |

Shock Tube Ignition Delays 84670. Marinov, N.M., "A Detailed Chemical Kinetic Model for High Kinetic Modeling Temperature Ethanol Oxidation," Int. J. Chem. Kinet. 31, 183-220 (1999). C_2H_5OH/O_2 Data Set Fitting C_2H_5OH+M Rate Constants 84671. D'Anna, A., A. Violi and A. D'Alessio, "Modeling the Rich Combustion of Kinetic Modeling Aliphatic Hydrocarbons," Combust. Flame 121, 418-429 (2000). Rich Aliphatic Flames C_6H_6 , PAH Formation Profiles 84672. Bauge, J.C., F. Battin-Leclerc and F. Baronnet, "Experimental and Kinetic Modeling Modeling Study of the Oxidation of Isobutene," Int. J. Chem. Kinet. 30, *i*-C₄H₈/O₂ 629-640 (1998). Stirred Reactor $i-C_4H_8/O_2/Ar$ Shock Tube Ignition Delays Mechanism 84673. Glaude, P.A., V. Warth, R. Fournet, F. Battin-Leclerc, G. Scacchi and Kinetic Modeling G.M. Come, "Modeling of the Oxidation of *n*-Octane and *n*-Decane Using $n-C_8H_{18}/O_2$ an Automatic Generation of Mechanisms," Int. J. Chem. Kinet. 30, 949 $n-C_{10}H_{22}/O_2$ 959 (1998). Software Generated Mechanism Data Comparisons 84674. Tonse, S.R., N.W. Moriarty, N.J. Brown and M. Frenklach, "PRISM: Kinetic Modeling Piecewise Reusable Implementation of Solution Mapping: An Economical $H_2/Air/N_2$ Strategy for Chemical Kinetics," Isr. J. Chem. 39, 97-106 (1999). Hypercube Piecemeal Solving Method 84675. Mueller, M.A., T.J. Kim, R.A. Yetter and F.L. Dryer, "Flow Reactor Kinetic Modeling Studies and Kinetic Modeling of the H₂/O₂ Reaction," Int. J. Chem. Kinet. H_{2}/O_{2} **31**, 113-125 (1999). T,H₂,O₂,H₂O Species Profiles Flow Reactor

84676. Mueller, M.A., R.A. Yetter and F.L. Dryer, "Flow Reactor Studies and

J. Chem. Kinet. 31, 705-724 (1999).

Kinetic Modeling of the $H_2/O_2/NO_x$ and $CO/H_2O/O_2/NO_x$ Reactions," Int.

Kinetic Modeling

CO/H₂O/O₂(NO,NO₂)

 $H_2/O_2(NO_1NO_2)$

Flow Reactor Species Profiles Adequacies

35. PYROLYSIS KINETICS/STUDIES

(See also Section 4 for Coal Pyrolysis)

| | (====================================== | |
|---------|--|--|
| 84677. | Gupta, A.K., and P. Muller, "Pyrolysis of Paper and Cardboard in Inert and Oxidative Environments," Presented Originally as AIAA Paper 98-0264 at the 36th AIAA Aerospace Sciences Meeting, Held in Reno NV, January 1998, J. Propulsion Power 15, 187-194 (1999). | Pyrolysis Paper,Cardboard Thermogravimetric Analysis Kinetics Char Yields |
| (84486) | Pyrolysis, Destructive Efficiencies, Products | CBrF ₃ /H ₂ |
| (84534) | Soot Formation, Kinetic Model Adequacies | Pyrolysis Hydrocarbons |
| 84678. | Zhang, YX., and S.H. Bauer, "Gas Phase Decomposition Mechanisms of C-NO $_2$, N-NO $_2$ Energetic Materials: Reevaluations," <i>Int. J. Chem. Kinet.</i> 31, 655-673 (1999). | Pyrolysis CH ₃ NO ₂ ,CH ₃ ONO (CH ₃) ₂ NNH ₂ ,TNAZ Fragmentation Mechanisms |
| 84679. | Salouhi, M., P.M. Marquaire and G.M. Come, "Pyrolysis of 1,2-Dichloroethane at About 500 °C," <i>J. de Chim. Phys.</i> 96 , 797-809 (1999). | Pyrolysis $C_2H_4Cl_2$ Stirred Reactor Homogeneous/ Heterogeneous Mechanism |
| 84680. | Zhang, YX., and S.H. Bauer, "The Gas Phase Pyrolysis of 2,2-Dinitropropane: Shock Tube Kinetics," <i>J. Phys. Chem. A. Mol., Spectrosc., Kinetics</i> 104 , 1217-1225 (2000). | Pyrolysis C ₃ H ₆ (NO ₂) ₂ /Ar Rate Constants T Dependence Kinetic Model Shock Tube Products |
| 84681. | Zhang, YX., and S.H. Bauer, "Gas Phase Pyrolyses of 2-Nitropropane and 2-Nitropropanol: Shock Tube Kinetics," <i>J. Phys. Chem. A. Mol., Spectrosc., Kinetics</i> 104 , 1207-1216 (2000). | Pyrolysis $C_3H_7NO_2/Ar$ $i-C_3H_6(OH)NO_2/Ar$ Rate Constants Shock Tube |
| 84682. | Zils, R., D. Perrin and R. Martin, "Kinetic Study and Modeling of the Hetero-, Homogeneous Pyrolysis and Oxidation of Isobutane Around 800 K. III. Pyrolysis-Oxidation in Unpacked and in PbO Coated Packed Pyrex Reactors," <i>Int. J. Chem. Kinet.</i> 30 , 657-671 (1998). | Pyrolysis $i-C_4H_{10}$ $i-C_4H_{10}/O_2$ Mechanisms |

Modeling

84683. Brioukov, M.G., J. Park and M.C. Lin, "Kinetic Modeling of Benzene Decomposition Near 1000 K: The Effects of Toluene Impurity," *Int. J. Chem. Kinet.* 31, 577-582 (1999).

Pyrolysis
C₆H₆
Kinetic Modeling
C₆H₅CH₃ Impurity
Effects

84684. Chuchani, G., and R.M. Dominguez, "Kinetics of the Gas Phase Elimination of α -Bromophenylacetic Acid under Maximum Inhibition," *Int. J. Chem. Kinet.* 31, 725-728 (1999).

Pyrolysis C₆H₅CH₂BrCOOH Elimination Mechanism Products

(84550) Pyrolysis, C_n Nanotubes Formation

Fe(CO)₅/CO

(84537) Pyrolysis, PbO Particle Formation

Pb(NO₃)₂ Spray

(84536) Pyrolysis, Product Particle Formation, PbO, Ni(OH)₂

Pb(NO₃)₂ Droplets Ni(NO₃)₂ Droplets

36. KINETIC MODELING/SENSITIVITIES/RATE CONSTANTS

(See also Section 15 for Ion Reaction Rate Constants, Section 27 for Excited State Rate Constants, Section 35 for Pyrolysis Rate Constants, Section 39 for Unimolecular Rate Constants, Section 40 for Theoretically Calculated Values and Section 45 for Energy Relaxation Rate Constants)

(84763) Infrared Chemiluminescence Measuring Method, Reaction Products, Sensitivities, Review

Rate Constants

84685. Bedjanian, Y., G. Poulet and G. Le Bras, "Low-Pressure Study of the Reactions of Br Atoms with Alkenes. III. Reactions with 2-Methyl-2-butene, 2,3-Dimethyl-2-butene, and 1-Hexene," *J. Phys. Chem. A. Mol., Spectrosc., Kinetics* 104, 577-583 (2000).

 $Br + C_5H_{10}$ $Br + C_6H_{12}$ Rate Constants T Dependences $\Delta H_f(C_5H_{10}Br, C_6H_{12}Br)$

84686. Bedjanian, Y., G. Le Bras and G. Poulet, "Kinetic Study of the Reactions $Br+IBr\rightarrow I+Br_2$ and $I+Br_2\rightarrow Br+IBr$," *Int. J. Chem. Kinet.* 30, 933-940 (1998).

Br+IBr $I+Br_2$ Rate Constants $\Delta H_{Reaction}$, $\Delta H_f(IBr)$

84687. Bedjanian, Y., G. Le Bras and G. Poulet, "Kinetic Study of the Reactions of Br₂ with OH and OD," *Int. J. Chem. Kinet.* **31**, 698-704 (1999).

Br₂+OH Br₂+OD Rate Consta

Rate Constants T Dependences Channels

84688. Smith, S.R., and B.E. Holmes, "Substituent Effects on the Disproportionation-Combination Rate Constant Ratios for Gas Phase Halocarbon Radicals. IV. Reactions of $CF_3+CF_3CH_2CF_2$ and $CF_3CH_2CF_2+CF_3CH_2CF_2$," Int. J. Chem. Kinet. 31, 237-243 (1999).

CF₃+CF₃CH₂CF₂ CF₃CH₂CF₂+CF₃CH₂CF₂ Rate Constant Ratios 84689. Biggs, P., C.E. Canosa-Mas, C.J. Percival, D.E. Shallcross and R.P. Wayne, "A Study of the Self Reaction of CH_2CIO_2 and $CHCI_2O_2$ Radicals at 298 K," *Int. J. Chem. Kinet.* **31**, 433-444 (1999).

CHCl₂O₂+CHCl₂O₂ CH₂CIO₂+CH₂CIO₂ CH₃O₂+CH₃O₂ Rate Constants

84690. Glarborg, P., A.B. Bendtsen and J.A. Miller, "Nitromethane Dissociation: Implications for the CH₃+NO₂ Reaction," *Int. J. Chem. Kinet.* **31**, 591-602 (1999).

CH₃+NO₂ Rate Constant S₂₉₈(CH₃NO₂) Assessments

84691. Wallington, T.J., O.J. Nielsen and K. Sehested, "Kinetics of the Reaction of CH₃O₂ Radicals with NO₂," *Chem. Phys. Lett.* **313**, 456-460 (1999).

CH₃O₂+NO₂(+M) Rate Constants Fall-off Parameters

84692. Sokolov, O., M.D. Hurley, J.C. Ball, T.J. Wallington, W. Nelson, I. Barnes and K.H. Becker, "Kinetics of the Reactions of Chlorine Atoms with CH₃ONO and CH₃ONO₂," *Int. J. Chem. Kinet.* **31**, 357-359 (1999).

CH₃ONO+Cl CH₃ONO₂+Cl Rate Constants

84693. Kukui, A., V. Bossoutrot, G. Laverdet and G. Le Bras, "Mechanism of the Reaction of CH_3SO with NO_2 in Relation to Atmospheric Oxidation of Dimethyl Sulfide: Experimental and Theoretical Study," *J. Phys. Chem. A. Mol., Spectrosc., Kinetics* **104**, 935-946 (2000).

 $CH_3SO + NO_2$ $CH_3SO_2 \rightarrow$ Rate Constants Mechanisms

84694. Ochimizu, T., K. Seki, M. Yagi, J.B. Halpern and H. Okabe, "Rate Constants for the Reactions of CN with C_6 - C_8 Unsaturated Hydrocarbons: The Relations between the Reaction Rates and the Molecular Lengths," *Chem. Phys. Lett.* **313**, 451-455 (1999).

 $CN + C_6H_8$ $CN + C_8H_{10}$ Rate Constants Measurements

84695. Kruse, T., and P. Roth, "High Temperature Reaction of C_2 with NO Including Product Channel Measurements," *Int. J. Chem. Kinet.* **31**, 11-21 (1999).

C₂+NO Rate Constants T Dependence Product Channels Branching Ratios

84696. Teruel, M.A., R.A. Taccone and S.I. Lane, "Discharge Flow-Chemiluminescence Study of the Rate Coefficients for $O(^3P) + CF_2 = CCI_2$ and $O(^3P) + CF_3CF = CF_2$ Reactions at 298 K," *Int. J. Chem. Kinet.* 31, 867-872 (1999).

 CF_2CCI_2+O C_3F_6+O Rate Constants

84697. Wallington, T.J., and E.W. Kaiser, "Comment on The Fluorine Atom Initiated Oxidation of CF₃CFH₂(HFC-134a) Studied by FTIR Spectroscopy by A.S. Hasson, et al.," *Int. J. Chem. Kinet.* **31**, 397-398 (1999).

CF₃CFHO+O₂ CF₃CFHO+M Rate Constants Comments

84698. Hasson, A.S., C.M. Moore and I.W.M. Smith, "Response to a Comment by T.J. Wallington and E.W. Kaiser on The Fluorine Atom Initiated Oxidation of CF₃CFH₂(HFC-134a) Studied by FTIR Spectroscopy by A.S. Hasson, et al.," *Int. J. Chem. Kinet.* **31**, 399-400 (1999).

Reply

84699. Rim, K.T., and J.F. Hershberger, "Product Branching Ratio of the HCCO+NO HCCO+NO Reaction," J. Phys. Chem. A. Mol., Spectrosc., Kinetics 104, Channels Branching Ratios 293-296 (2000). $CH_2CO + hv(193 nm)$ Quantum Yields 84700. Sehested, J., L.K. Christensen, O.J. Nielsen and T.J. Wallington, CH₃CHO+F "Absolute Rate Constants for F+CH3CHO and CH3CO+O2, Relative Rate Rate Constant Study of CH₃CO+NO, and the Production Distribution of the Product Yields F+CH₃CHO Reaction," Int. J. Chem. Kinet. 30, 913-921 (1998). CH₃CO,CH₂CHO $CH_3CO + NO_1O_2$ Rate Constants 84701. Fittschen, C., A. Frenzel, K. Imrik and P. Devolder, "Rate Constants for $C_2H_5O + NO_1O_2$ the Reactions of C_2H_5O , i- C_3H_7O , and n- C_3H_7O with NO and O_2 as a $C_3H_7O + NO_1O_2$ Function of Temperature," Int. J. Chem. Kinet. 31, 860-866 (1999). Rate Constants T Dependences (84670) Rate Constants, C₂H₅OH/O₂ Constant Volume Bomb and Counterflow C_2H_5OH+M Twin Flame Data, Kinetic Modeling Fit 84702. Alzueta, M.U., J. Muro, R. Bilbao and P. Glarborg, "Oxidation of Kinetic Modeling Dimethyl Ether and Its Interaction with Nitrogen Oxides," Isr. J. Chem. $(CH_3)_2O/O_2$ 39, 73-86 (1999). Flow Reactor NO, NO₂ Additive Effects $(CH_3)_2S+Br$ 84703. Maurer, T., I. Barnes and K.H. Becker, "FTIR Kinetic and Product Study of the Br-Initiated Oxidation of Dimethyl Sulfide," Int. J. Chem. Kinet. Rate Constant **31**, 883-893 (1999). Major Sulfur Products 84704. Tokuhashi, K., A. Takahashi, M. Kaise, S. Kondo, A. Sekiya, S. $C_2F_5OCH_3 + OH$ Yamashita and H. Ito, "Rate Constants for the Reactions of OH Radicals $C_3F_7OCH_3+OH$ with CH₃OCF₂CF₃, CH₃OCF₂CF₂CF₃ and CH₃OCF(CF₃)₂," Int. J. Chem. Rate Constants Kinet. 31, 846-853 (1999). T Dependences 84705. Atkinson, D.B., and J.W. Hudgens, "Chlorination Chemistry. II. Rate $C_3H_4 + CI(+M)$ Coefficients, Reaction Mechanism and Spectrum of the Chlorine Adduct $C_3H_4CI+C_3H_4CI$ of Allene," J. Phys. Chem. A. Mol., Spectrosc., Kinetics 104, 811-818 (2000). $C_3H_4CI+O_2$ Rate Constants

84706. Roden, P.J., M.S. Stark and D.J. Waddington, "The Reaction of Acrolein with Acetylperoxyl Radicals in the Gas Phase," *Int. J. Chem. Kinet.* **31**, 277-282 (1999).

C₂H₃CHO+CH₃C(O)O₂ Rate Constant

C₃H₄CI C₃H₄CIO₂ Absorption Cross Sections 84707. Tokuhashi, K., A. Takahashi, M. Kaise, S. Kondo, A. Sekiya, S. Yamashita and H. Ito, "Rate Constants for the Reactions of OH Radicals with CH₃OCF₂CHF₂, CHF₂OCH₂CF₂CHF₂, CHF₂OCH₂CF₂CF₃ and CF₃CH₂OCF₂CHF₂ over the Temperature Range 250-430 K," *J. Phys. Chem. A. Mol., Spectrosc., Kinetics* 104, 1165-1170 (2000).

CH₃OC₂HF₄+OH CHF₂OC₃H₃F₄+OH CHF₂OC₃H₂F₅+OH CF₃CH₂OC₂HF₄+OH Rate Constants T Dependences

84708. Froyd, K.D., and E.R. Lovejoy, "Direct Measurement of the $C_2H_5C(O)O_2+NO$ Reaction Rate Coefficient Using Chemical Ionization Mass Spectrometry," *Int. J. Chem. Kinet.* **31**, 221-228 (1999).

C₂H₅C(O)O₂+NO Rate Constants T Dependence Measurements

84709. Meinike, T., L. Engelmann, M. Olzmann and K. Scherzer, "Rate Coefficients for the Reactions of Hydrogen Atoms with 1-Bromopropane, 2-Bromopropane, 1-Bromobutane and 2-Bromobutane," *Int. J. Chem. Kinet.* 30, 721-727 (1998).

 C_3H_7Br+H C_4H_9Br+H Rate Constants

84710. Thuner, L.P., I. Barnes, T. Maurer, C.G. Sauer and K.H. Becker, "Kinetic Study of the Reaction of OH with a Series of Acetals at 298(±4) K," *Int. J. Chem. Kinet.* 31, 797-803 (1999).

 $CH_2(OR)_2 + OH$ $R = C_1 - C_4$ Alkyl Rate Constants

84711. Kramp, F., and S.E. Paulson, "The Gas Phase Reaction of Ozone with 1,3-Butadiene: Formation Yields of Some Toxic Products," *Atm. Environ.* 34, 35-43 (2000).

 $C_4H_6+O_3$ Organics,OH Product Yields $C_4H_6O+O_3$ Rate Constant

84712. Stevens, P., D. L'Esperance, B. Chuong and G. Martin, "Measurements of the Kinetics of the OH Initiated Oxidation of Isoprene: Radical Propagation in the OH+Isoprene+ O_2 +NO Reaction System," *Int. J. Chem. Kinet.* 31, 637-643 (1999).

 C_5H_8+OH Rate Constant $C_5H_8/OH/NO/O_2$ Mechanism

84713. Wyatt, S.E., J.S. Baxley and J.R. Wells, "The Hydroxyl Radical Reaction Rate Constant and Products of Methyl Isobutyrate," *Int. J. Chem. Kinet.* 31, 551-557 (1999).

C₃H₇COOCH₃+OH Rate Constant Product Yields

84714. Boyd, A.A., E. Villenave and R. Lesclaux, "Structure-Reactivity Relationships for the Self-Reactions of Linear Secondary Alkylperoxy Radicals: An Experimental Investigation," *Int. J. Chem. Kinet.* **31**, 37-46 (1999).

 $C_5H_{11}O_2+C_5H_{11}O_2$ $C_{10}H_{21}O_2+C_{10}H_{21}O_2$ Rate Constants UV Absorption Spectra

84715. Markgraf, S.J., J. Semples and J.R. Wells, "The Hydroxyl Radical Reaction Rate Constant and Atmospheric Transformation Products of 2-Propoxyethanol," *Int. J. Chem. Kinet.* **31**, 315-322 (1999).

C₃H₇OC₂H₄OH+OH Rate Constant Product Yields Atmospheric Lifetime

84716. Nam, G.-J., W. Xia, J. Park and M.C. Lin, "The Reaction of C_6H_5 with CO: Kinetic Measurement and Theoretical Correlation with the Reverse Process," *J. Phys. Chem. A. Mol., Spectrosc., Kinetics* **104**, 1233-1239 (2000).

 $C_6H_5+CO+Ar$ Rate Constants RRKM Analysis $\Delta H_f(C_6H_5CO)$ 84717. Park, J., S.I. Gheyas and M.C. Lin, "Kinetics of C₆H₅ Radical Reactions $C_6H_5 + t - C_4H_{10}$ with 2-Methylpropane, 2,3-Dimethylbutane and 2,3,4-Trimethylpentane," $C_6H_5 + ((CH_3)_2CH)_2$ Int. J. Chem. Kinet. 31, 645-653 (1999). $C_6H_5 + ((CH_3)_2CH)_2CH(CH_3)$ Rate Constants Cavity Ringdown Absorption 84718. Tao, Z., and Z. Li, "A Kinetics Study on Reactions of C_6H_5O with C_6H_5O $C_6H_5O + C_6H_5O$ and O₃ at 298 K," Int. J. Chem. Kinet. 31, 65-72 (1999). $C_6H_5O + O_3$ Rate Constants Products 84719. Harry, C., J. Arey and R. Atkinson, "Rate Constants for the Reactions of $(C_3H_7)_2O + CI_1OH$ OH Radicals and CI Atoms with Di-n-Propyl Ether and Di-n-Butyl Ether $(C_4H_9)_2O + CI_1OH$ and Their Deuterated Analogs," Int. J. Chem. Kinet. 31, 425-431 (1999). D-Analogs Rate Constants Measurements 84720. Klotz, B., I. Barnes, B.T. Golding and K.-H. Becker, "Atmospheric $C-C_6H_5O(CH_3)+M$ Chemistry of Toluene-1,2-oxide/2-methyloxepin," Phys. Chem. Chem. $M = OH, NO_3, hv$ Phys. 2, 227-235 (2000). Rate Constants Isomers 84721. Orlando, J.J., "Temperature Dependence of the Rate Coefficients for the CI+CH₃CI Reaction of Chlorine Atoms with Chloromethanes," Int. J. Chem. Kinet. CI+CH₂CI₂,CHCI₃ 31, 515-524 (1999). CI+HCOCI Rate Constants T Dependences CH₂CI₂/O₂ Oxidation Mechanism 84722. Ahmed, M., D.S. Peterka and A.G. Suits, "H Absorption Dynamics by CI+CH₃OH Crossed Beam Velocity Map Imaging: CI+CH₃OH→CH₂OH+HCI," Chem. Cross Sections Phys. Lett. 317, 264-268 (2000). CH₂OH Product Photoionization Monitor 84723. Tyndall, G.S., J.J. Orlando, C.S. Kegley-Owen, T.J. Wallington and M.D. CI+CH₃OH,CH₂OH Hurley, "Rate Coefficients for the Reactions of Chlorine Atoms with CI+CH₃CHO,CH₃CO Methanol and Acetaldehyde," Int. J. Chem. Kinet. 31, 776-784 (1999). $CH_3CO + O_2$ Rate Constants 84724. Mauer, T., T.J. Wallington, I. Barnes and K.H. Becker, "Kinetics of the CI+CF2CICHFCI Gas Phase Reaction of CI Atoms with CF2CICFCIH at 263-313 K," Int. J. Rate Constants

Chem. Kinet. 31, 785-788 (1999).

T Dependence

| 84725. | Kegley-Owen, C.S., G.S. Tyndall, J.J. Orlando and A. Fried, "Tunable Diode Laser Studies of the Reaction of CI Atoms with CH ₃ CHO," <i>Int. J. Chem. Kinet.</i> 31 , 766-775 (1999). | CI+CH ₃ CHO Rate Constant HCI(v) Product Distributions HCI(v=1)+CH ₃ CHO Quenching Rate Constant |
|---------|---|---|
| 84726. | Christensen, L.K., J.C. Ball and T.J. Wallington, "Atmospheric Oxidation Mechanism of Methyl Acetate," <i>J. Phys. Chem. A. Mol., Spectrosc., Kinetics</i> 104 , 345-351 (2000). | CI+CH ₃ COOCH ₃ CI+CH ₃ COCH ₃ CI+CH ₃ COOCHO CI+CICH ₂ COOCH ₃ Rate Constants Channels |
| 84727. | Kandel, S.A., A.J. Alexander, Z.H. Kim, R.N. Zare, F.J. Aoiz, L. Banares, J.F. Castillo and V.S. Rabanos, "CI+HD(v=1;J=1,2) Reaction Dynamics: Comparison between Theory and Experiment," <i>J. Chem. Phys.</i> 112 , 670-685 (2000). | CI+HD(v=1,J=1,2) Cross Sections Products Data/Theory Comparisons |
| 84728. | Nickolaisen, S.L., C.M. Roehl, L.K. Blakeley, R.R. Friedl, J.S. Francisco, R. Liu and S.P. Sander," <i>J. Phys. Chem. A. Mol., Spectrosc., Kinetics</i> 104, 308-319 (2000). | CIO+HO ₂ Rate Constants T Dependence Measurements Calculations |
| 84729. | Dobis, O., and S.W. Benson, "Kinetic Study of the Reaction of Hydrogen Atoms with Molecular Chlorine at Millitorr Pressures," <i>J. Phys. Chem. A. Mol., Spectrosc., Kinetics</i> 104 , 777-782 (2000). | H+Cl ₂ Rate Constants T Dependence |
| 84730. | Wingen, L.M., W.S. Barney, M.J. Lakin, T. Brauers and B.J. Finlayson-Pitts, "A Unique Method for Laboratory Quantification of Gaseous Nitrous Acid (HONO) Using the Reaction HONO+HCl→CINO+H₂O," <i>J. Phys. Chem. A. Mol., Spectrosc., Kinetics</i> 104, 329-335 (2000). | HONO+HCI Rate Constant HONO Calibration Method Conversion/NOCI Monitoring |
| 84731. | Wallington, T.J., K.W. Jucks and G.S. Tyndall, "Upper Limits for the Gas Phase Reaction of H_2O_2 with O_3 and NO: Atmospheric Implications," <i>Int. J. Chem. Kinet.</i> 30 , 707-709 (1998). | H_2O_2+NO $H_2O_2+O_3$ Rate Constants Upper Limits |
| 84732. | Bacchus-Montabonel, M.C., and D. Talbi, "A Theoretical Treatment of the LiH and BeH Formation through Radiative Association," <i>J. Mol. Struct.</i> 463 , 91-97 (1999). | Li+H Be+H Radiative Association Rate Constants Calculations |
| (84473) | Rate Constants, MMT=Methylcyclopentadienyl Manganese Tricarbonyl | $MMT + OH,O_3$ |

84733. Becker, K.H., R. Kurtenbach, F. Schmidt and P. Wiesen, "Kinetics of the $NCO + H_1O_1O_2$ NCO Radical Reacting with Atoms and Selected Molecules," Combust. $NCO + CO_1CO_2 H_2$ Flame 120, 570-577 (2000). Rate Constants Measurements (84519) NH₂+NO Reaction Branching Inclusion, Adequacies DeNO_x Process Kinetic Modeling 84734. Mueller, M.A., J.L. Gatto, R.A. Yetter and F.L. Dryer, $NO_2 + H_2$ "Hydrogen/Nitrogen Dioxide Kinetics: Derived Rate Data for the Rate Constant Reaction $H_2+NO_2=HONO+H$ at 833 K," Combust. Flame 120, 589-594 $H_2/NO_2/N_2$ Flow Reactor (2000).Species Profiles Kinetic Model 84735. Loffler, G., V.J. Wargadalam, F. Winter and H. Hofbauer, Kinetic Modeling "Decomposition of Nitrous Oxide at Medium Temperatures," Combust. $N_2O + M$ $N_{2}O + O_{1}H_{2}OH$ Flame 120, 427-438 (2000). Flow Reactor N_2O/CH_4 , CO_1H_2 Adequacies 84736. Picquet, B., S. Heroux, A. Chebbi, J.-F. Doussin, R. Durand-Jolibois, A. OH + CH₃OH₄C₂H₅OHMonod, H. Loirat and P. Carlier, "Kinetics of the Reactions of OH $OH + t - C_4 H_0 OCH_3$ Radicals with Some Oxygenated Volatile Organic Compounds under OH+CH3COOR Simulated Atmospheric Conditions," Int. J. Chem. Kinet. 30, 839-847 $R = C_2 - C_4$ Alkyls (1998).Rate Constants 84737. Baxley, J.S., and J.R. Wells, "The Hydroxyl Radical Reaction Rate $OH + 2 - C_1H_0OH$ Constant and Atmospheric Transformation Products of 2-Butanol and $OH + 2 - C_5H_{11}OH$ 2-Pentanol," Int. J. Chem. Kinet. 30, 745-752 (1998). Rate Constants 84738. Gilles, M.K., J.B. Burkholder and A.R. Ravishankara, "Rate Coefficients $OH + Cl_2$ for the Reaction of OH with Cl₂, Br₂ and I₂ from 235 to 354 K," Int. J. $OH + Br_2$ Chem. Kinet. 31, 417-424 (1999). $OH + I_2$ Rate Constants T Dependences 84739. Naudet, V., S. Abid and C.E. Paillard, "A High Temperature Chemical $O_2 + Ar$ Kinetics Study of the O₂ Dissociation and the O Atoms Recombination by O+O+Ar

Atomic Resonance Absorption Spectroscopy," J. de Chim. Phys. 96, 1123-

Reactions of Methylvinyl Ketone, Methacrolein, Methacrylic Acid and

84740. Neeb, P., A. Kolloff, S. Koch and G.K. Moortgat, "Rate Constants for the

Acrylic Acid with Ozone," Int. J. Chem. Kinet. 30, 769-776 (1998).

1145 (1999).

Rate Constants

Rate Constants

 $O_3 + CH_3COC_2H_3$

 $O_3 + C_2 H_3 COOH$

 $O_3 + CH_2C(CH_3)CHO$

 $O_3 + CH_2C(CH_3)COOH$

3000-4500 K Shock Tube 84741. Johnson, D., A.R. Rickard, C.D. McGill and G. Marston, "The Influence of Orbital Asymmetry on the Kinetics of the Gas Phase Reactions of Ozone with Unsaturated Compounds," *Phys. Chem. Chem. Phys.* 2, 323-328 (2000).

 $O_3 + RH$ Rate Constants $c - C_n H_{n-1}(CH_2)$ n = 3 - 6 $C_3 H_4 CI(CH_3)$ $C_4 H_5 CI(CH_3)$ Measurements

84742. Kunz, A., and P. Roth, "A Shock Tube Study of the Reaction of Si Atoms with HCI," *Phys. Chem. Chem. Phys.* **2**, 221-226 (2000).

Si+HCl Rate Constants T Dependence Shock Tube Measurements

84743. Becerra, R., and R. Walsh, "The Insertion of Silylene in C-H Bonds; Rate Constant Limits and the Energy Barrier," *Int. J. Chem. Kinet.* **31**, 393-395 (1999).

SiH₂+CH₄ SiH₂+Si(CH₃)₄ Rate Constants Insertion Barriers

84744. Golovitchev, V.I., and C. Bruno, "Numerical Study of the Ignition of Silane/Hydrogen Mixtures," *J. Propulsion Power* **15**, 92-96 (1998).

Kinetic Modeling SiH₄/H₂/O₂ Ignition Improver Data Comparisons

84745. Porembski, M., and J.C. Weisshaar, "Deuterium Isotope Effects on Reaction Rates of Ground State Zr with Ethylene and Propylene," *J. Phys. Chem. A. Mol., Spectrosc., Kinetics* **104**, 1524-1531 (2000).

 $Zr+C_2H_4$, C_2D_4 $Zr+C_3H_6$, C_3D_6 Rate Constants H_2 Elimination

37. PHOTOLYSIS/MPD

(See also Section 38 for Photolytic Product Distributions)

84746. Malvaldi, M., M. Persico and P. Van Leuven, "Infrared Multiphoton Absorption and Electronic Polarizability," *J. Chem. Phys.* **111**, 9560-9567 (1999).

IR MPA
Diatomics
Intense Laser
Field Effects

84747. Kim, J.-H., W.-K. Liu, F.R.W. McCourt and J.-M. Yuan, "Dissociation of Diatomic Molecules by Elliptically Polarized Chirped Pulses," *J. Chem. Phys.* 112, 1757-1762 (2000).

IR MPD
Diatomics
Circularly
Polarized
Chirped Laser
Pulse Effects

84748. Skowronek, S., and A.G. Urena, "Spectroscopy and Dynamics of the Laser Induced Intracluster (Ba··FCH₃)*→BaF*+CH₃ and Ba*+FCH₃ Reaction," *Prog. React. Kinet.* 24, 101-137 (1999).

Ba.FCH₃+h**v** Cluster Spectroscopy Ba*,BaF* Product Channels Dynamics 84749. Bernard, E.J., B.R. Strazisar and H.F. Davis, "Excited State Dynamics of $CH_2N + hv$ H₂CN Radicals," Chem. Phys. Lett. 313, 461-466 (1999). Product H Energies Mechanisms 84750. Sugita, A., M. Mashino, M. Kawasaki, Y. Matsumi, R.J. Gordon and R. $CH_3I + h\nu$ Bersohn, "Control of Photofragment Velocity Anisotropy by Optical Alignment Effects Alignment of CH₃I," J. Chem. Phys. 112, 2164-2167 (2000). Fragment Velocities 84751. Xie, D., H. Guo, Y. Amatatsu and R. Kosloff, "Three-Dimensional $CH_3I + hv$ Photodissociation Dynamics of Rotational State Selected Methyl Iodide," $CD_3I + h\nu$ J. Phys. Chem. A. Mol., Spectrosc., Kinetics 104, 1009-1019 (2000). Photodissociation Dynamics $I(^{2}P_{1/2})$ Yields Calculations 84752. Campos, A., S. Boye, P. Brechignac, S. Douin, C. Fellows, N. Shafizadeh $C_2H_2+h\mathbf{v}$ and D. Gauyacq, "Vacuum-Ultraviolet Photodissociation of C₂H₂ via $C_2H(A-X)$ Rydberg States: A Study of the Fluorescent Pathways," Chem. Phys. Lett. $C_2H_2^+(v_{c-c})$ 314, 91-100 (1999). Assessment (84699) 193 nm Quantum Yields $CH_2CO + hv$ (84781) Photoisomerization Measurements $C_4H_4(CHO)_2 + h\nu$ 84753. Zhu, R., H. Zhang, G.-J. Wang, X. Gu, K.-L. Han, G.-Z. He and N.-Q. $CH_3C_6H_4Br+hv$ Lou, "Photodissociation of o-Bromotoluene at 266 nm," Chem. Phys. Lett. Br Product Energies 313, 98-104 (1999). Channels Mechanism (84552) fs Photoionization, Fragmentation, Mass Analysis $C_{60} + hv$ 84754. Orel, A.E., Y. Zhao and O. Kuhn, "Laser Driven Ground State MPD Photodissociation of HCo(CO)₄: An ab Initio Quantum Molecular CoH(CO)₄ Dynamics Approach," J. Chem. Phys. 112, 94-100 (2000). Dissociation/ IVR Competitive Channels Modes 84755. Rubner, O., T. Baumert, M. Bergt, B. Kiefer, G. Gerber and V. Engel, $Fe(CO)_5 + hv$ "Theoretical Analysis of Femtosecond Excitation and Fragmentation fs Excitation Dynamics of Fe(CO)₅," *Chem. Phys. Lett.* **316**, 585-592 (2000). Fragments Energies Model

84756. Lee, S., and K.-H. Jung, "Effects of Asymptotic Interactions on the Photodissociation of HCI," *J. Chem. Phys.* **112**, 2810-2814 (2000).

HCI+hv CI(²P_{1/2,3/2}) Product Branching Ratios Dependences State Interaction Effects 84757. Klossika, J.-J., H. Flothmann, R. Schinke and M. Bittererova, "On the $(S_1 \rightarrow S_0)$ Internal Conversion in the Photodissociation of HNCO," *Chem. Phys. Lett.* 314, 182-188 (1999).

HNCO + hvP.E. Surfaces S_1/S_0 Internal Conversion Role

84758. Engel, V., and N.E. Henriksen, "Mapping of Wavepackets in Direct Fragmentation via Pump-Probe Frequency Integrated Fluorescence Spectroscopy," *J. Chem. Phys.* **112**, 106-111 (2000).

ICN+hv
fs Spectroscopy
Fragment
Monitoring
Wavepacket
Mapping

(84473) Absorption Cross Sections, Photolysis Rates, MMT = M Methylcyclopentadienyl Manganese Tricarbonyl

 $\mathsf{MMT} + h\nu$

84759. Umemoto, H., " 14 N/ 15 N Isotope Effect in the Ultraviolet Photodissociation of N $_2$ O," *Chem. Phys. Lett.* **314**, 267-272 (1999).

 $N_2O + hv$ $O(^1D), N_2$ Products ¹⁵N Isotopic Effects

84760. Williams, S., R.A. Dressler and Y.-H. Chiu, "Photodissociation Dynamics of N_4^+ in the 300-670 nm Range," *J. Chem. Phys.* **111**, 9634-9641 (1999).

N₄⁺
Photodissociation
Dynamics
N₂⁺(A,X) Channels
Beam/Mass Analysis

84761. Korovin, K.O., B.V. Picheyev, O.S. Vasyutinskii, H. Valipour and D. Zimmermann, "Observation of Spin-Polarized Atomic Photofragments through the Doppler-Resolved Faraday Technique," *J. Chem. Phys.* 112, 2059-2062 (2000).

Rbl + hv Circularly Polarized UV Rb(2P_{1/2}, 2S_{1/2}) Fragments

84762. de Nalda, R., A. Mavromanolakis, S. Couris and M. Castillejo, "Induced HSiCl Emission in the Ultraviolet Photodissociation of 2-Chloroethenylsilane," *Chem. Phys. Lett.* **316**, 449-454 (2000).

SiH₃(CHCHCI)+h**v** HSiCI*(v,J)Product LIF

Ar Quenching Rate Constant

(84419) M=Ti,Zr,Hf, CVD Laser Photolysis, TiN*, ZrN* Emission

 $M(N(C_{2}H_{5})_{2})_{4} + hv$

38. REACTION PRODUCT-ENERGY DISTRIBUTIONS

(See also Section 37 for Product Distributions and Section 40 for Theoretically Calculated Reaction Product Distributions)

84763. Chesnokov, E.N., and V.N. Panfilov, "Time Resolved Infrared Chemiluminescence in Gas Phase Chemical Kinetics," *Russ. Chem. Rev.* 68, 171-181 (1999).

IR Chemiluminescence Reaction Products Rate Constants Sensitivities Review

(84725) Product Distributions, CI+CH₃CHO

HCI(v)

84764. Loomis, R.A., J.P. Reid and S.R. Leone, "Photofragmentation of Ammonia at 193.3 nm: Bimodal Rotational Distributions and Vibrational Excitation of NH₂(A)," *J. Chem. Phys.* **112**, 658-669 (2000).

 $NH_2(A,V,J)$ Product Energy Distributions $NH_3 + hv$ FTIR Analysis

84765. Niikura, H., M. Mizutani and K. Mitsuke, "Rotational State Distribution of N_2^+ Produced from N_2 or N_2O Observed by a Laser-Synchrotron Radiation Combination Technique," Chem. Phys. Lett. 317, 45-52 (2000).

 $N_2^+(V, N)$ Product Distribution $N_2 + hv$ $N_2O + hv$ **UV** Photoionization

(84633) Product Distribution, $O(^{1}D) + CH_{4}$, $C_{2}H_{6}$, $C_{3}H_{8}$, Collision Energy Effects

OH(v=0,1)

84766. Geiser, J.D., S.M. Dylewski, J.A. Mueller, R.J. Wilson, R. Toumi and P.L. Houston, "The Vibrational Distribution of $O_2(X^3\Sigma_0^-)$ Produced in the Photodissociation of Ozone between 226 and 240, and at 266 nm," J. Chem. Phys. 112, 1279-1286 (2000).

O₂(∨≥26) Product Yields $O_3 + h\nu$ 226-240,266 nm

84767. Rakitzis, T.P., P.C. Samartzis and T.N. Kitsopoulos, "Observing the Symmetry Breaking in the Angular Distributions of Oriented Photofragments Using Velocity Mapping," J. Chem. Phys. 111, 10415-10417 (1999).

 $S(^{1}D_{2})$ Product Orientation OCS + hv2-D Mapping

39. UNIMOLECULAR PROCESSES

(See also Section 36 for Unimolecular Rate Constants and Section 40 for Reaction Dynamics)

84768. Venkatesh, P.K., "Damped Pseudospectral Functional Forms of the Unimolecular Falloff Behavior of Unimolecular Reactions," J. Phys. Chem. A. Mol., Spectrosc., Kinetics 104, 280-287 (2000).

Rate Constants Fall-off Behavior Formalism

(84933) Isomerization, Isomeric Geometries, Calculations

BNO

84769. Hranisavljevic, J., J.J. Carroll, M.-C. Su and J.V. Michael, "Thermal Decomposition of CF₃Br Using Br-Atom Absorption," Int. J. Chem. Kinet. 30, 859-867 (1998).

Unimolecular Dissociation CF₃Br+Kr Rate Constant

84770. Valachovic, L.R., M.F. Tuchler, M. Dulligan, T. Droz-Georget, M. Zyrianov, A. Kolessov, H. Reisler and C. Wittig, "Photoinitiated H2CO Unimolecular Decomposition: Accessing H+HCO Products via S₀ and T₁ Pathways," J. Chem. Phys. 112, 2752-2761 (2000).

Unimolecular Dissociation HCHO H/HCO Channel Pathways Energies

| (84939) | M=C, Si, Ge, Sn, Pb Isomers, Structural Calculations, Geometries, Energies, Isomerization | MH_2O_2 |
|---------|---|--|
| 84771. | Votsmeier, M., S. Song, D.F. Davidson and R.K. Hanson, "Shock Tube Study of Monomethylamine Thermal Decomposition and NH ₂ High Temperature Absorption Coefficient," <i>Int. J. Chem. Kinet.</i> 31 , 323-330 (1999). | Unimolecular Dissociation CH ₃ NH ₂ +M Rate Constants Shock Tube NH ₂ (597.4 nm) Absorption Coefficient |
| 84772. | Votsmeier, M., S. Song, D.F. Davidson and R.K. Hanson, "Sensitive Detection of NH ₂ in Shock Tube Experiments Using Frequency Modulation Spectroscopy," <i>Int. J. Chem. Kinet.</i> 31 , 445-453 (1999). | Unimolecular Dissociation CH ₃ NH ₂ +M Rate Constant NH ₂ Monitor |
| 84773. | Gowenlock, B.G., and L. Batt, "The Isomerization of Nitrosomethane to Formaldoxime," <i>J. Mol. Struct.</i> 454 , 103-104 (1998). | Isomerization CH ₃ NO/CH ₂ NOH Channels Energies |
| 84774. | Martinez-Nunez, E., and S.A. Vazquez, "Further Dynamical Studies of the Dissociation and Elimination Reactions of Methyl Nitrite," <i>J. Chem. Phys.</i> 111 , 10501-10510 (1999). | Unimolecular Dissociation CH₃ONO Channels Rate Constants Calculations |
| 84775. | Huybrechts, G., and G. Van Assche, "Pyrolysis of 1-Chloro-1,1-difluoroethane: Considerations about Its Molecular Nature," <i>Int. J. Chem. Kinet.</i> 31 , 283-289 (1999). | Unimolecular Dissociation CF₂CICH₃ HCI Product Dynamics |
| 84776. | Tsang, W., and A. Lifshiftz, "Kinetic Stability of 1,1,1-Trifluoroethane," Int. J. Chem. Kinet. 30, 621-628 (1998). | Unimolecular Dissociation CF ₃ CH ₃ Rate Constants T Dependence Shock Tube |
| 84777. | Martinez-Nunez, E., and S.A. Vazquez, "Rotational Effects in the Unimolecular Dissociation of the Acetyl Radical," <i>Chem. Phys. Lett.</i> 316 , 471-476 (2000). | Unimolecular Dissociation CH ₃ CO Rotational Effects RRKM Analysis |

84778. Hou, H., B. Wang and Y. Gu, "Decomposition and Isomerization of the Unimolecular CH₃CHCIO Radical: ab Initio and RRKM Study," J. Phys. Chem. A. Mol., Dissociation Spectrosc., Kinetics 104, 1570-1575 (2000). CH₃CHCIO 12 Channels Rate Constants Calculations 84779. Hou, H., B. Wang and Y. Gu, "Ab Initio and RRKM Studies of the Unimolecular Unimolecular Reactions of CH₂XCHFO(X=H,F) Radicals," *Phys. Chem.* Dissociation Chem. Phys. 2, 61-65 (2000). CH₃CHFO CH₂FCHFO Channels RRKM Theory Rate Constants 84780. Kirchner, F., A. Mayer-Figge, F. Zabel and K.H. Becker, "Thermal Unimolecular Stability of Peroxynitrates," Int. J. Chem. Kinet. 31, 127-144 (1999). Dissociation RO_2NO_2 9 Peroxynitrates Rate Constants Lifetimes 84781. Klotz, B., I. Barnes and K.-H. Becker, "Kinetic Study of the Gas Phase Isomerization Photolysis and OH Radical Reaction of E,Z- and E,E-2,4-Hexadienedial," $C_4H_4(CHO)_2+h\nu$ Int. J. Chem. Kinet. 31, 689-697 (1999). $C_4H_4(CHO)_2+OH$ Rate Constants 84782. Chuchani, G., A. Rotinov and R.M. Dominguez, "The Kinetics and Unimolecular Mechanisms of Gas Phase Elimination of Primary, Secondary, and Dissociation Tertiary 2-Hydroxyalkylbenzenes," Int. J. Chem. Kinet. 31, 401-407 C₆H₅CH₂CH₂OH (1999). $C_6H_5CH_2CH(OH)CH_3$ $C_6H_5CH_2C(CH_3)(OH)CH_3$ Rate Constants Products 84783. Amatatsu, Y., "Ab Initio Study on the Electronic Structures of Stilbene Photoisomerization at the Conical Intersection," Chem. Phys. Lett. 314, 364-368 (1999). $C_6H_5CHCHC_6H_5$ Conical S₁/S₀ Intersection Mechanism 84784. Justum, Y., F. Gatti and X. Chapuisat, "One-Dimensional Quantum Isomerization Description of the Bending Vibrations of HCN/CNH," J. Mol. Struct. 453, HCN/HNC 131-140 (1998). Bending Vibrations Calculations

84785. Kumeda, Y., Y. Minami, K. Takano, T. Taketsugu and T. Hirano, "Ab Initio Molecular Orbital Dynamic Reaction Path Simulations of HNC/HCN Isomerization Reaction: Election of the Reaction Mode in a Thermally Excited System," *J. Mol. Struct.* 458, 285-291 (1999).

Isomerization HNC/HCN IVR Process Reaction Path Energies 84786. Jursic, B.S., "Ab Initio and Density Functional Theory Studies of the Potential Energy Surface of the LiNC→LiCN Isomerization," *J. Mol. Struct.* 428, 41-47 (1998).

Isomerization LiNC/LiCN P.E. Surface Energy Barrier

84787. Arranz, F.J., F. Borondo and R.M. Benito, "Transition from Order to Chaos in a Floppy Molecule: LiNC/LiCN," *Chem. Phys. Lett.* **317**, 451-457 (2000).

Isomerization LiNC/LiCN Order/Chaos Theory

84788. Mestres, J., M. Fores and M. Sola, "Exploring the Possibility of a Bimolecular Reaction Channel for the $F_2SS/FSSF$ Rearrangement Process," *J. Mol. Struct.* 455, 123-129 (1998).

Isomerization $S_2F_2/FSSF$ Bimolecular Channel Energies

84789. Jursic, B.S., "Density Functional Theory and Quadratic Complete Basis Set ab Initio Studies of the HNSi to HSiN Isomerization and Hydrogen Insertion Reactions with Further Isomerizations of the Insertion Products," *J. Mol. Struct.* 460, 11-18 (1999).

Isomerization SiNH/HSiN HSiNH₂/HNSiH₂ Stabilities

84790. Kwon, O., and Y. Kwon, "Theoretical Study for the HNSi-HSiN Isomerization: ab Initio and DFT Calculations," *J. Mol. Struct.* **460**, 213-220 (1999).

Isomerization SiNH/HSiN Structures Frequencies Barrier Height

40. CHEMICAL DYNAMICS - THEORY

(See also Section 37 for Photodissociation Dynamics)

84791. Almeida, R., "Manifestations of Quantum Effects in the Computation of Thermal Rate Constants," *J. Mol. Struct.* 433, 83-94 (1998).

Reaction Dynamics Rate Constants P.E. Curve Crossings Quantum Effects Analysis

84792. Wang, H., M. Thoss and W.H. Miller, "Forward-Backward Initial Value Representation for the Calculation of Thermal Rate Constants for Reactions in Complex Molecular Systems," *J. Chem. Phys.* **112**, 47-55 (2000).

Reaction Dynamics Rate Constants Formalism

84793. Zuckerman, D.M., and T.B. Woolf, "Dynamic Reaction Paths and Rates through Importance-Sampled Stochastic Dynamics," *J. Chem. Phys.* 111, 9475-9484 (1999).

Reaction Dynamics Rates Average Paths Formulation

84794. Yarkony, D.R., "On the Adiabatic to Diabatic States Transformation Near Intersections of Conical Intersections," *J. Chem. Phys.* **112**, 2111-2120 (2000).

Reaction Dynamics Conical Intersection Representations 84795. Gimenez, X., F. Huarte-Larranaga, X. Grande, Y. Quiros, M. Alberti and Reaction Dynamics A. Aguilar, "Cross Sections Exhibiting Quantum Resonances: The B+OH B + OHCase," J. Mol. Struct. 463, 65-74 (1999). Cross Sections P.E. Surface Structures 84796. Collins, M.A., and D.H. Zhang, "Application of Interpolated Potential Reaction Dynamics Energy Surfaces to Quantum Reactive Scattering," J. Chem. Phys. 111, $BeH + H_2$ 9924-9931 (1999). P.E. Surface Interpolation Method 84797. Hansen, J.C., Y. Li, Z. Li and J.S. Francisco, "On the Mechanism of the Reaction Dynamics BrO+HBr Reaction," Chem. Phys. Lett. 314, 341-346 (1999). BrO+HBr OH+HCL Energies Barriers 84798. Talbi, D., "An Extensive ab Initio Study of the C+NH₂ and N+CH₃ Reaction Dynamics Reactions in Relation to the HCN/HNC Space Abundance Ratios," Chem. $C + NH_2$ Phys. Lett. 313, 626-632 (1999). $N + CH_2$ HCN.HNC Product Channels Zero Barriers 84799. Jursic, B.S., "Theoretical Study of the Fluorine Effect on the Methylene Reaction Dynamics Insertion Reaction in the Hydrogen Molecule, Hydrogen Fluoride and the CF_2+F_2 , HF_1H_2 Fluorine Molecule," J. Mol. Struct. 467, 103-113 (1999). CH_2+F_2 , HF, H_2 Insertion Barriers, Energies ^{1,3}Energy Gap 84800. Francisco, J.S., "Coupled Cluster and Second-Order Moller-Plesset Reaction Dynamics Perturbation Studies of the Mechanism of the Gas Phase Atom-Radical $CF_2 + H$ Reaction of Atomic Hydrogen with CF₂ Radical," J. Phys. Chem. A. Mol., Channels Spectrosc., Kinetics 104, 1499-1504 (2000). Energy Barriers 84801. So, S.P., "A Gaussian-2 Molecular Orbital Study of the Reaction of CF₃ Reaction Dynamics with NO₂," Chem. Phys. Lett. 313, 307-312 (1999). $CF_3 + NO_2$ Channels Energies 84802. East, A.L.L., and W.D. Allen, "Comment on 'High Level ab Initio and Reaction Dynamics Density Functional Study of the CH+NO Reaction Product Branching," CH + NOJ. Phys. Chem. A. Mol., Spectrosc., Kinetics 104, 1362 (2000). Product Branching Channels Energies 84803. Jursic, B.S., "Response to Comment on 'High Level ab Initio and Density Reply Functional Study of the CH+NO Reaction Product Branching,' [J. Phys. Chem. A. Mol., Spectrosc., Kinetics 104, 1362 (2000)]," ibid. 104, 1363-

1364 (2000).

84804. Truong, T.N., D.K. Maity and T.-T.T. Truong, "A Combined Reaction Class Approach with Integrated Molecular Orbital+Molecular Orbital (IMOMO) Methodology: A Practical Tool for Kinetic Modeling," *J. Chem. Phys.* 112, 24-30 (2000).

Reaction Dynamics Rate Constant Predictive Method Tunneling CHF₃,CH₃F+H CH₂F₂+H

84805. Del Rio, E., R. Lopez, M.I. Menendez and T.L. Sordo, "A Theoretical Study of the Reaction of HCO $^+$ with C $_2$ H $_2$," *J. Computat. Chem.* **21**, 35-42 (2000).

Reaction Dynamics $HCO^+ + C_2H_2$ Channels $C_3H_3^+, C_2H_3^+$ Products Energetics

84806. Kim, Y., J.C. Corchado, J. Villa, J. Xing and D.G. Truhlar, "Multiconfiguration Molecular Mechanics Algorithm for Potential Energy Surfaces of Chemical Reactions," *J. Chem. Phys.* **112**, 2718-2735 (2000).

Reaction Dynamics CH_2CI+CH_3F C_5H_8 Isomerization $OH+CH_4$ P.E. Surface Generating Algorithm

84807. Aplincourt, P., and M.F. Ruiz-Lopez, "Theoretical Study of Formic Acid Anhydride Formation from Carbonyl Oxide in the Atmosphere," *J. Phys. Chem. A. Mol., Spectrosc., Kinetics* 104, 380-388 (2000).

Reaction Dynamics CH₂OO+HCHO CH₂OO+HCHO+O₂ CH₂OO+HCOOH Energetics (HCOO)₂O Formation

84808. Bakken, G.A., and P.C. Jurs, "Prediction of Methyl Radical Addition Rate Constants from Molecular Structure," *J. Chem. Inf. Comput. Sci.* **39**, 508-514 (1999).

Reaction Dynamics CH₃+Organics Rate Constants Structure Correlation Predictor 191 Reactions

84809. Jursic, B.S., "A Density Functional Theory Study of the Proton Abstraction from Methane with Triplet Oxygen: An Example of a Very Difficult Computational Problem," *J. Mol. Struct.* **427**, 137-142 (1998).

Reaction Dynamics CH₃+O₂ HO₂ Product Channel DFT Accuracies

84810. Jursic, B.S., "Ab Initio and Density Functional Theory Computational Studies of the $CH_4+H\rightarrow CH_3+H_2$ Reaction," *J. Mol. Struct.* **430**, 17-22 (1998).

Reaction Dynamics CH₄+H Energy Barrier DFT Methods

84811. Zhang, D.H., and S.-Y. Lee, "Effects of Reagent Rotation and the Accuracy of the Centrifugal Sudden Approximation in the H_2+CN Reaction," *J. Chem. Phys.* **112**, 203-211 (2000).

Reaction Dynamics CN+H₂ Cross Sections Rotational Effects 84812. Jursic, B.S., "Ab Initio and Density Functional Theory Study of the Cyanide Radical Hydrogen Abstraction from Hydrogen Molecules," *J. Mol. Struct.* 428, 55-59 (1998).

Reaction Dynamics CN+H₂ TS Structure Energies Calculations

84813. Cioslowski, J., G. Liu and D. Moncrieff, "The Concerted Trimerization of Ethyne to Benzene Revisited," *Chem. Phys. Lett.* **316**, 536-540 (2000).

Reaction Dynamics $3 C_2H_2/C_6H_6$ Transition States Energies Activation Energy

84814. Sakai, S., "Theoretical Analysis of Concerted and Stepwise Mechanisms of Diels-Alder Reaction between Butadiene and Ethylene," *J. Phys. Chem. A. Mol., Spectrosc., Kinetics* **104**, 922-927 (2000).

Reaction Dynamics $C_2H_4+C_4H_6$ Channels Energy Barriers

84815. Good, D.A., and J.S. Francisco, "Tropospheric Oxidation Mechanism of Dimethyl Ether and Methyl Formate," *J. Phys. Chem. A. Mol., Spectrosc., Kinetics* **104**, 1171-1185 (2000).

Reaction Dynamics (CH₃)₂O/O₂ HCOOCH₃/O₂ Channels Energetics

84816. De Castro, M., R. Candori, F. Pirani, V. Aquilanti, M. Garay and A.G. Urena, "Chemiluminescent Reactions of Excited Calcium Atoms with HCl and HBr: Selective Charge-Transfer 'Harpooning' and Synchronized Intermediate Complex Rearrangement," *J. Chem. Phys.* 112, 770-780 (2000).

Reaction Dynamics $Ca(^{1}D_{2}) + HCI$ $Ca(^{1}D_{2}) + HBr$ Chemiluminescence CaCI(A), CaBr(B,A)Products Cross SectionDependences

84817. Hou, H., B. Wang and Y. Gu, "Ab Initio Mechanism and Multichannel RRKM-TST Rate Constant for the Reaction of CI(²P) with CH₂CO (Ketene)," *J. Phys. Chem. A. Mol., Spectrosc., Kinetics* **104**, 320-328 (2000).

Reaction Dynamics CI+CH₂CO Rate Constants P.E. Surface Channels

84818. Good, D.A., J. Hansen, M. Kamoboures, R. Santiono and J.S. Francisco, "An Experimental and Computational Study of the Kinetics and Mechanism of the Reaction of Methyl Formate with Cl Atoms," *J. Phys. Chem. A. Mol., Spectrosc., Kinetics* 104, 1505-1511 (2000).

Reaction Dynamics CI+HCOOCH₃ H Abstraction Dominance

84819. Nobusada, K., O.I. Tolstikhin and H. Nakamura, "Quantum Reaction Dynamics of CI+HCI→HCI+CI: Vibrationally Nonadiabatic Reactions," *J. Mol. Struct.* 461/462, 137-144 (1999).

Reaction Dynamics CI+HCI CI Exchange Efficiencies Nonadiabatic Role 84820. Manthe, U., W. Bian and H.-J. Werner, "Quantum-Mechanical Calculations of the Thermal Rate Constant for the $H_2+CI \rightarrow H+HCI$ Reaction," *Chem. Phys. Lett.* 313, 647-654 (1999).

Reaction Dynamics CI+H₂ Rate Constant P.E. Surface Energy Barrier

84821. Raugei, S., G. Cardini and V. Schettino, "An ab Initio Molecular Dynamics Study of the S_N2 Reaction $Cl^-+CH_3Br \rightarrow CH_3Cl+Br^-$," *J. Chem. Phys.* 111, 10887-10894 (1999).

Reaction Dynamics
CI⁻+CH₃Br
Barrier Recrossings
Calculations

84822. Forsythe, K.M., and S.K. Gray, "A Transition State Real Wavepacket Approach for Obtaining the Cumulative Reaction Probability," *J. Chem. Phys.* 112, 2623-2633 (2000).

Reaction Dynamics D+H₂ Rate Constant Wavepacket Formalism

84823. Takayanagi, T., Y. Kurosaki and A. Ichihara, "Three-Dimensional Quantum Reactive Scattering Calculations for the Nonadiabatic $(D+H_2)^+$ Reaction System," *J. Chem. Phys.* **112**, 2615-2622 (2000).

Reaction Dynamics D++H₂ Channels Calculations

84824. Li, X., and J. Paldus, "Effect of Spin Contamination on the Prediction of Barrier Heights by Coupled-Cluster Theory: F+H₂→HF+H Reaction," *Int. J. Quantum Chem.* 77, 281-290 (2000).

Reaction Dynamics F+H₂ Spin Contamination Effects Barrier Height

84825. Sokolovski, D., J.F. Castillo and C. Tully, "Semiclassical Angular Scattering in the $F+H_2 \rightarrow HF+H$ Reaction: Regge Pole Analysis Using the Pade Approximation," *Chem. Phys. Lett.* **313**, 225-234 (1999).

Reaction Dynamics F+H₂ State Selective Forward Scattering Calculations

84826. Tachikawa, H., "Direct ab Initio Dynamics Study on a Gas Phase Microsolvated S_N2 Reaction of $F^-(H_2O)$ with CH_3CI ," *J. Phys. Chem. A. Mol., Spectrosc., Kinetics* **104**, 497-503 (2000).

Reaction Dynamics F⁻(H₂O)+CH₃Cl Channels

84827. Jursic, B.S., "High Level ab Initio and Hybrid Density Functional Theory Method Study of a Molecular Association between the Hydrogen Radical and Carbon Monoxide," *J. Mol. Struct.* **427**, 157-164 (1998).

Reaction Dynamics H+^{1,3}CO Association DFT Calculations

84828. Aoiz, F.J., L. Banares, J.F. Castillo and V.J. Herrero, "Comment on 'Reaction Cross Sections for the $H+D_2(v=0,1)$ System for Collision Energies up to 2.5 eV: A Multiconfiguration Time-Dependent Hartree Wavepacket Propagation Study' [*J. Chem. Phys.* 110, 241 (1999)]," *ibid.* 111, 9891 (1999).

Reaction Dynamics $H+D_2(v=0,1)$ Cross Sections Comment

84829. Coutinho-Neto, M., E. Deumens and Y. Ohrn, "Selective Bond Breaking in H+HOD Reaction," *Int. J. Quantum Chem.* 77, 301-304 (2000).

Reaction Dynamics H+HOD Channels Isotope Effects

84830. Jursic, B.S., "Exploring the Potential Energy Surface for the $H_2+H\rightarrow H+H_2$ Reaction with ab Initio and Density Functional Theory Methods," *J. Mol. Struct.* **427**, 117-121 (1998).

Reaction Dynamics H+H₂ P.E. Surface Energy Barrier H Abstraction Channel

84831. Zhang, D.H., and J.Z.H. Zhang, "The Semirigid Vibrating Rotor Target Model for Atom-Polyatom Reaction: Application to $H+H_2O\rightarrow H_2+OH$," *J. Chem. Phys.* 112, 585-591 (2000).

Reaction Dynamics H+H₂O Rate Constants Model

84832. Chuang, Y.-Y., E.L. Coitino and D.G. Truhlar, "How Should We Calculate Transition State Geometries for Radical Reactions? The Effect of Spin Contamination on the Prediction of Geometries for Open-Shell Saddle Points," *J. Phys. Chem. A. Mol., Spectrosc., Kinetics* 104, 446-450 (2000).

Reaction Dynamics $H+N_2H_2$ $OH+CH_4$, C_2H_6 Transition States Methods Adequacies

84833. Himmer, U., and E. Roduner, "The Addition Reaction of X to $O_2(X=Mu,H,D)$: Isotope Effects in the Intra- and Intermolecular Energy Transfer," *Phys. Chem. Chem. Phys.* **2**, 339-347 (2000).

Reaction Dynamics H,D,Mu+O₂ Rate Constants RRKM Theory Tunneling Calculations

84834. Kalyanaraman, C., D.C. Clary and N. Sathyamurthy, "Isotopic Branching in the (He,HD⁺) Collisions: A Time-Dependent Quantum Mechanical Study in Three Dimensions," *J. Chem. Phys.* **111**, 10910-10918 (1999).

Reaction Dynamics HD+(v=0-4,J=0-3)+He Branching Ratios Calculations

84835. Jursic, B.S., "Hydrogen Radical and Hydroxyl Radical Hydrogen Abstraction Reaction from Formyl Fluoride Studied with Hybrid Density Functional Theory Methods," *J. Mol. Struct.* 434, 53-58 (1998).

Reaction Dynamics HFCO+H,OH Channels Energy Barriers DFT Methods

84836. Xu, Z.-F., and C.-C. Sun, "Ab Initio Study on Reaction Path and Rate Constant of the Hydrogen Atom Abstraction Reaction HNCO+N→NCO+NH," *J. Mol. Struct.* **459**, 37-46 (1999).

Reaction Dynamics HNCO+N Rate Constants NCO Product

84837. Mebel, A.M., M.C. Lin and K. Morokuma, "Ab Initio MO and TST Calculations for the Rate Constant of the HNO+NO₂→HONO+NO Reaction," *Int. J. Chem. Kinet.* 30, 729-736 (1998).

Reaction Dynamics HNO+NO₂ P.E. Surfaces Channels Rate Constant 84838. Majumdar, D., G.-S. Kim, J. Kim, K.S. Oh, J.Y. Lee, K.S. Kim, W.Y. Choi, S.-H. Lee, M.-H. Kang and B.J. Mhin, "Ab Initio Investigations on the $HOSO_2 + O_2 \rightarrow SO_3 + HO_2$ Reaction," *J. Chem. Phys.* **112**, 723-730 (2000).

Reaction Dynamics HOSO₂+O₂ Energetics SO₃/HO₂ Channel

84839. Delley, B., "Vibrations and Dissociation of Molecules in Strong Electric Fields: N_2 , NaCl, H_2O and SF_6 ," *J. Mol. Struct.* **434**, 229-237 (1998).

Reaction Dynamics
H₂O,SF₆
N₂,NaCl
Dissociation
Vibrational
Excitation
Electric Fields
DFT

84840. Kurosaki, Y., and T. Takayanagi, "Theoretical Study of the non-Arrhenius Temperature Dependence of Thermal Rate Constants for the $H+H_2S \rightarrow H_2+SH$ Reaction," *J. Chem. Phys.* 111, 10529-10536 (1999).

Reaction Dynamics H₂S+H Rate Constants Non-Arrhenius Behavior

(84627) Reaction Dynamics, VTST, Rate Constants, Nonadiabatic Transitions Role

 $N(^{2}D) + C_{2}H_{2}, C_{2}D_{2}$

84841. Mebel, A.M., L.V. Moskaleva and M.C. Lin, "Ab Initio Mo Calculations for the Reactions of NH_2 with H_2 , H_2O , NH_3 and CH_4 : Prediction of Absolute Rate Constants and Kinetic Isotope Effects," *J. Mol. Struct.* 461/462, 223-238 (1999).

Reaction Dynamics NH₂+CH₄,H₂ NH₂+H₂O,NH₃ Rate Constants D-Substitution Effects

84842. Roberto-Neto, O., F.B.C. Machado and D.G. Truhlar, "Energetic and Structural Features of the CH₄+O(³P)→CH₃+OH Abstraction Reaction: Does Perturbation Theory from a Multiconfiguration Reference State (Finally) Provide a Balanced Treatment of Transition States?," *J. Chem. Phys.* 111, 10046-10052 (1999).

Reaction Dynamics O+CH₄ Barrier Height Stationary Points Transition States

84843. Yu, H.-G., and G. Nyman, "Quantum Dynamics of the $O(^3P)+CH_4\rightarrow OH+CH_3$ Reaction: An Application of the Rotating Bond Umbrella Model and Spectral Transform Subspace Iteration," *J. Chem. Phys.* 112, 238-247 (2000).

Reaction Dynamics
O+CH₄
P.E. Surface
Rate Constants
Product Energies
Reactant
Energy Effects

84844. Palma, J., and D.C. Clary, "A Quantum Model Hamiltonian to Treat Reactions of the Type $X+YCZ_3 \rightarrow XY+CZ_3$: Application to $O(^3P)+CH_4 \rightarrow OH+CH_3$," *J. Chem. Phys.* **112**, 1859-1867 (2000).

Reaction Dynamics O+CH₄ Reduced Dimensionality Model 84845. Jursic, B.S., "Hybrid Density Functional Theory Method Study of the Reaction Dynamics Potential Energy Surface for O + HCILowest the $O(^{3}P) + HCI(X^{1}\Sigma^{+}) \rightarrow OH(X^{2}\Pi) + CI(^{2}P)$ Reaction," J. Mol. Struct. 434, 135-P.E. Surface Calculations 137 (1998). 84846. Allison, T.C., B. Ramachandran, J. Senekowitsch, D.G. Truhlar and R.E. Reaction Dynamics Wyatt, "Variational Transition State Theory Calculations of Thermal O + HCIRate Coefficients for the O(3P)+HCl Reaction," J. Mol. Struct. 454, 307-Rate Constants 314 (1998). VTST 84847. Matzkies, F., and U. Manthe, "Combined Iterative Diagonalization and Reaction Dynamics Statistical Sampling in Accurate Reaction Rate Calculations: Rotational O + HCIEffects in O+HCl→OH+Cl," J. Chem. Phys. 112, 130-136 (2000). Rate Constants Rotational Effects 84848. Miller, J.A., and S.J. Klippenstein, "Angular Momentum Conservation in Reaction Dynamics the $O+OH \leftrightarrow O_2+H$ Reaction," Int. J. Chem. Kinet. 31, 753-756 (1999). O + OH/O₂ + HHO₂* Transition State Angular Momentum Minor Role 84849. Alvarino, J.M., A. Rodriguez, A. Lagana and M.L. Hernandez, "Double-Reaction Dynamics Well Structure and Microscopic Branching in the $O(^{1}D) + HCI$ Reaction," $O(^{1}D) + HCI$ Chem. Phys. Lett. 313, 299-306 (1999). Channels Products 84850. Moscardo, F., and A.J. Perez-Jimenez, "Comparison between ab Initio Reaction Dynamics $O^{+} + H_{2}$ and Density Functional Calculations in the Reaction $O^{+}(^{4}S) + H_{2}(^{1}\Sigma_{0}^{+}) \rightarrow$ Energies $OH^{+}(^{3}\Sigma^{-}) + H(^{2}S)$," J. Mol. Struct. 426, 47-51 (1998). **DFT Methods** 84851. Jensen, S.J.K., and I.G. Csizmadia, "Structures and Stabilities of Reaction Dynamics Complexes between the Atomic Oxygen Radical Anion and Hydrides of $O^- + MH_n$ the First Period," J. Mol. Struct. 455, 69-76 (1998). M=Li,Be,B, C,N,O,FStable Complex Structures 84852. Bahri, M., N. Jaidane, Z.B. Lakhdar and J.P. Flament, "A Study of the Reaction Dynamics $OH + CH_4$ Reactions $CH_4 + OH \rightarrow CH_3 + H_2O$ and $C_2H_6 + OH \rightarrow C_2H_5 + H_2O$ by ab Initio and DFT Calculations," J. de Chim. Phys. 96, 634-646 (1999). $OH + C_2H_6$ **Energy Barriers** 84853. Aloisio, S., and J.S. Francisco, "A Density Functional Study of the H₂O-

HOCO Complex," J. Phys. Chem. A. Mol., Spectrosc., Kinetics 104, 404-407

(2000).

H₂O Effects Stabilities

Reaction Dynamics

OH + CO/HOCO*

84854. Bakken, G.A., and P.C. Jurs, "Prediction of Hydroxyl Radical Rate Reaction Dynamics Constants from Molecular Structure," J. Chem. Inf. Comput. Sci., 39, OH + RH1064-1075 (1999). 57 Unsaturated HC OH + M312 Reactions Rate Constants Correlation Predictor 84855. Diaz-Acosta, I., J.R. Alvarez-Idaboy and A. Vivier-Bunge, "Mechanism of Reaction Dynamics the OH/Propene/O₂ Reaction: An ab Initio Study," Int. J. Chem. Kinet. 31, $OH + C_3H_6$ 29-36 (1999). **Transition States** Channels Mechanism 84856. Melissas, V.S., E. Drougas, E.G. Bakalbassis and A.M. Kosmas, Reaction Dynamics "Dynamics of the OH+Cl₂→HOCl+Cl Reaction: Ab Initio Investigation $OH + CI_2$ and Quasiclassical Trajectory Calculations of Reaction Selectivity," J. Reactant Energy Phys. Chem. A. Mol., Spectrosc., Kinetics 104, 626-634 (2000). Effects 84857. Bu, Y., D. Zhou, Q. Zhou and C. Deng, "Golden Rule Treatment of the Reaction Dynamics $O_2 + O_2^-$ Electron Transfer Reaction," *J. Mol. Struct.* **459**, 177-186 (1999). $O_2^- + O_2$ Electron Transfer Transition State Rate Constant 84858. Alikhani, M.E., "Theoretical Study of the Insertion Reaction of Zinc, Reaction Dynamics Cadmium and Mercury Atoms with Methane and Silane," Chem. Phys. Zn^*,Cd^*,Hq^*+CH_4 Lett. 313, 608-616 (1999). Zn^*,Cd^*,Hq^*+SiH_4 (3P) State Insertion 41. CHEMICAL KINETICS - GENERAL 84859. Aleksandrov, N.L., and E.M. Bazelyan, "The Effect of Initial NO Content Air Breakdown on Spark Breakdown in High Temperature Air," IEEE Trans. Plasma Sci. Electric Field 27, 1454-1457 (1999). NO Effects (84487) H₂/Ar Discharge, Efficiencies CCI₂F₂ Destruction (84569) High Rotational Excitation, Cooled Discharge, FTIR Spectra CO(v≤6),J

84860. Hwang, M.-L., and W.-L. Hsu, An Infrared Study of the Reaction of

(84406) Air Mixture, Destruction Efficiencies, Products

Acetylene Halides: HCCCI with O₂," *J. Mol. Struct.* **449**, 29-37 (1998).

 $CHCCI + O_2$

 $C_2HCI_3+e^-$

Major Products

84861. Fujii, T., "Analysis of Products from a C₂H₂/N₂ Microwave Discharge: C_2H_2/N_2 New Nitrile Species," Chem. Phys. Lett. 313, 733-740 (1999). Microwave Discharge Nitro-organic Products Analysis 84862. Huang, C.-L., V. Chien, I.-C. Chen, C.-K. Ni and A.H. Kung, "State- $CH_3CHO(S_1)$ State Resolved Resolved Dissociation Dynamics of Triplet Acetaldehyde Near the Dissociation Threshold to form CH₃+HCO," J. Chem. Phys. 112, 1797-Dissociation 1803 (2000). CH₃/HCO Channel Measurements 84863. Kazakov, V.P., A.I. Voloshin and D.V. Kazakov, "Dioxiranes: From RR'02 Oxidative Transformations to Chemiluminescence," Russ. Chem. Rev. 68, Cyclic Peroxide 253-286 (1999). Formation Chemiluminescence Review 84864. Horie, O., C. Schafer and G.K. Moortgat, "High Reactivity of Hexafluoro- $(CF_3)_2CO + CH_2O_2$ Acetone Toward Criegee Intermediates in the Gas Phase Ozonolysis of $CH_3CHO + CH_2O_2$ Simple Alkenes," Int. J. Chem. Kinet. 31, 261-269 (1999). Relative Reactivities C_2H_4/O_3 84865. Azad, K., and J.M. Andino, "Products of the Gas Phase Photooxidation C_3H_7OH+OH Reactions of 1-Propanol with OH Radicals," Int. J. Chem. Kinet. 31, 810-Product Yields 818 (1999). 84866. Tuazon, E.C., A. Alvarado, S.M. Aschmann, R. Atkinson and J. Arey, $C_4H_6 + NO_3$ "Products of the Gas Phase Reactions of 1,3-Butadiene with OH and NO₃ C_4H_6+OH Radicals," Environ. Sci. Technol. 33, 3586-3595 (1999). Products Yields Mechanisms 84867. Geiger, H., T. Maurer and K.H. Becker, "OH Initiated Degradation $C-C_4H_8O_2+OH(NO_x)$ Kinetic Mechanism Mechanism of 1,4-Dioxane in the Presence of NO_x," Chem. Phys. Lett. 314, 465-471 (1999). Sensitivity Analysis 84868. Kamo, T., and M. Yamada, "Pressure Dependence of the Reaction of $C_4H_9SH+H_1D$ 1-Butanethiol with Hydrogen Atoms," Int. J. Chem. Kinet. 30, 923-932 **Product Channels** (1998).Mechanism (84490) Ultrasonic/O₃ Destruction Method, Contaminated Water t- C_4 H_9 OCH_3/H_2O 84869. Aschmann, S.M., and R. Atkinson, "Products of the Gas Phase Reactions $n-C_4H_9OCH_3+OH$

of the OH Radical with *n*-Butyl Methyl Ether and 2-Isopropoxyethanol: Reactions of ROC(O) < Radicals," *Int. J. Chem. Kinet.* **31**, 501-513 (1999).

 $i-C_3H_7OC_2H_4OH+OH$

Product Yields Channels 84870. Glaude, P.A., F. Battin-Leclerc, B. Judenherc, V. Warth, R. Fournet, G.M. Come, G. Scacchi, P. Dagaut and M. Cathonnet, "Experimental and Modeling Study of the Gas Phase Oxidation of Methyl and Ethyl Tertiary Butyl Ethers," *Combust. Flame* 121, 345-355 (2000).

 $t\text{-}\mathrm{C_4H_9OCH_3/O_2}$ $t\text{-}\mathrm{C_4H_9OC_2H_5/O_2}$ $n\text{-}\mathrm{C_7H_{16}/Ether}$ Mixtures Stirred Reactor Measurements Modeling

84871. Berndt, T., O. Boge and H. Herrmann, "On the Formation of Benzene Oxide/Oxepin in the Gas Phase Reaction of OH Radicals with Benzene," *Chem. Phys. Lett.* **314**, 435-442 (1999).

C₆H₆+OH Product Yields C₆H₅OH,HCOOH Benzoquinone Carbonyls

84872. Tuazon, E.C., S.M. Aschmann and R. Atkinson, "Products of the Gas Phase Reaction of the OH Radical with the Dibasic Ester CH₃OC(O)CH₂CH₂CH₂C(O)OCH₃," *Environ. Sci. Technol.* **33**, 2885-2890 (1999).

(CH₃OCOCH₂)₂CH₂+OH Products Yields

(84624) Hg(³P₁)+HCI, Matrix Study, FTIR Spectra

HHqCl Product

(84517) Combustion Conditions, Catalytic Effects

NO/NO₂ Conversions

(84644) $O_2(F,E-X)$, 113-130 nm Oscillator Strengths, Quantum Yield Dependences

O(1D) Product

84873. Kurte, R., H.M. Heise and D. Klockow, "Analysis of Spark Decomposition Products of SF₆ Using Multivariate Mid-Infrared Spectrum Evaluation," *J. Mol. Struct.* 480/481, 211-217 (1999).

SF₆/Air Discharges SOF₂,SOF₄ Product FTIR Analysis

84874. Stauffer, H.U., R.Z. Hinrichs, J.J. Schroden and H.F. Davis, "Dynamics of $Y + H_2CO$ Reactions," *J. Chem. Phys.* **111**, 10758-10761 (1999).

Y+HCHO Crossed Beams Product Channels D₀(YCHO)

84875. Stauffer, H.U., R.Z. Hinrichs, J.J. Schroden and H.F. Davis, "Dynamics of H_2 and C_2H_4 Elimination in the Y+ C_2H_6 Reaction," *J. Phys. Chem. A. Mol., Spectrosc., Kinetics* **104**, 1107-1116 (2000).

Y+C₂H₆ Crossed Beams C₂H₄,H₂ Product Channels Energies

42. LASERS/INDUCED EFFECTS/MPI

84876. Kim, A.V., M.Yu. Ryabikin and A.M. Sergeev, "From Femtosecond to Attosecond Pulses," *Phys. Usp., Russia* **42**, 54-61 (1999).

Laser Attosecond Pulse Generation Method 84877. Varga, F., and L. Nemes, "Emission Spectroscopic Studies of CO₂ Laser Induced Graphite Plasmas," *J. Mol. Struct.* **480/481**, 273-276 (1999).

Laser Ablation C(s)/Vacuum C(s)/He,N₂ Spectral Emissions CN*

84878. Albrecht, A.W., J.D. Hybl, S.M.G. Faeder and D.M. Jonas, "Experimental Distinction between Phase Shifts and Time Delays: Implications for Femtosecond Spectroscopy and Coherent Control of Chemical Reactions," *J. Chem. Phys.* 111, 10934-10956 (1999).

Laser Reaction Control Phase Shift Time Delays Theoretical Analysis

84879. Ohta, Y., T. Yoshimoto and K. Nishikawa, "One Approach to the Control of Intramolecular Hydrogen Transfer," *Chem. Phys. Lett.* **316**, 551-557 (2000).

Laser Control H-Transfer CH₂(CHO)₂ Pulse Sequence Method

84880. Oppel, M., and G.K. Paramonov, "Selective Vibronic Excitation and Bond Breaking by Picosecond Ultraviolet and Infrared Laser Pulses: Application to a Two-Dimensional Model of HONO₂," *Chem. Phys. Lett.* 313, 332-340 (1999).

ps Laser Control HONO₂ Dissociation Channels Modeling

43. P.E. CURVES/SURFACES/ENERGY LEVELS

(See also Section 26 for Spectral Aspects, Section 40 for Reaction P.E. Surfaces and Section 44 for Structure Calculation Surfaces)

84881. Acioli, P.H., and J.J.S. Neto, "A Quantum Monte Carlo Study of Vibrational States of Planar Acetylene," *J. Mol. Struct.* **464**, 145-151 (1999).

Vibrational Energy Levels C₂H₂,HCN H₂O,H₃⁺ Calculations

84882. Viel, A., and C. Leforestier, "Six-Dimensional Calculation of the Vibrational Spectrum of the HFCO Molecule," *J. Chem. Phys.* **112**, 1212-1220 (2000).

Vibrational
Energy Levels
HFCO
≤5000 cm⁻¹
Calculations

84883. Bowman, J.M., K. Christoffel and G. Weinberg, "Calculations of Lowlying Vibrational States of *cis*- and *trans*-HOCO," *J. Mol. Struct.* 461/462, 71-77 (1999). Vibrational Energy Levels cis-,trans-HOCO Calculations

8484. Weiss, J., J. Hauschildt, S.Yu. Grebenshchikov, R. Duren, R. Schinke, J. Koput, S. Stamatiadis and S.C. Farantos, "Saddle-Node Bifurcations in the Spectrum of HOCI," *J. Chem. Phys.* **112**, 77-93 (2000).

HOCI Vibrational Spectrum Levels P.E. Surface 84885. Csaszar, A.G., J.S. Kain, O.L. Polyansky, N.F. Zobov and J. Tennyson, "Erratum - Relativistic Correction to the Potential Energy Surface and Vibration-Rotation Levels of Water [Chem. Phys. Lett. 293, 317-323] (1998)]," *ibid.* **312**, 613-616 (1999). 84886. Aquado, A., O. Roncero, C. Tablero, C. Sanz and M. Paniagua, "Global Potential Energy Surfaces for the H₃⁺ System: Analytical Representation of the Adiabatic Ground State 1¹A' Potential," J. Chem. Phys. 112, 1240-

v,J Levels H_2O P.E. Surface Calculations Erratum

1254 (2000).

Rovibrational Energy Levels H2+ New Global P.E. Surface Calculations

84887. Marcassa, L.G., S.R. Muniz, G.D. Telles, S.C. Zilio and V.S. Bagnato, "Measurement of Na($5S_{1/2}$) Hyperfine Splitting by Ionization Using a Sample of Cold Atoms," Opt. Commun. 155, 38-42 (1998).

 $Na(5^2S_{1/2})$ Hyperfine Splitting Measurement

84888. Tyuterev, V.G., S.A. Tashkun, D.W. Schwenke, P. Jensen, T. Cours, A. Barbe and M. Jacon, "Variational EKE-Calculations of Rovibrational Energies of the Ozone Molecule from an Empirical Potential Function," Chem. Phys. Lett. 316, 271-279 (2000).

Rovibrational Energy Levels O_3 Calculations Band Centers

84889. Zenouda, C., P. Blottiau, G. Chambaud and P. Rosmus, "Theoretical Study of the Electronic States of AIO and AIO-," J. Mol. Struct. 458, 61-72 (1999).

P.E. Surfaces AIO Low-lying States Spectral Constants PES,AIO

84890. Theodorakopoulos, G., I.D. Petsalakis and I.P. Hamilton, "Ab Initio Calculations on the Ground and Excited States of BeOH and MgOH," J. Chem. Phys. 111, 10484-10490 (1999).

P.E. Curves BeOH, MgOH BeOH+, MgOH+ Low-lying States Energies

84891. Meissner, H., and E.O. Steinborn, "Calculation of the $(^{1}A_{1}-^{3}B_{1})$ Separation of CH₂ and the Ground State ${}^{1}\Sigma_{n}^{+}$ Potential Curve of Be₂ Utilizing the Generalized Bloch Equation," J. Mol. Struct. 433, 119-129 (1998).

P.E. Curve $Be_2(X)$ $CH_2(^1A_1-^3B_1)$ Energy Splitting Calculations

84892. Gdanitz, R.J., "Accurately Solving the Electronic Schrodinger Equation of Atoms and Molecules Using Explicitly Correlated $(r_{12})MR-CI$: The Ground State of Beryllium Dimer, Be₂," Chem. Phys. Lett. 312, 578-584 (1999).

P.E. Curve Spectral Constants D_0

| 8489 | 3. Kaledin, L.A., A.L. Kaledin, M.C. Heaven and V.E. Bondybey, "Electronic Structure of Be ₂ : Theoretical and Experimental Results," <i>J. Mol. Struct.</i> 461/462 , 177-186 (1999). | P.E. Curves Be ₂ Low-lying States (B-A') Laser Excitation Spectra Constants |
|------|---|--|
| 8489 | 4. Kalemos, A., A. Mavridis and A. Metropoulos, "An Accurate Description of the Ground and Excited States of CH," <i>J. Chem. Phys.</i> 111, 9536-9548 (1999). | P.E. Curves CH 15 States Spectral Constants T _e ,D _e Calculations |
| 8489 | 5. Braunstein, M., and J.W. Duff, "Electronic Structure and Dynamics of O(³ P)+CO(¹ Σ ⁺) Collisions," <i>J. Chem. Phys.</i> 112 , 2736-2745 (2000). | P.E. Surfaces CO+O Data Fitting Transition State Geometries |
| 8489 | 6. Spelsberg, D., "Dynamic Multipole Polarizabilities and Reduced Spectra for OH, Application to the Long-Range Part of the Two Lowest Potential Surfaces of the OH-CO Complex," <i>J. Chem. Phys.</i> 111, 9625-9633 (1999). | P.E. Surface CO/OH Formalism |
| 8489 | 7. Okada, K., and S. Iwata, "Accurate Potential Energy and Transition Dipole Moment Curves for Several Electronic States of CO+," <i>J. Chem. Phys.</i> 112 , 1804-1808 (2000). | P.E. Curves CO ⁺ Low-lying States Transition Moments B,A-State Lifetimes |
| 8489 | 8. Zuniga, J., A. Bastida, M. Alacid and A. Requena, "Global Potential Energy Surfaces for the CO ₂ and CS ₂ Molecules," <i>Chem. Phys. Lett.</i> 313 , 670-678 (1999). | P.E. Surfaces CO ₂ ,CS ₂ Ground State Calculations |
| 8489 | 9. Bernshtein, V., and I. Oref, "Dynamic Global Potentials and Second Virial Coefficients from Trajectory Calculations," <i>J. Phys. Chem. A. Mol., Spectrosc., Kinetics</i> 104 , 706-711 (2000). | Intermolecular Potentials C ₆ H ₆ .Ar Accuracy Testing Method |
| 8490 | 0. Alekseyev, A.B., HP. Liebermann, R.J. Buenker and D.B. Kokh, "Relativistic Configuration Interaction Study of the CIF Molecule and Its Emission Spectra from 0 ⁺ Ion-Pair States," <i>J. Chem. Phys.</i> 112 , 2274-2284 (2000). | P.E. Curves CIF Low-lying States Ion Pair States |

Spectral Constants

| 84901. | Toniolo, A., M. Persico and D. Pitea, "An ab Initio Study of Spectroscopy and Predissociation of CIO," <i>J. Chem. Phys.</i> 112 , 2790-2797 (2000). | P.E. Curves CIO Low-lying States A-State Predissociation Mechanisms |
|--------|---|---|
| 84902. | Meuwly, M., and J.M. Hutson, "Intermolecular Potential Energy Surfaces and Bound States in F-HF," <i>J. Chem. Phys.</i> 112 , 592-600 (2000). | P.E. Surfaces F/HF Well Depth |
| 84903. | Dutta, A., J. Bhattacharjee and K.K. Das, "($A^3\Pi_{0+}$ - $X^1\Sigma_{0+}$) and ($B^3\Pi_{1-}$ - $X^1\Sigma_{0+}$) Transitions of GaI: An MRDCI Study," <i>Chem. Phys. Lett.</i> 314 , 347-352 (1999). | P.E. Curves Gal (B,A-X) Spectral Constants Low-lying States Lifetimes Calculations |
| 84904. | Manna, B., and K.K. Das, "Multireference Singles and Doubles Configuration Interaction Study on the Electronic States of GaP," <i>J. Mol. Struct.</i> 467 , 135-146 (1999). | P.E. Curves GaP Low-lying States Spectral Constants Lifetimes Transition Strengths D _e (X) |
| 84905. | Ghosh, T.K., K. Tanaka and Y. Mochizuki, "Theoretical Study of the Spectroscopic Constants of Low-lying States of Ga ₂ ," <i>J. Mol. Struct.</i> 451 , 61-71 (1998). | P.E. Curves Ga_2 Low-lying States Spectral Constants $D_0(X)$ |
| 84906. | Li, Y., O. Bludsky, G. Hirsch and R.J. Buenker, "Ab Initio Configuration Interaction Study of the Predissociation of the (4s), $(4p\sigma)^{1.3}\Pi$ and $(4p\pi)^3\Sigma^+$ Rydberg States of HCI and DCI," <i>J. Chem. Phys.</i> 112, 260-267 (2000). | P.E. Curves $HCI,DCI(^{1,3}\Pi)$ $HCI,DCI(^{3}\Sigma^{+})$ Predissociation Linewidths $D^{1}\Pi,d^{3}\Pi$ States |
| 84907. | Huang, Z., and Z.H. Zhu, "Molecular Structure and Analytical Potential Energy Function for the HCl_2^+ (X ¹ A') System," <i>J. Mol. Struct.</i> 448, 17-20 (1998). | P.E. Function HCl ₂ ⁺ (X) Spectral Constants D _e |
| 84908. | Skokov, S., K.A. Peterson and J.M. Bowman, "Perturbative Inversion of the HOCI Potential Energy Surface via Singular Value Decomposition," <i>Chem. Phys. Lett.</i> 312 , 494-502 (1999). | P.E. Surface HOCI Data Fitted Accuracy |

| 84909. | Bian, W., and HJ. Werner, "Global ab Initio Potential Energy Surfaces for the CIH ₂ Reactive System," <i>J. Chem. Phys.</i> 112 , 220-229 (2000). | P.E. Surfaces H ₂ CI CI+H ₂ Barrier Height |
|---------|---|---|
| 84910. | Kain, J.S., O.L. Polyansky and J. Tennyson, "The Ground State Potential Energy Surface of Water: Barrier to Linearity and Its Effect on the Vibration-Rotation Levels," <i>Chem. Phys. Lett.</i> 317 , 365-371 (2000). | P.E. Surface H ₂ O Improvements v,J Energy Levels |
| 84911. | Fernandez-Herrera, S., and M.L. Senent, "An ab Initio Potential Energy Surface for the \mathbf{v}_4 Vibrational Mode of Hydrogen Peroxide," <i>J. Mol. Struct.</i> 470 , 313-319 (1998). | P.E. Surface H_2O_2 , \mathbf{v}_4 Stable Conformation |
| 84912. | Jin, B., H.L. Schmider and D. Wardlaw, "Potential Energy Surfaces for the Colinear $\rm H_3^+$ System," <i>Chem. Phys. Lett.</i> 317 , 464-471 (2000). | P.E. Surfaces H ₃ ⁺ 2 Lowest Singlet States Transition Moments |
| 84913. | Cybulski, S.M., and R.R. Toczylowski, "Ground State Potential Energy Curves for He_2 , Ne_2 , Ar_2 , $He-Ne$, $He-Ar$ and $Ne-Ar$: A Coupled-Cluster Study," <i>J. Chem. Phys.</i> 111 , 10520-10528 (1999). | P.E. Curves He ₂ , Ne ₂ , Ar ₂ HeNe, HeAr, NeAr Spectral Constants D ₀ Calculations |
| 84914. | Hogreve, H., "Quartet States of He ₂ +," <i>Mol. Phys.</i> 98 , 249-254 (2000). | P.E. Curves He2 ⁺ Low-lying Quartet States Spectral Constants D _e |
| 84915. | Yabushita, S., "Potential Energy Curves of ICI and Nonadiabatic Interactions Studied by the Spin-Orbit CI Method," <i>J. Mol. Struct.</i> 461/462, 523-532 (1999). | P.E. Curves ICI Low-lying States Avoided Crossings Photodissociation Mechanisms |
| 84916. | Kerkines, I.S.K., and A. Mavridis, "Ab Initio Investigation of the LiHe $(X^2\Sigma^+,A^2\Pi$ and $B^2\Sigma^+)$ States: A Basis Set Study," <i>J. Phys. Chem. A. Mol., Spectrosc., Kinetics</i> 104 , 408-412 (2000). | P.E. Curves LiHe(B,A,X) Spectral Constants D _e |
| (84786) | P.E. Surface, Isomerization, Energy Barrier | Linc/Licn |

| 84917. | Hogreve, H., "Doublet and Quartet States of Li ₂ -," <i>Eur. Phys. J. D</i> 8 , 85-91 (2000). | P.E. Curves Li ₂ Low-lying States Spectral Constants D |
|--------|---|---|
| 84918. | Sanz, V., A. Aguado and M. Paniagua, "Second-Order Density Functional Calculations of the MgFH Potential Energy Surface," <i>J. Mol. Struct.</i> 426 , 165-169 (1998). | P.E. Surface MgFH Transition State Energy |
| 84919. | Shim, I., and K.A. Gingerich, "All Electron ab Initio Investigations of the Electronic States of the MoN Molecule," <i>J. Mol. Struct.</i> 460 , 123-136 (1999). | P.E. Curves MoN Low-lying States Spectral Constants Dipole Moment D ₀ |
| 84920. | Klos, J., G. Chalasinski, M.T. Berry, R. Bukowski and S.M. Cybulski, "Ab Initio Potential Energy Surface for the $He(^1S) + NO(X^2\Pi)$ Interaction and Bound Rovibrational States," <i>J. Chem. Phys.</i> 112 , 2195-2203 (2000). | P.E. Surfaces NO.He(² A', ² A") Well Depths v,J Bound States |
| 84921. | Theodorakopoulos, G., I.D. Petsalakis and M.S. Child, "An ab Initio Potential Energy Surface and Spectroscopic Constants for the $X^1\Sigma_g^+$ State of NO_2^+ ," <i>J. Mol. Struct.</i> 434 , 177-182 (1998). | P.E. Function NO ₂ ⁺ (X) Spectral Constants Frequencies Calculations |
| 84922. | Honjou, N., and E. Miyoshi, "An ab Initio Study on the Electronic Structure of the $3^2\Sigma_u^+$, $3^2\Sigma_g^+$ and $4^2\Sigma_g^+$ States of N_2^+ ," <i>J. Mol. Struct.</i> 451 , 41-49 (1998). | P.E. Curves $N_2^+(3^2\Sigma_u^+)$ $N_2^+(3,4^2\Sigma_g^+)$ r_e , Energies Avoided Crossings |
| 84923. | Kowalczyk, P., W. Jastrzebski, A. Pashov, S. Magnier and M. Aubert-Frecon, "Potential Energies of the $4^1\Pi$ and $5^1\Pi$ States of NaK by Polarization Labeling Spectroscopy and by ab Initio Calculations," <i>Chem. Phys. Lett.</i> 314 , 47-51 (1999). | P.E. Curves NaK(4,5 $^{1}\Pi$) Polarization Labeling Spectra |
| 84924. | Petrov, A.N., and A.I. Panin, "Electronic Structure of the Excimer Emitting Systems of the Type Inert Gas-Alkali Metal: The HeNa ⁺ Cation," <i>Opt. Spectrosc., Russia</i> 86 , 377-382 (1999). | P.E. Curves Na ⁺ .He $1^{1.3}\Sigma^+$, $2^1\Sigma^+$ States Stabilities $2^1\Sigma^+$ Lifetime |
| 84925. | Lee, HS., A.B. McCoy, L.B. Harding, C.C. Carter and T.A. Miller, "An Empirical Potential Energy Surface for the Ne-OH/D Complexes," <i>J. Chem. Phys.</i> 111, 10053-10060 (1999). | P.E. Surfaces OH.Ne(A,X) OD.Ne(A,X) Data Fitting |

84926. Jursic, B.S., "Potential Energy Surface for H₂Si₂ Isomer Explored with Complete Basis Set ab Initio Method," *J. Mol. Struct.* **459**, 221-228 (1999).

P.E. Surfaces
Si₂H₂
Isomers
Stabilities

84927. Suzuki, Y.-i., T. Noro, F. Sasaki and H. Tatewaki, "Potential Energy Curve of the Ground State of the Titanium Dimer," *J. Mol. Struct.* 461/462, 351-357 (1999).

P.E. Curve $Ti_2(X)$ D_e Calculations

84928. Dai, D., and K. Balasubramanian, "Electronic States and Potential Energy Surfaces of WC₂," *J. Phys. Chem. A. Mol., Spectrosc., Kinetics* **104**, 1325-1331 (2000).

P.E. Surfaces
WC₂
Low-lying States
Geometries
Frequencies
Energies

44. ATOMIC/MOLECULAR STRUCTURES

(See also Section 26 for Spectrally Measured Structures)

84929. Matsuzawa, H., S. Yabushita, U. Nagashima, K. Takano, K. Honda, M. Aoyagi, K. Hashimoto, N. Koga, T. Matsushita, S. Obara, S. Yamamoto, S. Yamabe and H. Hosoya, eds., "Quantum Chemistry Literature Data Base: Supplement 17. Bibliography of ab Initio Calculations for 1997," *J. Mol. Struct.* 456/457, 732 pp. (1998).

Structural
Calculations
Spectral Properties
P.E. Curves
Bibliography
4406 References

84930. Yanagisawa, S., T. Tsuneda and K. Hirao, "An Investigation of Density Functionals: The First Row Transition Metal Dimer Calculations," *J. Chem. Phys.* **112**, 545-553 (2000).

Structural
Calculations
M₂
First Row
Transition Metals
D,r_a

84931. Tsuchiya, T., T. Taketsugu, H. Nakano and K. Hirao, "Theoretical Study of Electronic and Geometric Structures of a Series of Lanthanide Trihalides LnX₃(Ln=La-Lu; X=Cl,F)," *J. Mol. Struct.* **461/462**, 203-222 (1999).

Structural Calculations MF₃,MCl₃ M=La-Lu Geometries Frequencies

84932. Jursic, B.S., "Hybrid Density Functional Theory and Quadratic Complete Basis Set ab Initio Computational Study of Structural Properties, Vibrational Spectra, and Bond Dissociation Energy for Methyl Aluminum and Methyl Gallium," *J. Mol. Struct.* 428, 61-66 (1998).

Structural Calculations AICH₃ GaCH₃ Geometries Frequencies 84933. Su, S., "An Electronic Structure Investigation of the BNO-BON-NBO Structural System," J. Mol. Struct. 430, 137-148 (1998). Calculations BNO Isomers Isomerization Geometries 84934. Lee, E.P.F., and T.G. Wright, "Geometry, Vibrational Frequencies and Structural Ionization Energies of BeX₂(X=F, Cl, Br and I)," J. Phys. Chem. A. Mol., Calculations Spectrosc., Kinetics 104, 974-981 (2000). BeF₂,BeCl₂ BeBr₂,Bel₂ Neutrals, Cations Geometries Frequencies IPS 84935. Pacios, L.F., and P.C. Gomez, "Bonding in Bromine Oxides: Isomers of Structural BrO₂, Br₂O₂ and BrO₃," *J. Mol. Struct.* **467**, 223-231 (1999). Calculations BrO₂,BrO₃ Br_2O_2 Geometries ΔH_{f} 84936. Sendt, K., and G.B. Bacskay, "Spectroscopic Constants of the $X(^{1}A_{1})$, Structural a(³B₁), and A(¹B₁) States of CF₂, CCI₂, and CBr₂ and Heats of Formation Calculations of Selected Halocarbenes: An ab Initio Quantum Chemical Study," J. $CF_2(A,a,X)$ CCI₂,CBr₂(A,a,X) Chem. Phys. 112, 2227-2238 (2000). Geometries Frequencies $\Delta H_f(CF_2,CCI_2,CBr_2)$ $\Delta H_f(CHF,CHCI,CFCI)$ 84937. Wang, X.-G., E.L. Sibert III and J.M.L. Martin, "Anharmonic Force Field Structural and Vibrational Frequencies of Tetrafluoromethane (CF₄) and Calculations Tetrafluorosilane (SiF₄)," *J. Chem. Phys.* **112**, 1353-1366 (2000). CF4,SiF4 Frequencies Force Field 84938. Baeck, K.K., "The Analytic Gradient for the Equation of Motion Coupled-Structural Cluster Energy with a Reduced Molecular Orbital Space: An Application Calculations

for the First Excited State of Formaldehyde," J. Chem. Phys. 112, 1-4

(2000).

HCHO(A,X)

Geometries Frequencies Energies 84939. Richardson, N.A., J.C. Rienstra-Kiracofe and H.F. Schaefer III, Structural "Examination of the Stabilities of Group 14 (C, Si, Ge, Sn, Pb) Congeners Calculations of Dihydroxycarbene and Dioxirane: Comparison to Formic Acid and MH_2O_2 Hydroperoxycarbene Congeners," Inorganic Chem. 38, 6271-6277 (1999). M=C,Si,Ge,Sn,Pb Isomers Geometries Energies Isomerization 84940. Cabral, B.J.C., "Theoretical Calculations of Molecular Properties of a CFC Structural Substitute: CHCI₂CF₃ (HCFC-123)," *J. Mol. Struct.* **452**, 117-124 (1998). Calculations CF₃CHCl₂ Geometry Dipole Moment 84941. Good, D.A., Y. Li and J.S. Francisco, "Location of the First Excited States Structural of Fluorinated Ethers, E143a (CH₃OCF₃), E134 (CHF₂OCHF₂) and E125 Calculations (CHF₂OCF₃)," Chem. Phys. Lett. **313**, 267-270 (1999). CF₃OCH₃ (CHF₂)₂OCF₃OCHF₂ **Excited State** Energies 84942. Bent, G.D., E. Zerrad, G.W. Trucks, K.B. Wiberg and L. Taing, Structural "Vibrational Analysis of the Ground States of Trifluoroacetyl Fluoride Calculations and Trifluoroacetyl Chloride," J. Phys. Chem. A. Mol., Spectrosc., Kinetics CF₃COF 104, 370-379 (2000). CF₃COCI Frequencies 84943. Zheng, X., and D.L. Phillips, "Ab Initio Investigation of XCH₂CH₂ and Structural XCHCH₃ Radicals (X=F, Cl, Br)," J. Phys. Chem. A. Mol., Spectrosc., Calculations Kinetics 104, 1030-1038 (2000). CH₃CHX CH₂CH₂X X = F, CI, BrGeometries Frequencies 84944. Egawa, T., M. Ohtsubo, H. Nakagawa, N. Kuze, H. Fujiwara and S. Structures Konaka. "Structural and Conformational Studies $C_2H_5NCI_2$ N,N-Dichloroethanamine and N,N-Dichloro-2-propanamine by Gas *I*-C₃H₇NCl₂ Electron Diffraction Combined with ab Initio Calculations," J. Phys. Geometries Chem. A. Mol., Spectrosc., Kinetics 104, 1311-1318 (2000). Force Constants Measurements 84945. Jursic, B.S., "Density Functional Theory Investigation of Physical Structural Properties of the OCCN Radical and the Cation," J. Mol. Struct. 460, 207-Calculations 212 (1999).

OCCN,OCCN+

 $\Delta H_{\rm f}$, IP IR Spectra 84946. Krokidis, X., N.W. Moriarty, W.A. Lester Jr. and M. Frenklach, "Propargyl Radical: An Electron Localization Function Study," *Chem. Phys. Lett.* 314, 534-542 (1999).
84947. Gauss, J., D. Cremer and J.F. Stanton, "The r_e Structure of

Structural Calculations C₃H₃ Frequencies

84947. Gauss, J., D. Cremer and J.F. Stanton, "The r_e Structure of Cyclopropane," *J. Phys. Chem. A. Mol., Spectrosc., Kinetics* **104**, 1319-1324 (2000).

Structural Calculations c- C_3 H $_6$ c- C_3 H $_4$ D $_2$ Geometries Experimental Rotational Constants

84948. Wu, G., C. Van Alsenoy, H.J. Geise, E. Sluyts, B.J. Van der Veken, I.F. Shishkov and L.V. Khristenko, "Acetic Anhydride in the Gas Phase, Studied by Electron Diffraction and Infrared Spectroscopy, Supplemented with ab Initio Calculations of Geometries and Force Fields," *J. Phys. Chem. A. Mol., Spectrosc., Kinetics* 104, 1576-1587 (2000).

Structural
Calculations
(CH₃CO)₂O
Geometries
Frequencies
Electron Diffraction
Measurements

84949. Tzeng, W.B., K. Narayanan, K.C. Shieh and C.C. Tung, "A Study of the Structures and Vibrations of $C_6H_5NH_2$, C_6H_5NHD , $C_6H_5ND_2$, $C_6D_5NH_2$, C_6D_5NHD and $C_6D_5ND_2$ in the S_1 State by ab Initio Calculations," *J. Mol. Struct.* 428, 231-240 (1998).

Structural Calculations $C_6H_5NH_2(S_1)$ D Substitution Isotopomers Geometries Frequencies

84950. Shishkov, I.F., L.V. Vilkov, A. Kovacs and I. Hargittai, "Molecular Geometry of 2-Nitrotoluene from Gas Phase Electron Diffraction and Quantum Chemical Study," *J. Mol. Struct.* 445, 259-268 (1998).

Structure CH₃C₆H₄NO₂ Geometry Measurements Calculations

84951. Li, A.Y., and Q.S. Li, "A New Method for Electronic Structure of the Fullerene C_{20} ," *J. Mol. Struct.* 432, 115-120 (1998).

Structural
Calculations
C₂₀
Electronic
Description

84952. Choi, C.H., M. Kertesz and L. Mihaly, "Vibrational Assignments of all 46 Fundamentals of C₆₀ and C₆₀⁶⁻: Scaled Quantum Mechanical Results Performed in Redundant Internal Coordinates and Compared to Experiments," *J. Phys. Chem. A. Mol., Spectrosc., Kinetics* **104**, 102-112 (2000).

Structural
Calculations
C₆₀,C₆₀⁶⁻
Frequency
Assignments
Data Comparisons

84953. Han, Y.-K., K.H. Kim, Y.S. Lee and K.K. Baeck, "Energies and Structures Structural of Isomers of Cl₂O₂ Calculated by Density Functional Methods," J. Mol. Calculations Struct. 431, 185-189 (1998). CI_2O_2 Isomers Geometries Energies 84954. Kim, K.H., Y.-K. Han and Y.S. Lee, "Basis Set Effects on the Stability of Structural the Cl₂O₃ Isomers Using B3P86 and B3LYP Methods of Density Calculations Functional Theory," J. Mol. Struct. 460, 19-25 (1999). Cl_2O_3 Isomers Relative Stabilities 84955. Xiang, K.-h., R. Pandey, J.M. Recio, E. Francisco and J.M. Newsam, "A Structural Theoretical Study of the Cluster Vibrations in Cr₂O₂, Cr₂O₃ and Cr₂O₄," Calculations J. Phys. Chem. A. Mol., Spectrosc., Kinetics 104, 990-994 (2000). Cr₂O₂, Cr₂O₃ Cr_2O_4 Geometries Frequencies IR Spectra 84956. Ghanty, T.K., and E.R. Davidson, "Theoretical Investigation of Structural Electronic Structure and ESR Hyperfine Parameters for the CuH+ Calculations Molecule," Int. J. Quantum Chem. 77, 291-300 (2000). CuH⁺ Bond Length D_0 84957. Balabanov, N.B., and J.E. Boggs, "Ab Initio Study of Molecular and Structural Electronic Structures of Early Transition Metal Trihydrides MH₃(M=Sc, Calculations Ti, V, Fe)," J. Phys. Chem. A. Mol., Spectrosc., Kinetics 104, 1597-1601 FeH₃,ScH₃ (2000).TiH₃,VH₃ Geometries Frequencies IR Intensities 84958. Reffy, B., M. Kolonits and M. Hargittai, "Gallium Tribromide: Molecular Structure Geometry of Monomer and Dimer from Gas Phase Electron Diffraction," GaBr₃, (GaBr₃)₂ J. Mol. Struct. 445, 139-148 (1998). Geometries Diffraction Measurements 84959. Archibong, E.F., and A. St-Amant, "Ab Initio and B3LYP-DFT Structural Calculations of GaP⁻ and GaP₂⁻: The Electron Affinities and Vibrational Calculations Frequencies of GaP and GaP₂," Chem. Phys. Lett. 316, 151-159 (2000). GaP,GaP GaP2, GaP2

Spectral Constants Low-lying States

Geometries Frequencies

EΑ

| 84960. | Dobado, J.A., J.M. Molina and D.P. Olea, "Ab Initio Molecular Study of Hydrogen Peroxide: Application of Density Functional Methods," <i>J. Mol. Struct.</i> 433 , 181-192 (1998). | Structural Calculations H ₂ O ₂ Geometry DFT Methods |
|--------|--|---|
| 84961. | Gauss, J., and J.F. Stanton, "Equilibrium Structure of LiCCH," Int. J. Quantum Chem. 77, 305-310 (2000). | Structural Calculations LiCCH Geometry |
| 84962. | Gutsev, G.L., B.K. Rao, P. Jena, XB. Wang and LS. Wang, "Origin of the Unusual Stability of MnO_4^- ," <i>Chem. Phys. Lett.</i> 312 , 598-605 (1999). | Structural Calculations MnO ₄ ⁻ Geometries Frequencies High Stability |
| 84963. | Aplincourt, P., F. Bohr and M.F. Ruiz-Lopez, "Density Functional Studies of Compounds Involved in Atmospheric Chemistry: Nitrogen Oxides," <i>J. Mol. Struct.</i> 426 , 95-104 (1998). | Structural Calculations NO_x , N_2O_y $x=1-3$, $y=1-5$ Geometries Dipole Moments |
| 84964. | Lee, J.S., and S.Y. Park, "Ab Initio Study of (NH ₃) ₂ : Accurate Structure and Energetics," <i>J. Chem. Phys.</i> 112 , 230-237 (2000). | Structural Calculations (NH ₃) ₂ Geometry D ₀ |
| 84965. | Wang, F., and R.D. Harcourt, "Electronic Structure Study of the N_2O Isomers Using Post Hartree-Fock and Density Functional Theory Calculations," <i>J. Phys. Chem. A. Mol., Spectrosc., Kinetics</i> 104 , 1304-1310 (2000). | Structural Calculations N ₂ O Isomers Geometries |
| 84966. | Wang, X., QZ. Qin and K. Fan, "Ab Initio Study on the Characterization of N_2O_4 Isomers," $\emph{J. Mol. Struct.}$ 432, 55-62 (1998). | Structural Calculations N ₂ O ₄ Isomer Geometries Frequencies IR Intensities Dipole Moments |
| 94967. | Zhang, Y., CY. Zhao, WH. Fang and ZH. Lu, "High Accuracy Studies on the Ground State and Transition State of SiC_2 ," <i>J. Mol. Struct.</i> 454 , 31-40 (1998). | Structural Calculations SiC ₂ Isomeric Stabilities |

84968. Breidung, J., J. Demaison, L. Margules and W. Thiel, "Equilibrium Structure of SiF₄," *Chem. Phys. Lett.* **313**, 713-717 (1999).

Structural Calculations SiF₄ Geometry

84969. Yamaguchi, Y., N.D.K. Petraco, S.T. Brown and H.F. Schaefer III, "The 1-Silaketenyl Radical (HSiCO): Ground and First Excited Electronic States," *J. Chem. Phys.* **112**, 2168-2175 (2000).

Structural Calculations SiHCO(A,X) Geometries Frequencies Stabilities

84970. Bauschlicher Jr, C.W., "TiCl, TiH and TiH⁺ Bond Energies: A Test of a Correlation-Consistent Ti Basis Set," *Theor. Chem. Acc.* **103**, 141-145 (1999).

Structural
Calculations
TiCI,TiH,TiH⁺
Spectral Constants
D_P

45. ENERGY TRANSFER

(See also Section 27 for Electronically Excited State Relaxation Processes)

84971. Minehardt, T.J., and R.E. Wyatt, "Quantum Dynamics of Intramolecular Vibrational Energy Redistribution for Initially Excited CC Ring Modes in 30-Mode Benzene," *Chem. Phys. Lett.* **312**, 485-493 (1999).

Vibrational Relaxation C₆H₆(2**v**_{cc}) IVR Pathways Modeling

84972. Wisthaler, A., A. Hansel, M. Schwarzmann, C. Scheiring, W. Lindinger and E.E. Ferguson, "Relaxation of Vibrationally Excited HCN⁺ and DCN⁺ Ions in Collisions with He," *J. Chem. Phys.* **112**, 731-735 (2000).

Vibrational Relaxation HCN⁺(v)+He DCN⁺(v)+He Rate Constants

(84725) Vibrational Relaxation Rate Constant Measurement

HCI(V=1) + CH₃CHO

84973. Zenevich, V.A., G.D. Billing and G. Jolicard, "Vibrational-Rotational Energy Transfer in H₂-H₂ Collisions. II. The Relative Roles of the Initial Rotational Excitation of Both Diatoms," *Chem. Phys. Lett.* **312**, 530-535 (1999).

v,J Energy Transfer $H_2(v=1,J)+H_2$ Calculations

84974. Skinner, D.E., and W.H. Miller, "Application of the Forward-Backward Initial Value Representation to Molecular Energy Transfer," *J. Chem. Phys.* 111, 10787-10793 (1999).

Energy Transfer H₂+He Forward/Backward IVR Model Average Energy Probabilities 84975. Gorbachev, Yu.E., and F. Mallinger, "Quasiclassical Model for Vibrational-Translational and Vibrational-Vibrational Rate Constants," *J. Thermophys. Heat Transfer* **13**, 411-423 (1999).

V-T,V-V Relaxation N₂ Rate Constants Model

84976. Mertens, J.D., "Computational Model of Nitrogen Vibrational Relaxation by Electron Collisions," *J. Thermophys. Heat Transfer* **13**, 204-209 (1999).

Vibrational Relaxation $N_2(v) + e^ T_e(0.1-5 \text{ eV})$

84977. Jongma, R.T., and A.M. Wodtke, "Fast Multiquantum Vibrational Relaxation of Highly Vibrationally Excited O_2 ," *J. Chem. Phys.* **111**, 10957-10963 (1999).

Vibrational Relaxation O₂(v≥23)+O₂ Fast Multiquantum Transitions

84978. Zeninari, V., B.A. Tikhomirov, Yu.N. Ponomarev and D. Courtois, "Photoacoustic Measurements of the Vibrational Relaxation of the Selectively Excited Ozone (\mathbf{v}_3) Molecule in Pure Ozone and Its Binary Mixtures with O_2 , N_2 and Noble Gases," *J. Chem. Phys.* **112**, 1835-1843 (2000).

Vibrational Relaxation $O_3(\mathbf{v}_3) + M$ $M = O_3$, Rg, O_2 , N_2 Rate Constants

84979. Myers, D.J., M. Shigeiwa, M.D. Fayer and R. Silbey, "Non-exponential Relaxation of a Single Quantum Vibrational Excitation of a Large Molecule in Collision Free Gas Phase at Elevated Temperature," *Chem. Phys. Lett.* **312**, 399-406 (1999).

IVR
W(CO)₆, v_{CO}
ps Pump/Probe
Collision Free
Decay

84980. Alexander, M.H., X. Yang, P.J. Dagdigian, A. Berning and H.-J. Werner, "Potential Energy Surfaces for the $CN(X^2\Sigma^+,A^2\Pi)$ Ar System and Inelastic Scattering within the A-State," *J. Chem. Phys.* 112, 781-791 (2000).

Rotational Energy Transfer CN(A,v=3,J)+Ar Rate Constants

84981. Antonova, S., A.P. Tsakotellis, A. Lin and G.C. McBane, "State-to-State Rotational Excitation of CO by H₂ Near 1000 cm⁻¹ Collision Energy," *J. Chem. Phys.* 112, 554-559 (2000).

Rotational Energy Transfer CO+H₂ Cross Sections 795-991 cm⁻¹ Collision Energies

84982. Rudert, A.D., J. Martin, W.-B. Gao, J.B. Halpern and H. Zacharias, "Collisional Effects on Angular Momentum Orientation in Acetylene $X^1\Sigma_g^+$ ($v_2''=1,j''$). I. Preparation, Detection and Conservation in Single Collisions," *J. Chem. Phys.* 111, 9549-9559 (1999).

Rotational Energy Transfer $C_2H_2(X,v_2=1,J)$ Effects on Orientation Propensity Rules 84983. Tabai, J., and T. Dreier, "Measurement of Relaxation Times of NH in Atmospheric Pressure Flames Using Picosecond Pump-Probe Degenerate Four-Wave Mixing," *J. Mol. Struct.* 480/481, 307-310 (1999).

Rotational Relaxation NH(A-X) ps DFWM Measurements

84984. Rinnenthal, J.L., and K.-H. Gericke, "Single State NH($X^3\Sigma^-$,v=0,J,N) Preparation for State-to-State Studies," *J. Chem. Phys.* **111**, 9465-9468 (1999).

Rotational
Energy Transfer
NH(X,v=0,J=3,N=3)
Ne Induced
Rate Constants
SEP Selective
Formation Method

84985. Dong, F., X. Li, M. Zhang, X. Wang and N. Lou, "Rotational State-to-State Energy Transfer of $NH_2(A^2A_1)$ in Beam-Gas Condition," *J. Chem. Phys.* 111, 10578-10586 (1999).

Rotational State-to-State Energy Transfer NH₂(A)/Ar Measurements Analysis

84986. de Lange, M.J.L., M. Drabbels, P.T. Griffiths, J. Bulthuis, S. Stolte and J.G. Snijders, "Steric Asymmetry in State-Resolved NO-Ar Collisions," *Chem. Phys. Lett.* **313**, 491-498 (1999).

Rotational Energy Transfer NO(J=1/2)+Ar Steric Effects Product J States

84987. Shin, S.K., T.Y. Kang, H.L. Kim and C.R. Park, "Velocity Relaxation of Fast Hydrogen Atoms by Collisions with Rare Gases, N_2 , O_2 and N_2O_1 ," *J. Phys. Chem. A. Mol., Spectrosc., Kinetics* **104**, 1400-1404 (2000).

Translational Energy Relaxation 'Hot' H+Rg,N₂ 'Hot' H+N₂O,O₂ Cross Sections

46. THERMOCHEMISTRY

84988. Chase Jr., M.W., "NIST-JANAF Thermochemical Tables, Fourth Edition: Part I, Al-Co. Part II, Cr-Zr," pp. 1-958, 959-1951, Respectively, J. Phys. Chem. Ref. Data Monograph No. 9, 1951 pp. (1998).

Thermochemical
Tables
Corrected Reprinting
4th Edition

84989. Andersen, T., H.K. Haugen and H. Hotop, "Binding Energies in Atomic Negative Ions: III," *J. Phys. Chem. Ref. Data* 28, 1511-1533 (1999).

EA(Atoms)
Fine Structure
Energy Splitting
Evaluations

84990. Jursic, B.S., "Computing Heats of Formation from CBS-Q Total Energies and the Experimental Heats of Vaporization of Graphite and Rhombic Sulfur," *J. Mol. Struct.* 429, 161-164 (1998).

 $\begin{array}{l} \Delta H_{\text{f}} \\ 48 \text{ Molecules} \\ \text{Calculation} \\ \text{Method} \\ \Delta H_{\text{Vaporization}} \\ \text{C(s),S(s)} \end{array}$

| 84991. | Wiener, J.J.M., and P. Politzer, "Comparison of Various Density Functional Methods for Computing Bond Dissociation Energies," <i>J. Mol. Struct.</i> 427 , 171-174 (1998). | D₀ 28 Molecules 9 DFT methods Comparisons |
|---------|--|--|
| 84992. | Curtiss, L.A., K. Raghavachari, P.C. Redfern, A.G. Baboul and J.A. Pople, "Gaussian-3 Theory Using Coupled Cluster Energies," <i>Chem. Phys. Lett.</i> 314 , 101-107 (1999). | $\Delta H_{\rm f}$ G-3 Theory Accuracies |
| 84993. | Galbraith, J.M., A. Shurki and S. Shaik, "A Valence Bond Study of the Bonding in First Row Transition Metal Hydride Cations: What Energetic Role Does Covalency Play?," <i>J. Phys. Chem. A. Mol., Spectrosc., Kinetics</i> 104, 1262-1270 (2000). | D(MH+) M=Sc thru Zn Bonding Nature r _e Calculations |
| 84994. | Allendorf, M.D., C.F. Melius and C.W. Bauschlicher Jr, "Heats of Formation and Bond Energies in Group III Compounds," <i>J. de Phys. IV. Colloque</i> 9 (8), 23-31 (1999). | ΔH_f , D(MX) M=B, AI, Ga, In $X=CH_3$, CI, H n=1-3 Calculations |
| (84930) | First Row Transition Metals, Sc ₂ Ti ₂ , V ₂ , Cr ₂ , Mn ₂ , Fe ₂ , Co ₂ , Ni ₂ and Cu ₂ , r _e , Structural Calculations | $D(M_2)$ |
| 84995. | Swihart, M.T., and L. Catoire, "Thermochemistry of Aluminum Species for Combustion Modeling from ab Initio Molecular Orbital Calculations," <i>Combust. Flame</i> 121 , 210-222 (2000). | ΔH _f 24 Aluminum Compounds Calculations |
| (84236) | Equilibrium Calculations, Metal Distributions, Coal Combustion | As,Cd,Hg,Ni Pb,Se,V,Zn |
| (84560) | B ₃ N ⁻ Photoelectron Detachment Spectrum, Electronic Structures | EA(B ₃ N) |
| (84934) | Structural Calculations, Neutrals, Cations, Geometries, Frequencies | IP(BeF ₂ ,BeCl ₂) IP(BeBr ₂ ,Bel ₂) |
| (84892) | P.E. Curve, Spectral Constants, Calculations | $D_0(Be_2)$ |
| (84935) | Structural Calculations, Geometries | $\Delta H_f(BrO_2, BrO_3)$ $\Delta H_f(Br_2O_2)$ |
| (84936) | Structural Calculations, Geometries, Frequencies | $\Delta H_f(CF_2,CCI_2,CBr_2)$ $\Delta H_f(CHF,CHCI,CFCI)$ |
| 84996. | Sudlow, K.P., and A.A. Woolf, "Deviation from Additivity Rules for Estimating Heats of Formation of Hydrofluorocarbon Compounds," <i>J. Fluorine Chem.</i> 99 , 37-40 (1999). | ΔH _f HFCS Additivity Rule Deviations |

| 84997. | Sekiya, A., and S. Misaki, "The Potential of Hydrofluoroethers to Replace CFCS, HCFCS and PFCS," <i>J. Fluorine Chem.</i> 101 , 215-221 (2000). | 150 Fluorinated Ethers Boiling Points Properties Alternate Fluorocarbons |
|---------|---|---|
| 84998. | Ma, X., and H.H. Schobert, "Estimating Heats of Formation of Hydrocarbon Radicals by a Combination of Semiempirical Calculation and Family Correlation with Experimental Values," <i>J. Phys. Chem. A. Mol., Spectrosc., Kinetics</i> 104 , 1064-1074 (2000). | ΔH _f Hydrocarbon Free Radicals Semiempirical Estimation Method |
| 84999. | Chickos, J.S., W.E. Acree Jr., and J.F. Liebman, "Estimating Solid-Liquid Phase Change Enthalpies and Entropies," <i>J. Phys. Chem. Ref. Data</i> 28, 1535-1673 (1999). | ΔH _{fusion} Organics Group Additivity Estimation Method 1858 Compounds |
| (84894) | P.E. Curves, 15 States, Spectral Constants, Calculations | D _e ,T _e (CH) |
| 85000. | Burk, P., I.A. Koppel, A. Rummel and A. Trummal, "Can O-H Acid be More Acidic than Its S-H Analog? A G2 Study of Fluoromethanols and Fluoromethanethiols," <i>J. Phys. Chem. A. Mol., Spectrosc., Kinetics</i> 104, 1602-1607 (2000). | $D(CH_nF_{3-n}OH)$ $D(CH_nF_{3-n}SH)$ Calculations |
| (84891) | Energy Splitting Calculations | $CH_2(^1A_1-^3B_1)$ |
| 85001. | Jursic, B.S., "Calculation of Ionization Energy of Alkyl Radicals by Hybrid Density Functional Theory Methods," <i>J. Mol. Struct.</i> 432 , 211-217 (1998). | IP(CH $_3$, C $_2$ H $_5$) IP(i -C $_3$ H $_7$, t -C $_4$ H $_9$) Calculations Geometries |
| (84690) | CH ₃ +NO ₂ Rate Constants, Assessments | $S_{298}(CH_3NO_2)$ |
| 85002. | Espinosa-Garcia, J., "Theoretical C-H Bond Dissociation Enthalpies for CH ₃ OCI and CH ₃ OBr," <i>Chem. Phys. Lett.</i> 316 , 563-568 (2000). | D(CH ₃ OCI) D(CH ₃ OBr) Δ H _f (CH ₂ OCI,CH ₂ OBr) Calculations |
| 85003. | McGivern, W.S., A. Derecskei-Kovacs, S.W. North and J.S. Francisco, "Computationally Efficient Methodology to Calculate C-H and C-X (X=F, Cl and Br) Bond Dissociation Energies in Haloalkanes," <i>J. Phys. Chem. A. Mol., Spectrosc., Kinetics</i> 104 , 436-442 (2000). | D(CH ₄ ,CH ₃ F) D(CH ₃ CI,CH ₃ Br) CH ₂ X ₂ ,CHX ₃ Calculation Methodology |
| 85004. | Rodriquez, C.F., A. Cunje and A.C. Hopkinson, "Protonation of Group 14 Oxides: The Proton Affinity of SnO," <i>J. Mol. Struct.</i> 430 , 149-159 (1998). | D(MOH+,HMO+) M=C,Si,Ge,Sn PA Calculations Structures Frequencies |

| 85005. | Lu, W., P. Tosi, M. Filippi and D. Bassi, "Reactions of $C^+(^2P_u)$ with $CO(^1\Sigma^+)$ from Thermal Energies to 30 eV," <i>J. Chem. Phys.</i> 112 , 1330-1334 (2000). | ΔH_f , $D_0(C_2)$ $\Delta H_f(C_2^+)$ $C^+ + CO$ Reaction Energy Threshold |
|---------|--|---|
| 85006. | Lafleur, R.D., B. Szatary and T. Baer, "A Photoelectron-Photoion Coincidence Study of the ICH $_2$ CN Ion Dissociation: Thermochemistry of CH $_2$ CN, $^+$ CH $_2$ CN, and ICH $_2$ CN," <i>J. Phys. Chem. A. Mol., Spectrosc., Kinetics</i> 104 , 1450-1455 (2000). | IP,EA(CH_2CN) $\Delta H_f(ICH_2CN)$ PEPICO Spectra |
| (84568) | $R\!=\!C_2H_5,~C_3H_7,~C_4H_9$ Anion Photoelectron Spectroscopy, Vibronic Structure | ΔH_f ,EA(RO) D(ROH), ΔH_f (RO $^{\pm}$) |
| 85007. | Thomas, P.D., R.G. Cooks, K. Vekey, L. Drahos and C. Wesdemiotis, "Comments on "Proton Affinities of Primary Alkanols: An Appraisal of the Kinetic Method," <i>J. Phys. Chem. A. Mol., Spectrosc., Kinetics</i> 104, 1359-1361 (2000). | PA(ROH) R=C ₂ -C ₈ Alkyl Kinetic Method Appraisal |
| (84945) | Structural Calculations, OCCN, OCCN+, Infrared Spectra | ΔH_{f} ,ip(OCCN) |
| (84575) | Photoionization Spectrum, Vibrational Frequencies | IP(C ₂ H ₅ SCI) |
| 85008. | Gilbert, T., R. Pfab, I. Fischer and P. Chen, "The Zero Kinetic Energy Photoelectron Spectrum of the Propargyl Radical, C_3H_3 ," <i>J. Chem. Phys.</i> 112 , 2575-2578 (2000). | IP(C ₃ H ₃) ZEKE-PES Spectrum Frequencies |
| (84685) | $Br + C_5H_{10}$, C_6H_{12} Rate Constants, Temperature Dependences | $\Delta H_f(C_5H_{10}Br)$ $\Delta H_f(C_6H_{12}Br)$ |
| 85009. | Kiraly, Z., T. Kortvelyesi and L. Seres, "Thermal Reaction of 2-Methyl-2-butene in the Presence of Azomethane: Enthalpy of Formation of the Radicals (CH_3) ₂ $CCH(CH_3)$ ₂ and $tert$ - C_4H_9 ," <i>Phys. Chem. Chem. Phys.</i> 2 , 349-354 (2000). | $\Delta H_f((CH_3)_2CCH(CH_3)_2)$ $\Delta H_f(t-C_4H_9)$ $CH_3+(CH_3)_2CCH(CH_3)$ Equilibrium Constants Measurements |
| (84716) | C ₆ H ₅ +CO+Ar Rate Constants, RRKM Analysis | $\Delta H_f(C_6H_5CO)$ |
| 85010. | Takahata, Y., T. Hara, S. Narita and Ti. Shibuya, "Ionization Energies, Electron Affinities, and Absorption Spectrum of Fullerene C_{60} Calculated with the Semiempirical HAM/3 and CNDO/S Methods," <i>J. Mol. Struct.</i> 431 , 219-227 (1998). | IP,EA(C ₆₀) Absorption Spectrum Calculations |
| 85011. | Kirklin, D.R., "Properties of Materials and Systems of Importance to Environmental Fates and Remediation. III. Review of Previous Thermodynamic Property Values for Chromium and Some of Its Compounds," <i>J. Phys. Chem. Ref. Data</i> 28, 1675-1704 (1999). | Cr Compounds s,I Phases Thermochemical Values Evaluation |
| (84956) | Structural Calculations, Bond Length | $D_0(CuH^+)$ |
| | | |

| 85012. | Jursic, B.S., "High Level ab Initio and a Hybrid Density Functional Theory Study of the Bond Dissociation Energies and Heats of Formation for FOOF and FOOCI," <i>J. Mol. Struct.</i> 459 , 23-27 (1999). | $\Delta H_f(FOOCI)$ $\Delta H_f(FOOF)$ Calculations |
|---------|--|--|
| (84904) | P.E. Curves, Low-lying States, Spectral Constants, Lifetimes, Transition Strengths, Calculations | D _e (GaP) |
| (84959) | Structural Calculations, Neutrals, Anions, Geometries, Frequencies, Spectral Constants, Low-lying States | EA(GaP,GaP ₂) |
| (84905) | P.E. Curves, Low-lying States, Spectral Constants | $D_0(Ga_2)$ |
| (84907) | P.E. Function, Spectral Constants, Calculations | $D_e(HCl_2)$ |
| 85013. | Ruscic, B., and M. Litorja, "Photoionization of HOCO Revisited: A New Upper Limit to the Adiabatic Ionization Energy and Lower Limit to the Enthalpy of Formation," <i>Chem. Phys. Lett.</i> 316 , 45-50 (2000). | ΔH_f ,IP(t-HOCO) Photoionization Spectrum |
| 85014. | Jursic, B.S., "High Level ab Initio Density Functional Theory Study of Bond Dissociation Energy and Enthalpy of Formation for Hypochloric and Hypobromic Acids," <i>J. Mol. Struct.</i> 467 , 173-179 (1999). | ΔH_f ,D(HOCI) ΔH_f ,D(HOBr) Calculations |
| (84913) | P.E. Curves, Spectral Constants, Calculations | D ₀ (He ₂ ,Ne ₂ ,Ar ₂) D ₀ (HeNe,HeAr,NeAr) |
| (84914) | P.E. Curves, Low-lying Quartet States, Spectral Constants | D _e (He ₂ ⁺) |
| (84686) | Br+IBr/I+Br ₂ Rate Constant Measurements | $\Delta H_{\scriptscriptstyle \mathrm{f}}(IBr)$ |
| (84916) | P.E. Curves, (B,A,X) States, Spectral Constants, Calculations | D _e (LiHe) |
| (84917) | P.E. Curves, Low-lying States, Spectral Constants | D(Li ₂ ⁻) |
| 85015. | Andersen, A., F. Muntean, D. Walter, C. Rue and P.B. Armentrout, "Collision Induced Dissociation and Theoretical Studies of Mg $^+$ Complexes with CO,CO $_2$, NH $_3$, CH $_4$, CH $_3$ OH and C $_6$ H $_6$," <i>J. Phys. Chem. A. Mol., Spectrosc., Kinetics</i> 104 , 692-705 (2000). | D ₀ (Mg ⁺ L) L=Ar,Xe,CO,CO ₂ NH ₃ ,CH ₄ ,CH ₃ OH,C ₆ H ₆ Ion Beam Dissociation |
| (84919) | P.E. Curves, Low-lying States, Spectral Constants, Dipole Moment, Calculations | $D_0(MoN)$ |
| 85016. | Stephens, J.C., Y. Yamaguchi and H.F. Schaefer III, "The Adiabatic and Vertical Ionization Potentials of NH_2 to the Three Lowest-lying States of NH_2^+ ," <i>J. Mol. Struct.</i> 461/462 , 41-53 (1999). | IP(NH ₂) NH ₂ +(b,a,X) Calculations |
| 85017. | Raptis, C.A., J.A. Bacon and S.T. Pratt, "Double-Resonance Spectroscopy of Autoionizing States of Ammonia," <i>J. Chem. Phys.</i> 112 , 2815-2825 (2000). | IP(NH ₃) Double Resonance Autoionizing Rydberg State Spectra |
| (84964) | Structural Calculations, Geometry | $D_0(NH_3)_2$ |

| 85018. | Politzer, P., J.M. Seminario and M.C. Concha, "Energetics of Ammonium Dinitramide Decomposition Steps," <i>J. Mol. Struct.</i> 427 , 123-129 (1998). | $\Delta H_f(NH(NO_2)_2)$ $NH_4N(NO_2)_2$ $\Delta H_{sublimation}$ Decomposition Channels Calculations |
|---------|--|--|
| 85019. | Burcat, A., "Ideal Gas Thermodynamic Properties of Propellants and Explosive Compounds," <i>J. Propulsion Power</i> 16 , 105-118 (2000). | Thermodynamic Properties 29 Nitro-Compounds TNT,RDX,HMX PETN,NPN,NG |
| 85020. | Jursic, B.S., "The Ionization Potential and Electron Affinity of PF and PF $_2$," <i>J. Mol. Struct.</i> 465 , 193-196 (1999). | IP,EA(PF,PF ₂) Calculations |
| 85021. | Lodders, K., "Revised Thermochemical Properties of Phosphinidene (PH), Phosphine (PH ₃), Phosphorus Nitride (PN) and Magnesium Phosphate (Mg ₃ P ₂ O ₈)," <i>J. Phys. Chem. Ref. Data</i> 28 , 1705-1712 (1999). | JANAF Tables PH(g),PH ₃ (g) PN(g) Mg ₃ P ₂ O ₈ (s,I) Recalculations |
| 85022. | Wang, XB., and LS. Wang, "Vibrationally Resolved Photoelectron Spectroscopy of PO_3^- and the Electronic Structure of PO_3 ," <i>Chem. Phys. Lett.</i> 313 , 179-183 (1999). | EA(PO ₃) PO ₃ (A,X) Frequencies Energies PO ₃ -,PES |
| (84411) | Calculations | $\Delta H_f(P_2H_n^+)$ $n=1-6$ |
| 85023. | Jursic, B.S., "Theoretical Study of the Atomization Energy and Geometry of Sulfur Dioxide and Sulfur Monoxide," <i>J. Mol. Struct.</i> 467 , 187-193 (1999). | D(SO,SO ₂) DFT Calculations Adequacies |
| 85024. | Wang, XB., J.B. Nicholas and LS. Wang, "Photoelectron Spectroscopy and Theoretical Calculations of SO_4^- and HSO_4^- : Confirmation of High Electron Affinities of SO_4 and HSO_4 ," <i>J. Phys. Chem. A. Mol., Spectrosc., Kinetics</i> 104 , 504-508 (2000). | EA(HSO ₄ ,SO ₄) Anion PES Geometries Measurements Calculations |
| (84614) | Rotational Spectrum, Constants | D _e (ScBr) |
| (84970) | Structural Calculations, Spectral Constants | $D_e(TiCI)$ $D_e(TiH,TiH^+)$ |
| (84927) | P.E. Curve, Calculations | $D_e(Ti_2)$ |
| (84310) | Thermodynamic Property Calculations, 0-1500 K | TNAZ |
| (84874) | Y+HCHO Crossed Beams, Product Channels | $D_0(YCHO)$ |

85025. Thomas, O.C., S. Xu, T.P. Lippa and K.H. Bowen, "Mass Spectrometric and Photoelectron Spectroscopic Studies of Zirconium Oxide Molecular and Cluster Anions," J. Cluster Sci. 10, 525-532 (1999).

 $EA(ZrO),D(ZrO^{-})$ EA(ZrO₂) ZrO^{-}, ZrO_{2}^{-} PES Spectra

47. EXPERIMENTAL METHODS

85026. Nikolayeva, O., M. Auzinsh, M. Tamanis and R. Ferber, "Electric Field Induced Alignment-Orientation Conversion in Diatomic Molecules: Analysis and Observation for NaK," J. Mol. Struct. 480/481, 283-287 (1999).

Alignment Effects NaK(D-X) Polarized Light Pumping Method

(84407) NO+/He Drift Tube Calculations

Rotational Alignment

48. MISCELLANEOUS

85027. Mohr, P.J., and B.N. Taylor, "CODATA Recommended Values of the Fundamental Fundamental Physical Constants: 1998," J. Phys. Chem. Ref. Data 28, 1713-1852 (1999).

Physical Constants Recommended CODATA Values